


RECEIVED
D.C. OFFICE OF ZONING

2012 JUN 11 PM 2:03

EXISTING HOUSE



01 PROPOSED DECK
A1 SCALE 1/4" = 1'-0"


REFERRAL TO BZA
[Signature]
Zoning Administrator

BOARD OF ZONING ADJUSTMENT
District of Columbia

CASE NO. 18428

EXHIBIT NO. 9


EXISTING HOUSE



02 DECK FRAMING
A1 SCALE 1/4" = 1'-0"

(SWEEPER RAILING)

2 X 6 RAIL CAP
2 X 2 PICKETS SPACED
A MAX OF 4" APART
2 X 4 RUNNERS



03 ELEVATION DETAIL
A1 SCALE 1/4" = 1'-0"

NOTE: STAIRS
CUTOUT STAIR STRINGERS
TO BE NAILED TO FULL
2X12 STRINGERS EACH SIDE

TREADS= 12"
RISERS= 7-1/2"

STAIR POSTS:
4X4 ON 24"Ø X 10" THICK
CONCRETE FOOTERS

COUNTY:

DRAWING
A1

DC

NICK

MARCH 2012


ACE
DECK & FENCE, INC.

DANIEL RESIDENCE
422 30TH PLACE, NW
WASHINGTON DC 20007

Board of Zoning Adjustment
District of Columbia
CASE NO. 18428
EXHIBIT NO. 9

RECEIVED
D.C. OFFICE OF ZONING

2012 JUN 11 PM 2:03



01 REAR ELEVATION
A2 SCALE 1/4" = 1'-0"

SWEPPER RAILING (TYP)

SECURITY GATE

STAIRS TO GRADE
WITH CLOSED RISERS


—DBL 2X12 BEAM

—6X6 SUPPORT POSTS (TYP)

GRADE

NOTE
RAILING CONSTRUCTED TYP AS SHOWN
IN ELEVATION DETAIL

5/4X6 TREADS



02 STAIR DETAIL
A2 SCALE 1/4" = 1'-0"

EXISTING HOUSE

RISERS= 7 1/2"
TREADS= 12"

—DECK LEVEL

—2X10 LEDGER

—2X4 CROSS-BRACE

—4X4 SUPP POSTS

—2X12 STRINGERS @ 16" O.C.

—1X8 CLOSED RISERS

COUNTY:

DC

DC

MARCH 2012

ACE
DECK & FENCE, INC.

FARRELL RESIDENCE
2402 30TH PLACE, NW
WASHINGTON DC 20007