

Department of Consumer and Regulatory Affairs

Permit Operations Division

941 North Capitol Street NE Room 2100

Washington DC 20002

Tel. (202) 442 - 4589 Fax (202) 442 - 4862

TO SCHEDULE INSPECTIONS PLEASE CALL (202) 442 9557

C_oF_O**CERTIFICATE OF OCCUPANCY**

THIS CERTIFICATE MUST ALWAYS BE CONSPICUOUSLY DISPLAYED AT THE ADDRESS MAIN ENTRANCE

PERMIT NO. CO1000514

Date: 01/12/2010

Address of Use: 2201 GEORGIA AVE NW		Zone: C-M-3	Ward 1	Square: 3065	Suffix:	Lot: 0833
Description of Occupancy: PARKING LOT WITH 46 PARKING SPACES (SIZE 9' X 19' EACH SPACE).						
Permission is Hereby Granted To: Howard University		Trading As: HOWARD UNIVERSITY		Floor(s) Occupied LOT		PERMIT FEE. \$146.90
Property Owner: The Howard University		Previous Use(s): Parking Lots - S-2		Occupant Load: 46		BZA Number:
Type of Occupancy: Use Change	Occupied Sq. Footage: 22975	Approved Use(1): Other (Specify)				
Conditions/ Restrictions: As a condition precedent to the issuance of this Certificate, the owner agrees to conform with all conditions set forth herein, and to maintain the use authorized hereby in accordance with the approved application and plans on file with the District Government and in accordance with all applicable laws and regulations of the District of Columbia. The District of Columbia has the right to enter upon the property and to inspect all spaces whose use is authorized by this Certificate and to require any changes which may be necessary to ensure compliance with all the applicable regulations of the District of Columbia.						
Director: Linda K. Argo		Permit Clerk: Erika King		Expiration Date:		
TO REPORT WASTE, FRAUD OR ABUSE BY ANY DC GOVERNMENT OFFICIAL, CALL THE DC INSPECTOR GENERAL AT 1-800-521-1639 FOR CONSTRUCTION INSPECTION INQUIRIES CALL (202) 442-9557 TO SCHEDULE INSPECTIONS PLEASE CALL (202) 442-9557						

BOARD OF ZONING ADJUSTMENT
District of Columbia

CASE NO.

18508

EXHIBIT NO.

8

 RECEIVED
 D.C. OFFICE OF ZONING
 2012 DEC -4 PM 2:13

 Board of Zoning Adjustment
 District of Columbia
 CASE NO.18508
 EXHIBIT NO.8