

CHILD DEVELOPMENT DAYCARE

1802 D Street, NE, WASHINGTON DC. 20020

INDEX

C1	COVER
A1.1	FIRST FLOOR PLAN
A1.2	REFLECTED CIELING PLAN
F.1	FURNITURE FIRST FLOOR PLAN
M.1	MECHANICLE FIRST FLOOR PLAN

LEGEND

	FIRE EMERGENCY BATTERY PACK		OUTLET
	FIRE EMERGENCY PULL		LIGHT
	SMOKE DETECTOR		LIGHT FIXTURE
	SWITCH FOR LIGHTS		LIGHT/FAN

CODE SUMMERY

APPLICATION CODES

- * IBC 2006

BUILDING PERVIOUS. USE WAS A CLEANERS FOR COMMERCIAL
CHANGING IT TO AND EDUCATIONAL USE

BUILDING

- BUILDING HEIGHT IS 15' +/-
- *THREE LEVEL STRUCTURE
- * INTERIOR HEIGHT 10'

DENSITY

- * 940 S. F. IS THE CLASSROOMS AREA
- * 30 NET MAX. FLOOR AREA ALLOWED PER OCCUPANT
- * 47 ALLOWABLE AMOUNT OF OCCUPANTS
- * 15 TWO YEARS AND YOUNGER
- * 10 OLDER THEN TWO YEARS
- * 5 ADULTS
- * 30 TOTAL AMOUNT OCCUPANT

USE GROUP

- * E EDUCATIONAL

TYPE OF CONSTRUCTION


- * GROUP E, TYPE IIA

RATED BUILDING ASSEMBLIES

- * EXISTING COMMON WALL TWO HOUR ASSEMBLY
- * EXISTING STRUCTURE BUILT UP 8" BLOCK, 4" BRICK

MEANS OF EGRESS


- * 2 DOORS FOR MEANS OF EGRESS
- * 37' IS THE MAXIMUM DISTANCE TRAVELED TO MEANS OF EGRESS.




1
SCALE: 1/8" = 1'-0"

2
SCALE: 1/4" = 1'-0"

ENTRY THRESHOLD DETAIL





REFLECTED CIEILING PLAN

SCALE: 1/8" = 1'-0"

NO.	DATE	DESCRIPTION
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		



1
SCALE: 1/8" = 1'-0"

F1.1



→

MEP.1

[illegible]