


TEACHERS OUTDOOR THERAPY PLAN
1/8" = 1'-0"

ROOF PLAN

1/8" = 1'-0"



ROOF COMPOSITION
ROOFING MEMBRANE ON 1/4"
COVER BOARD ON FIBER
INSULATION ON VAPOR BARRIER
ON DECK BOARD OR METAL DECK
1HR RATED ASSEMBLY UL 7532

ROOF PLAN GENERAL NOTES

A. ALL DETAILS SHOWN ARE FOR GENERAL INFORMATION. ALL FINAL FINISHING CONDITIONS SHALL BE THE RESPONSIBILITY OF THE ROOF INSTALLER, AND SHALL MEET APPROVAL OF ROOF MANUFACTURER.

B. ALL EXISTING ROOFING MUST HAVE SHOP DRAWINGS APPROVAL. CONTRACTOR SHALL INSPECT AND VERIFY ALL EXISTING FIELD CONDITIONS, CLEARANCES, AND DIMENSIONS BEFORE STARTING CONSTRUCTION. COMMENCEMENT OF WORK CONSTITUTES ACCEPTANCE OF EXISTING CONDITIONS. SHOULD DIFFERENT CONDITIONS BE ENCOUNTERED, CONTACT ARCHITECT BEFORE PROCEEDING WITH ANY FURTHER WORK.

C. PROVIDE FLASHING AND SADDLES FOR ALL EQUIPMENT PROVIDED UNDER MECHANICAL. SADDLES AND FLASHING INSULATION SYMBOLS INDICATE DESIGN INTENT TO SLOPE TO DRAIN. CONTRACTOR SHALL PROVIDE SUFFICIENT DRAINAGE FOR TAPERED INSULATION AND SADDLES TO MAINTAIN POSITIVE SLOPE.

D. PROTECT ALL ROOF DRAINS, SCUPPERS, AND DOWNPOUTS FROM DEBRIS CREATED DURING DEMOLITION AND CONSTRUCTION. INSPECT AND CLEAR ALL DRAINS, SCUPPERS, AND DOWNPOUTS PRIOR TO COMPLETION OF WORK AND TO ENSURE THEY ARE FREE OF DEBRIS AND ARE FUNCTIONING PROPERLY.

ROOF PLAN SYMBOL LEGEND

○ KEY NOTES

⊙10 INDICATES ROOF DRAIN SUMP PAN (FLASH IN ACCORDANCE WITH ROOF MEMBRANE MANUFACTURER'S RECOMMENDATION) REFER TO DETAILS X-A&L.

⊙10 INDICATES ROOF OVERFLOW DRAIN (FLASH IN ACCORDANCE WITH ROOF MEMBRANE MANUFACTURER'S RECOMMENDATION) REFER TO DETAILS X-A&L.

○V1 INDICATES VENT STACK - REFER TO DETAILS X-A&L.

○V2 INDICATES VENT STACK - REFER TO DETAILS X-A&L.

○FLU INDICATES FLUE - REFER TO DETAILS X-A&L.

⊙E1 INDICATES EXHAUST FAN - REFER TO DETAILS X-A&L.

⊙M1 INDICATES MECHANICAL UNIT - REFER TO DETAILS X-A&L.

⊙SV INDICATES SMOKE VENT - REFER TO DETAILS X-A&L.

⊙RA INDICATES ROOF ACCESS - REFER TO DETAILS X-A&L.

— SLOPE 1/12 INDICATES ROOF SLOPE

— INDICATES ROOF SADDLE - REFER TO PROJECT MANUAL.

— INDICATES WALKWAY PADS - REFER TO PROJECT MANUAL.


— INDICATES ICE & WATER SHIELD MEMBRANE FLASHING.

— INDICATES EXPANSION JOINT - REFER TO DETAILS X-A&L.

— INDICATES WALL LINE BELOW - REFER TO ARCHITECTURAL FLOOR PLANS.



Janney Elementary School
4130 Albemarle St., NW
Washington, D.C.
District of Columbia Public Schools



FANNING-HOWE
www.fh.com
703.519.9822

ROOF PLAN		REVISIONS	
DATE	BY	DATE	BY
2/13/19	DA	02-16-2014	DA
2/13/19	DA	02-16-2014	DA
A2.1		A2.1	

Board of Education
Exhibit No. 8



Janney Elementary School
4130 Albemarle St., NW
Washington, D.C.
District of Columbia Public Schools




KEY PLAN

FANNING-HOWE
703.519.9822
www.fh.ai.com

BUILDING ELEVATIONS		REVISIONS	
DATE	BY	NO.	DATE
2/13/19	MM	213119.00	02-12-2014
DESIGNED BY	CHKD BY	DATE	DATE
A3.1			

JANNEY ELEMENTARY SCHOOL
COMM NO: 213119.00




SOUTH ELEVATION

SCALE: 1/8" = 1'-0"




EAST ELEVATION

SCALE: 1/8" = 1'-0"




WEST ELEVATION

SCALE: 1/8" = 1'-0"




NORTH ELEVATION

SCALE: 1/8" = 1'-0"



BUILDING SECTION

SCALE: 3/8" = 1'-0"



BUILDING SECTION

SCALE: 3/8" = 1'-0"

COPYRIGHT 2014 BY FANNING-HOWEY ASSOCIATES, INC.



Janney Elementary School
 4130 Albemarle St., NW
 Washington, D.C.
 District of Columbia Public Schools

FANNING-HOWEY
 703.519.9822
 www.fh.com

BUILDING SECTIONS

DESIGNED BY:	DATE:
CHECKED BY:	DATE:
APPROVED BY:	DATE:
A4.1	

VERIFICATION NOTE
 CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CLEARANCES AND ALL EXISTING FIELD CONDITIONS BEFORE STARTING CONSTRUCTION. COMMENCEMENT OF WORK CONSTITUTES ACCEPTANCE OF CONDITIONS. SHOULD DIFFERENT CONDITIONS BE ENCOUNTERED, CONTACT THE ARCHITECT BEFORE PROCEEDING WITH WORK.

JANNEY ELEMENTARY SCHOOL
 COMM NO: 213119.00