

GOVERNMENT OF THE DISTRICT OF COLUMBIA
Board of Zoning Adjustment



MEMORANDUM

To: Advisory Neighborhood Commission 1A

From: Stephen Varga, AICP, LEED Green Assoc. *SV*
Senior Zoning Specialist

Date: August 31, 2015

Re: BZA Application No. 19119

An Applicant within the boundaries of your ANC is seeking zoning relief for a project or use that is not provided as a matter of right for the zoning district. This application was filed on **August 28, 2015** through the Interactive Zoning Information System (IZIS).

In order to review exhibits in the case, follow these steps:

- Visit the Office of Zoning (OZ) website at www.dcoz.dc.gov
- Under "Featured Services", click on "Case Records".
- Enter the BZA application number indicated above and click "Go".
- The search results should produce the list of case documents. Click "View Details".
- On the right-hand side, click "View Full Log".
- This list comprises the full record in the case. Simply click "View" on any document you wish to see, and it will open a PDF document in a separate window.

As described in the Zoning Regulations of the District of Columbia (Regulations), the affected ANC is an automatic party to the case and the Board gives "great weight" to its written report. Visit http://dcoz.dc.gov/resources/ANC_Filing/index.shtm for instructions on how to file the ANC report (Form 129) through IZIS. Though ANC reports may be filed at any time prior to the Board's final deliberation on the case, the ANC is strongly encouraged to submit their report no later than seven days prior to the public hearing date so that Board has ample time to consider the ANC's position. Your ANC will receive notice of the hearing at least 40 days prior to the scheduled hearing date.

If your ANC has not received a courtesy copy of the application from the Applicant, please notify us so we can assist you in obtaining a copy. If you have any questions, please do not hesitate to contact the Office of Zoning at 202-727-6311.

PROJECTED MONTH OF HEARING: December, 2015