






LEGEND

- NEW EXTERIOR MASONRY WALL
- NEW INTERIOR PARTITION WALL
- NEW 8" X 4" WOOD ON STEEL METAL STUD @ 16" O.C. WITH 1/2" GYP. PLUM BOARD ON EACH SIDE
- NEW ONE HOUR FIRE RATED WALL ASSEMBLY (SEE DETAIL)




window detail


- * All bedrooms (i.e. sleeping rooms) shall have an emergency escape window (ICC 2003, 1003; and 2003, 1003). This window shall have a minimum clear opening of 5.7 sq. ft. with a minimum clear height of 20 inches and a clear width of 20 inches. The maximum height of the clear opening from the floor to the top of the window shall be 44 inches (ICC 2003, 1003; and 2003, 1003).




one hour wall assembly



one hour floor assembly



FRONT ELEVATION
SCALE 1/8"=1'-0"



REAR ELEVATION
SCALE 1/8"=1'-0"

PROJECT NO.	1408 NEWTON STREET, NW WASHINGTON, DC
DATE	10/1/00
BY	PEARSON & ASSOCIATES
CHECKED	PEARSON & ASSOCIATES
APPROVED	PEARSON & ASSOCIATES

1408 NEWTON STREET, NW
WASHINGTON, DC

PROJECT NO.	1408 NEWTON STREET, NW WASHINGTON, DC
DATE	10/1/00
BY	PEARSON & ASSOCIATES
CHECKED	PEARSON & ASSOCIATES
APPROVED	PEARSON & ASSOCIATES

Pearson & Associates
4070 GLENN ROAD, N.W.
WASHINGTON, D.C. 20007-1178
ARCHITECTS • ENGINEERS • PLANNERS • INTERIORS