








BZA
Case No. 17149
Exhibit No. 64
Board of Zoning Adjustment
District of Columbia
CASE NO. 17149
EXHIBIT NO. 64



MIDDLE SCHOOL SECTION THROUGH NEW WING



MIDDLE SCHOOL SECTION THROUGH EXISTING WING



MIDDLE SCHOOL PERSPECTIVE FROM 37TH STREET




WISCONSIN AVENUE PERSPECTIVE LOOKING SOUTH



WISCONSIN AVENUE PERSPECTIVE LOOKING NORTH

KieranTimberlake Associates LLP
29 June 2004


BOARD OF ZONING ADJUSTMENTS HEARING, 7
Sidwell Friends School



NEW ENTRY ON WISCONSIN AVENUE

KieranTimberlake Associates LLP
29 June 2004

BOARD OF ZONING ADJUSTMENTS HEARING, 8
Sidwell Friends School



WISCONSIN AVENUE PARTIAL ELEVATION

The garage and field will be illuminated by three primary lighting systems




Downlights
- Ceramic metal halide
- Provides primary Illumination for the driveway areas and ramps
- No spill of direct light outside of the parking structure, except at the entry and exit points where such spill is required



Uplights
- Provides additional ambient and security lighting, ensuring shadow free lighting
- Fluorescent uplights are mounted above beam level to ensure no off-site light pollution



Pole lights
- Metal halide luminaires shielded to prevent emission of light in undesirable directions.
- Illuminates the sidewalk, curb and curb lane for added security
- No trespass beyond the center of the street



LIGHTING



CURRENT VIEW OF THE ZARTMAN HOUSE FROM WISCONSIN AVENUE



PROPOSED VIEW OF ZARTMAN AT NEW ENTRY