

BZA CASE NO. 19200B - PREHEARING SUBMISSION

1401 Okie Street NE, Washington, DC 20002

Owner/Developer

Douglas Development 702 H Street NW #400 Washington, DC 20001 202.638.6300

Architects and Planners

Antunovich Associates 2200 Clarendon Blvd, Suite 1 Board of Zonintovejadaee 28, 2018 Arlington, VA 22201 District of Columbia CASE NO.19200B 703.224.1126 EXHIBIT NO.31A

DRAWING INDEX

- 1 Cover
- 2 Index
- 3 Zoning Data Summary
- 4 Area Plans
- 5 Vicinity Map
- 6 Site Context
- 7 Site Plan
- 8 Approved Cellar Plan
- 9 Proposed Cellar Plan
- 10 Approved First Floor Plan
- 11 Proposed First Floor Plan
- 12 Approved Second Floor Plan
- 13 Proposed Second Floor Plan
- 14 Approved Third Floor Plan
- 15 Proposed Third Floor Plan
- 16 Approved Roof Plan
- 17 Proposed Roof Plan

- **18 Approved Elevations**
- **19 Proposed Elevations**
- 20 Approved Elevations
- 21 Proposed Elevations
- 22 Approved Elevations
- 23 Proposed Elevations
- 24 Approved Section
- 25 Proposed Section
- 26 Proposed 3D View
- 27 Proposed 3D View

PAPPAS TOMATO FACTORY



CASE #19200 AND #19200B SQUARE - 4093 LOT 22



PDR-1 DISTRICT

ITEM	REQUIRED / PERMITTED PDR-1 (ZR16)				APPROVED UNDER PDR-1 (BZA CASE #19200A)							
SITE AREA - SF	78,950				78,950							
						CELLAR FLOOR (38,324 SF RETAIL) (13,258 SF PDR)	FIRST FLOOR (RETAIL)	SECOND FLOOF (OFFICE)	R THIRD FLOOR (OFFICE)			
TOTAL GROSS FLOOR AREA (GFA) - SF					73,244 (GFA) SF	51,582 SF TOTAL	57,011 SF TOTAL	8,022 SF TOTAL	8,211 SF TOTAL	93,180 (
TOTAL AREA - SF							124,826					
TOTAL FLOOR AREA RATIO (FAR) - SF	2.0 FAR - REST	2.0 FAR - RESTRICTED USES 3.5 FAR - MAXIMUM PERMITTED				0.93						
BUILDING AREA (FOOTPRINT) - SF		58,170 (EXISTING BUILDING FOOTPRINT)					52,261					
LOT OCCUPANCY	74% (EXISTING BUILDING FOOTPRINT)				66%							
BUILDING HEIGHT	50 FEET				40 FEET							
REAR YARD DEPTH	2.5" PER FOOT OF HEIGHT, 12 FOOT MIN. REAR YARD NOT REQUIRED BELOW A HORIZONTAL PLANE 20 FT. ABOVE MEAN FINISHED GRADE				REQUIRED	2.5" PER FOOT OF HEIGHT = 2.5" X 39'-0" / 12 = 8.13 FEET MINIMUM DEPTH PER DC ZONING - 12 FEET			REQU			
					APPROVED		34'-3"			PROP		
GREEN AREA RATIO (GAR)		AT LEAST 0.3 (SEC. 11-J208)			EXEMPT	APPROVED GAR EXEMPTION FROM THE OFFICE OF TAX & REVENUE				EXEM		
SIDE YARD - NONE REQUIRED		N.A.			N.A.					N.A.		
FRONT YARD - NONE REQUIRED		1	NONE		NONE					NON		
PARKING REQUIREMENT	OFFICE 0.5 PER 1,000 SF IN EXCESS OF 3,000 SF RETAIL 1.33 PER 1,000 SF IN EXCESS OF 3,000 SF				OFFICE	{[(16,233) - (420)]/ (1,000)}(1.33) = 21 SPACES REQUIRED - 101 PARKING CREDIT = 43 TOTAL PARKING			PLEASE DECRE BUILDIN GROSS			
	ENTERTAINMENT 2 PER 1,000 SF				RETAIL	{[(95,335) - (2	2,580)]/ (1,000)}(1.33)	= 123 SPACES	REQUIRED	USE, W		
	EATING & DRINKING 1.33 PER 1,000 SF IN EXCESS OF 3,000 SF									*ENTI		
	PRODUCTION 1 PER 1,000 SF IN EXCESS OF 3,000 SF				APPROVED	NONE -	SEEKING PARKING	RELIEF PER 43	SPACES	PRO		
LOADING REQUIREMENT		LOADING BERTH	LOADING PLATFORMS	SERVICE DELIVERY		LOADING BERTH LOADING PLATFORMS SERVICE DELIVERY			CE DELIVERY			
(20,000 TO 50,000 SF GFA)	OFFICE	1	1	1	APPROVED	2 @ 30 FEET DEEI	P 1 @ 100 SF	1 @ 20	FEET DEEP	PROF		
(5,000 TO 20,000 SF GFA)	RETAIL	1	1	NONE		1 @ 55 FEET DEEI	2 @ 200 SF	:				
(LESS THAN 50,000 SF GFA)	ENTERTAINMENT	0	0	NONE								
(5,000 TO 20,000 SF GFA)	EATING & DRINKING	1	1	NONE								
(5,000 TO 25,000 SF GFA)	PRODUCTION	1	1	NONE								
COURTS	NONE				OPEN COURT REQ'D WIDTH					OPEN REQ'D		
					APPROVED OPEN COURT WIDTH		33'-6"			PROF OPEN WI		
ROOF STRUCTURES	REQUIRED/PERMITTED:				APPROVED	ROOF STRUCTURE	Ξ	HEIGHT AB ROOF		PR		
	MAXIMUM HEIGHT:		ELEVATOR PENTH	OUSE #1	9'-4"	53'-7"	4					
	STORIES: 1; Second		STAIR & ELEVATOR		10'-3"	45'-7"						
	NUMBER: One penthouse permitted, plus separate rooftop egress stairwell, plus separate elevator enclosure.							DF 9'-6" 9'-2"	19'-6"			
						STAIR & ELEVATOR	R PENTHOUSE #3 H. EQUIP. EAST ROO		18'-7" & 40'-0" 54'-0"			
						STAIR # 4	. LQUII . LAUT ROU	1-9	04 -0	i		

PAPPAS TOMATO FACTORY

Zoning Data Summary 3 November 28, 2018


NOTE: USES SUBJECT TO CHANGE. SQUARE FOOTAGES SHOWN ARE AS OF THE DATE OF THIS FILING.

OFFICE - OFF. PRODUCTION, DISTRIBUTION & REPAIR - PDR EATING & DRINKING - E/D. ENTERTAINMENT - ENT.

PROPO							
	OSED UNDER	PDR-1					
	78,950						
. ,	FIRST FLOOR (6,488 RTL./ENT.) (16,110 PDR/ENT.) (18,263 E/D.)	(11,60 (11,01	D FLOOR)0 OFF.) 3 ENT.) E/D.)	THIRD FLOOR (11,982 OFF.)			
,073 SF TOTAL	(10,705 ENT.) (6,645 LOADING) 58,211 SF TOTAL	22,987	SF TOTAI				
	144,253						
	1.18						
	58,211						
	74%						
	49'-5"						
2.5" PER FOOT OF HEIGHT = 2.5" X 49'-5" / 12 = 10.29 FEET MINIMUM DEPTH PER DC ZONING - 12 FEET							
5'-9" MINIMUM							
KING CALCULATI A IS BEING DEDIG HE HIGHEST PAR	ON ASSUMES THA CATED TO THE EN KING REQUIREMEN	T 100% (FERTAIN NT.	OF THE	REQUIRED - 101 PARKING CREDIT = 85 TOTAL PARKING REQUIRED			
N	ONE - SEEKING RE	LIEF PEI	R 85 SPA	CES			
OADING BERTH	LOADING PLATFORMS		SERVICE DELIVERY				
@ 30 FEET DEEF	D 1 @ 100 S	F	1 @ 20 FEET DEEP				
@ 55 FEET DEEF	2 @ 200 \$	βF					
THE	E TWO OR MORE U USES MAY SHARE ERNAL ACCESS IS	LOADIN	G SO LON	IG AS			
	(2.5" PER FOOT OF HEIGHT) 2.5" X 45'/12 = 9.38 FEET MINIMUM WIDTH PER DC ZONING - 6 FEET						
·							
·							
·	MUM WIDTH PER D						
	2.5" PER FOOT MINIMU (IBILITY IS REQU JARE FOOTAGE KING CALCULATI A IS BEING DEDI IE HIGHEST PAR - {[(93,180)/(1 NI .OADING BERTH @ 30 FEET DEEF @ 55 FEET DEEF	144,253 1.18 58,211 74% 49'-5" 2.5" PER FOOT OF HEIGHT = 2.5" 3 MINIMUM DEPTH PER DC 5'-9" MINIMU 5'-9" MINIMU KIBILITY IS REQUESTED TO INCREAS JARE FOOTAGE OF ENTERTAINMENT KING CALCULATION ASSUMEST THAT A IS BEING DEDICATED TO THE ENTITE HIGHEST PARKING REQUIREMENT - {[(93,180)/(1,000)]}(2) = 186 SPA NONE - SEEKING RE .OADING BERTH LOADING PLAT @ 30 FEET DEEP 1 @ 100 S @ 55 FEET DEEP 2 @ 200 S	144,253 1.18 58,211 74% 49'-5" 2.5" PER FOOT OF HEIGHT = 2.5" X 49'-5" / MINIMUM DEPTH PER DC ZONING 5'-9" MINIMUM S'-9" MINIMUM KIBILITY IS REQUESTED TO INCREASE OR JARE FOOTAGE OF ENTERTAINMENT USES KING CALCULATION ASSUMES THAT 100% OF A IS BEING DEDICATED TO THE ENTERTAIN IE HIGHEST PARKING REQUIREMENT. - {[(93,180)/(1,000)]}(2) = 186 SPACES NONE - SEEKING RELIEF PER .OADING BERTH LOADING PLATFORMS @ 30 FEET DEEP 1 @ 100 SF @ 55 FEET DEEP 2 @ 200 SF	144,253 1.18 58,211 74% 49'-5" 2.5" PER FOOT OF HEIGHT = 2.5" X 49'-5" / 12 = 10.2 MINIMUM DEPTH PER DC ZONING - 12 FEE 5'-9" MINIMUM S'-9" MINIMUM (IBILITY IS REQUESTED TO INCREASE OR JARE FOOTAGE OF ENTERTAINMENT USES IN THE KING CALCULATION ASSUMES THAT 100% OF THE A IS BEING DEDICATED TO THE ENTERTAINMENT IE HIGHEST PARKING REQUIREMENT. ([(93,180)/(1,000)]](2) = 186 SPACES NONE - SEEKING RELIEF PER 85 SPA (OADING BERTH LOADING PLATFORMS SERVIC @ 30 FEET DEEP 1 @ 100 SF 1 @ 20			

Douglas Development

Antunovich Associates ©




1401 Okie Street NE, Washington, DC 20002

Douglas Development

۰

Antunovich Associates © ۰

Proposed Area Plans 4







Douglas Development

* Antunovich Associates ©





VIEW LOOKING SOUTH FROM HECHT AVENUE NE

VIEW OF SIDE YARD LOOKING SOUTHWEST FROM OKIE STREET NE



SIDE VIEW LOOKING EAST FROM GALLAUDET STREET NE

VIEW OF WEST BUILDING FROM TRAINCAR & PLAZA

1401 Okie Street NE, Washington, DC 20002

۰ Douglas Development • Antunovich Associates ©





SIDE VIEW LOOKING NORTHEAST ALONG FENWICK STREET NE



FRONT VIEW LOOKING SOUTHEAST FROM OKIE STREET NE










TOTAL SF: 51,582 SF


NOTE: RETAIL TENANT SPACES ARE SUBJECT TO CHANGE PER TENANT NEEDS




PROPOSED PEPCO VAULTS

PAPPAS TOMATO FACTORY










۰



USE TYPES
PRODUCTION, DISTRIBUTION & REPAIR (aa)
OFFICE / ENTERTAINMENT (x)
RETAIL / ENTERTAINMENT (cc)
ENTERTAINMENT (n)
EATING & DRINKING /
ENTERTAINMENT (j)
OTHER
UNCOVERED ROOF DECK
COVERED ROOF DECK
LOADING
SCREENED ROOF DECK
LOADING
BUILDING SUPPORT
VERTICAL CIRCULATION


<u>NOTE:</u> 1.

2.

RETAIL TENANT SPACES ARE SUBJECT TO CHANGE PER TENANT NEEDS BIKE PARKING CALCULATION (17 SPACES REQUIRED - 36 PROVIDED)


RAILING LOCATION -


Antunovich Associates ©






9











Antunovich Associates ©






November 28, 2018



TOTAL SF: 8,211 SF


NOTE: RETAIL TENANT SPACES ARE SUBJECT TO CHANGE PER TENANT NEEDS




PAPPAS TOMATO FACTORY

Approved Third Floor Plan

SCALE:1/32"=1'-0" 14






1401 Okie Street NE, Washington, DC 20002


Douglas Development

• Antunovich Associates ©

Proposed Third Floor Plan


15






November 28, 2018


Approved Roof Plan






• Antunovich Associates ©

Proposed Roof Plan



EAST ELEVATION - BZA 1" = 20'-0"



NORTH ELEVATION - BZA


1" = 20'-0"

PAPPAS TOMATO FACTORY


1401 Okie Street NE, Washington, DC 20002 ۰ Antunovich Associates © Douglas Development


Approved Elevations

18



EAST ELEVATION - BZA 1" = 20'-0"






WEST ELEVATION - FENWICK STREET 1" = 20'-0"

PAPPAS TOMATO FACTORY






WEST ELEVATION - FENWICK STREET 1" = 20'-0"

PAPPAS TOMATO FACTORY



SCALE:1"=20



SOUTH ELEVATION - BZA 1" = 20'-0"


PAPPAS TOMATO FACTORY

November 28, 2018

Approved Elevations


22

SCALE: 1"=20




SOUTH ELEVATION - BZA 1" = 20'-0"

PAPPAS TOMATO FACTORY









Section Through Court Looking North 1" = 20'-0"

PAPPAS TOMATO FACTORY



24





Section Through Court Looking North 1" = 20'-0"

PAPPAS TOMATO FACTORY




SCALE:1"=20



Proposed 3D View 26 November 28, 2018





1401 Okie Street NE, Washington, DC 20002 • Douglas Development • Antunovich Associates ©



27