RESULTS OF SWNA SURVEY ON THE PROPOSED REDEVELOPMENT OF WATERSIDE MALL

Survey Question No.	"Yes" Responses	% of Responses	"No" Response	% of Responses	No Response Selected	% of Responses
1 Do you favor a Public Street?	183	37%	-		65	13%
" or. . . a Pedestrian Walkway?	250	50%	-			
2 (Do you approve of the height of buildings on M Street?)	245	49%	186	37%	67	14%
3 (Do you approve of the height of buildings on I Street?)	214	43%	229	46%	55	11%
4 (Will pedestrian safety be better with a public street?)	152	30%	273	55%	73	15%
5 (Will pedestrian safety be better with a walkway?)	277	56%	165	33%	56	11%
6 (PUD plan - Will safety from crime improve?)	135	27%	298	60%	65	13%
7 (Should current stores have right to lease new space?)	401	81%	64	13%	33	7%
8 (Will lack of stores for 2 years cause a hardship?)	278	56%	201	40%	19	4%
10 (Will the PUD plans improve the SW quality of life?)	181	36%	247	49%	70	14%

ZONING COMMISSION
District of Columbia
Case 02-38
Exhibit 60-A

ZONING COMMISSION
District of Columbia
CASE NO.02-38
EXHIBIT NO.60A1

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address _____
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

A - To mail without an envelope, please make two folds and then tape this edge ("A") to the other side of the sheet at "B"

To mail without using an envelope, please fold along this line before taping and mailing.

[Please place a 37 cent]
[Postage Stamp here.]
[ ]
[The U. S. P. S.]
[will not deliver mail]
[without postage.]

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792
Washington, DC 20024

Please fold along this line before mailing

B - To mail without an envelope, make two folds and then tape the edge of the sheet of paper at "A" to this area ("B").

COMPARISON OF SIMILARITY OF ANSWERS TO QUESTIONS ## 2 - 8 & 10
AMONG THOSE RESPONDENTS WHO FAVORED A PEDESTRIAN WALKWAY IN QUESTION # 1

PEDESTRIAN WALKWAY IN ORDER OF OTHER QUESTIONS (2 - 8 & 10)

Walkway &		Walkway &		Walkway &		Walkway &		Walkway &		Walkway &		Walkway &		Walkway &	
Yes-2	**No-2**	Yes-3	**No-3**	Yes-4	**No-4**	**Yes-5**	No-5	Yes-6	**No-6**	**Yes-7**	No-7	**Yes-8**	No-8	Yes-10	**No-10**
104	**114**	82	**139**	17	**204**	**213**	28	16	**221**	**214**	25	**146**	94	29	**196**
104	114	82	139	17	204	213	28	16	221	214	25	146	94	29	196
104	114	82	**139**	17	**204**	**213**	28	16	**221**	**214**	25	**146**	94	29	**196**
Respondents who favored a "Pedestrian Walkway" in Question # 1, but who did not make a response to other individual questions:															
32		29		29		9		13		11		10		25	
The number of respondents (of the total of 498 respondents) who favored a "Pedestrian Walkway" in Question # 1:															
250		**250**		**250**		**250**		**250**		**250**		**250**		**250**	
42%	**46%**	33%	**56%**	7%	**82%**	**85%**	11%	6%	**88%**	**86%**	10%	**58%**	38%	12%	**78%**
13%		12%		12%		4%		5%		4%		4%		10%	
Order of Similarity (A - Highest, B - next highest, etc.):															
	H		G		D	C			A	B		F			E
Percentages for All 498 Responses:															
49%	37%	43%	**46%**	31%	**55%**	**56%**	33%	27%	**60%**	**81%**	13%	**56%**	40%	36%	**49%**

COMPARISON OF SIMILARITY OF ANSWERS TO QUESTIONS ## 2 - 8 & 10
AMONG THOSE RESPONDENTS WHO FAVORED A PUBLIC STREET/ROADWAY IN QUESTION # 1

PUBLIC STREET/ROADWAY **IN ORDER OF COMPARISONS (A - H)**

Street &		**Street &**		**Street &**		**Street &**		**Street &**		**Street &**		**Street &**		**Street &**	
Yes-7	No-7	**Yes-10**	No-10	Yes-5	**No-5**	**Yes-4**	No-4	**Yes-2**	No-2	**Yes-3**	No-3	**Yes-6**	No-6	Yes-8	**No-8**
140	29	**133**	25	30	**120**	**113**	39	**111**	44	**110**	58	**105**	43	**90**	**89**
140	29	133	25	30	120	113	39	111	44	110	58	105	43	90	89
140	29	**133**	25	30	**120**	**113**	39	**111**	44	**110**	58	**105**	43	**90**	**89**
Respondents who favored a "Public Street" in Question # 1, but who did not make a response to other individual questions:															
14		25		33		31		28		15		35		4	
The number of respondents (of the total of 498 respondents) who favored a "Public Street" in Question # 1:															
183		**183**		**183**		**183**		**183**		**183**		**183**		**183**	
77%	16%	**73%**	14%	16%	**66%**	**62%**	21%	**61%**	24%	**60%**	32%	**57%**	23%	**49%**	49%
8%		14%		18%		17%		15%		8%		19%		2%	
Order of Similarity (A - Highest, B - next highest, etc.):															
A		B			C	D		E		F		G		H	
Percentages for All 498 Responses:															
81%	13%	36%	**49%**	**56%**	33%	31%	**55%**	**49%**	37%	43%	**46%**	27%	**60%**	**56%**	40%

COMPARISON OF SIMILARITY OF ANSWERS TO QUESTIONS ## 2 - 8 & 10
AMONG THOSE RESPONDENTS WHO FAVORED A PEDESTRIAN WALKWAY IN QUESTION # 1

PEDESTRIAN WALKWAY IN ORDER OF OTHER QUESTIONS (2 - 8 & 10)

Walkway &		Walkway &		Walkway &		Walkway &		Walkway &		Walkway &		Walkway &		Walkway &	
Yes-2	No-2	Yes-3	No-3	Yes-4	No-4	Yes-5	No-5	Yes-6	No-6	Yes-7	No-7	Yes-8	No-8	Yes-10	No-10
104	**114**	82	**139**	17	**204**	**213**	28	16	**221**	**214**	25	**146**	94	29	**196**
104	114	82	139	17	204	213	28	16	221	214	25	146	94	29	196
104	114	82	**139**	17	**204**	**213**	28	16	**221**	**214**	25	**146**	94	29	**196**
Respondents who favored a "Pedestrian Walkway" in Question # 1, but who did not make a response to other individual questions:															
32		29		29		9		13		11		10		25	
The number of respondents (of the total of 498 respondents) who favored a "Pedestrian Walkway" in Question # 1:															
250		**250**		**250**		**250**		**250**		**250**		**250**		**250**	
42%	**46%**	33%	**56%**	7%	**82%**	**85%**	11%	6%	**88%**	**86%**	10%	**58%**	38%	12%	**78%**
13%		12%		12%		4%		5%		4%		4%		10%	
Order of Similarity (A - Highest, B - next highest, etc.):															
	H		G		D	C			A	B		F			E
Percentages for All 498 Responses:															
49%	37%	43%	**46%**	31%	**55%**	**56%**	33%	27%	**60%**	**81%**	13%	**56%**	40%	36%	**49%**

COMPARISON OF SIMILARITY OF ANSWERS TO QUESTIONS ## 2 - 8 & 10
AMONG THOSE RESPONDENTS WHO FAVORED A PEDESTRIAN WALKWAY IN QUESTION # 1

PEDESTRIAN WALKWAY IN ORDER OF COMPARISONS (A - H)

Walkway &		Walkway &		Walkway &		Walkway &		Walkway &		Walkway &		Walkway &		Walkway &	
Yes-6	**No-6**	**Yes-7**	No-7	**Yes-5**	No-5	Yes-4	**No-4**	Yes-10	**No-10**	**Yes-8**	No-8	Yes-3	**No-3**	Yes-2	**No-2**
16	**221**	**214**	25	**213**	28	17	**204**	29	**196**	**146**	94	82	**139**	104	**114**
16	221	214	25	213	28	17	204	29	196	146	94	82	139	104	114
16	**221**	**214**	25	**213**	28	17	**204**	29	**196**	**146**	94	82	**139**	**104**	114
Respondents who favored a "Pedestrian Walkway" in Question # 1, but who did not make a response to other individual questions:															
13		11		9		29		25		10		29		32	
The number of respondents (of the total of 498 respondents) who favored a "Pedestrian Walkway" in Question # 1:															
250		**250**		**250**		**250**		**250**		**250**		**250**		**250**	
6%	**88%**	**86%**	10%	**85%**	11%	7%	**82%**	12%	**78%**	**58%**	38%	33%	**56%**	42%	**46%**
5%		4%		4%		12%		10%		4%		12%		13%	
Order of Similarity (A - Highest, B - next highest, etc.):															
	A	B		C			D		E	F			G		H
Percentages for All 498 Responses:															
27%	**60%**	**81%**	13%	**56%**	33%	31%	**55%**	36%	**49%**	**56%**	40%	43%	**46%**	**49%**	37%

COMPARISON OF SIMILARITY OF ANSWERS TO QUESTIONS ## 2 - 8 & 10
AMONG THOSE RESPONDENTS WHO DID NOT FAVOR EITHER A PUBLIC STREET OR A PEDESTRIAN WALKWAY IN QUESTION # 1

NO RESPONSE TO QUESTION # 1 IN ORDER OF OTHER QUESTIONS (2 - 8 & 10)

No Response to # 1		No Response to # 1		No Response to # 1		No Response to # 1		No Response to # 1		No Response to # 1		No Response to # 1		No Response to # 1	
Yes-2	No-2	Yes-3	No-3	Yes-4	No-4	Yes-5	No-5	Yes-6	No-6	Yes-7	No-7	Yes-8	No-8	Yes-10	No-10
30	28	**22**	32	**22**	30	**34**	17	**14**	34	**47**	10	**42**	18	**19**	25
30	28	22	32	22	30	34	17	14	34	47	10	42	18	19	25
30	28	**22**	32	**22**	30	**34**	17	**14**	34	**47**	10	**42**	18	**19**	25

Respondents who did not favor either a "Public Street" or a "Pedestrian Walkway" in Question # 1, and who did not make a response to other individual questions:

7	11	13	14	17	8	5	21

The number of respondents (of the total of 498 respondents) who fdid not favor either a "Public Street" of a "Pedestrian Walkway" in response to Question # 1:

65		65		65		65		65		65		65		65	
46%	43%	34%	**49%**	34%	**46%**	**52%**	26%	22%	**52%**	**72%**	15%	**65%**	28%	29%	**38%**
11%		17%		20%		22%		26%		12%		8%		32%	

Order of Similarity (A - Highest, B - next highest, etc.):

E			D		E	C			C	A		B			F

Percentages for All 498 Responses:

49%	37%	43%	**46%**	31%	**55%**	**56%**	33%	27%	**60%**	**81%**	13%	**56%**	40%	36%	**49%**

COMPARISON OF SIMILARITY OF ANSWERS TO QUESTIONS ## 2 - 8 & 10

AMONG THOSE RESPONDENTS WHO DID NOT FAVOR EITHER A PUBLIC STREET OR A PEDESTRIAN WALKWAY IN QUESTION # 1

NO RESPONSE TO QUESTION # 1 IN ORDER OF COMPARISONS (A - F)

No Response to # 1		No Response to # 1		No Response to # 1		No Response to # 1		No Response to # 1		No Response to # 1		No Response to # 1		No Response to # 1	
Yes-7	No-7	Yes-8	No-8	Yes-5	No-5	Yes-6	No-6	Yes-3	No-3	Yes-2	No-2	Yes-4	No-4	Yes-10	No-10
47	10	**42**	18	**34**	17	**14**	34	**22**	32	**30**	28	**22**	30	**19**	25
47	10	42	18	34	17	14	34	22	32	30	28	22	30	19	25
47	10	**42**	18	**34**	17	**14**	34	**22**	32	**30**	28	**22**	30	**19**	25

Respondents who did not favor either a "Public Street" or a "Pedestrian Walkway" in Question # 1, and who did not make a response to other individual questions:

8	5	14	17	11	7	13	21

The number of respondents (of the total of 498 respondents) who fdid not favor either a "Public Street" of a "Pedestrian Walkway" in response to Question # 1:

65		65		65		65		65		65		65		65	
72%	15%	**65%**	28%	**52%**	26%	22%	**52%**	34%	**49%**	**46%**	43%	34%	**46%**	29%	**38%**
12%		8%		22%		26%		17%		11%		20%		32%	

Order of Similarity (A - Highest, B - next highest, etc.):

A		B		C			C		D	E			E		F

Percentages for All 498 Responses:

81%	13%	**56%**	40%	**56%**	33%	27%	**60%**	43%	**46%**	**49%**	37%	31%	**55%**	36%	**49%**

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT - December 12 - 31, 2002

Tabulation of Results - SWNA General Meeting - January 27, 2003

Residence Code Number: 1 - 5 = SW Resident; 6 = DC Resident (non-SW);
7 = Non-DC Resident; 0 = No address provided (w/ or w/o name).

RESPONSES TO QUESTIONS ## 1 - 8 & 10

Resp. No.		Name		Addrs.		SW Resid.		1- Yes Street	1- Yes for Walkway	1-NO ANS	# 2 Yes	# 2 No	2-NO ANS	#3 Yes	#3 No	3-NO ANS	# 4 Yes	# 4 No	4-NO ANS	# 5 Yes	# 5 No	5-NO ANS	# 6 Yes	# 6 No	6-NO ANS	# 7 Yes	# 7 No	7-NO ANS	# 8 Yes	# 8 No	8-NO ANS	# 10 Yes	# 10 No	10-NO ANS	Resp. No.	Res. Code SW	Respondent's Street Address
1	1		-	Yes	1	Yes	1		1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	1	3	1311 Delaware Ave., SW # 233
2	1	Yes	1	Yes	1	Yes	1	1		0		1	0		1	0	1		0	1		0	1		0			1		1	0		1	0	2	3	530 N Street, SW
3	1		-		-		-	1		0	1		0	1		0			1			1	1		0	1		0	1		0			1	3	0	No address
4	1	Yes	1	Yes	1	Yes	1	1		0	1		0	1		0	1		0	1		0	1		0	1		0	1		0	1		0	4	3	361 O Street, SW
5	1	Yes	1	Yes	1	Yes	1	1		0		1	0	1		0	1		0			1	1		0	1		0			0	1		0	5	3	462 M Street, SW
6	1		-	Yes	1	Yes	1		1	0		1	0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	6	3	520 N Street, SW
7	1		-		-		-			1			1			1			1			1			1		1	0		1	0			7	0	No address
8	1	Yes	1	Yes	1	Yes	1		1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	8	3	520 N Street, SW # S-115
9	1		-	Yes	1	Yes	1		1	0		1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0	9	3	290 N Street, SW
10	1	Yes	1	Yes	1	Yes	1	1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	10	2	800 4th Street, SW # 612-S (G.D.)
11	1	Yes	1	Yes	1	Yes	1	1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	11	2	800 4th Street, SW # 612-S (A.R.)
12	1	Yes	1	Yes	1	Yes	1	1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	12	3	510 N Street, SW # N -123
13	1		-	Yes	1	Yes	1		1	0	1		0			1		1	0	1		0		1	0		1	0		1	0	1		0	13	2	232 G Street, SW
14	1		-	Yes	1	Yes	1		1	0	1		0	1		0		1	0	1		0		1	0	1		0			1			1	14	3	530 N Street, SW # S-216
15	1	Yes	1	Yes	1	Yes	1	1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0	15	3	1301 Delaware Ave., SW # N-314 (LAW)
16	1	Yes	1	Yes	1	Yes	1	1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0	16	3	1301 Delaware Ave., SW # N-314 (RS)
17	1		-	Yes	1	Yes	1	1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	17	1	609 H Street, SW
18	1	Yes	1	Yes	1	Yes	1	1		0	1		0	1		0	1		0		1	0	1		0	1		0			1	1		0	18	2	300 G Street, SW
19	1	Yes	1	Yes	1	Yes	1	1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	19	2	1001 3rd Street, SW
20	1		-		-		-	1		0		1	0		1	0	1		0		1	0		1	0	1		0		1	0	1		0	20	0	No address
21	1		-	Yes	1	Yes	1	1		0	1		0	1		0		1	0	1		0		1	0	1		0	1		0			0	21	2	208 L Street, SW
22	1		-		-		-			1		1	0		1	0			1	1		0			1	1		0	1		0		1	0	22	0	No address
23	1	Yes	1	Yes	1	Yes	1	1		0		1	0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	23	1	700 Capitol Sq. Place, SW
24	1		-	Yes	1	Yes	1			1	1		0	1		0	1		0		1	1			0	1		0		1	0	1		0	24	2	1001 3rd Street, SW
25	1	Yes	1	Yes	1	Yes	1		1	0		1	0		1	0		1	0		1	0		1	0	1		0		1	0			1	25	2	231 K Street, SW
26	1	Yes	1	Yes	1	Yes	1	1		0	1		0	1		0		1	0		1	0	1		0		1	0	1		0	1		0	26	2	287A G Street, SW
27	1		-		-		-		1	0		1	0		1	0		1	0		1	0		1	0	1		0	1		0		1	0	27	0	No address
28	1	Yes	1	Yes	1	Yes	1	Y=0	Y=0	1	1		0	1		0	1		0	1		0	1		0	1		0	1		0			1	28	2	215 L Street, SW
29	1		-		-		-	Y=0	Y=0	1	1		0	1		0	1		0	1		0	1		0		1	0		1	0			1	29	0	No address
30	1	Yes	1	Yes	1	NO	-	Y=0	Y=0	1	1		0	1		0	1		0	1		0	1		0	1		0		1	0	1		0	30	6	4116 Arkansas Ave., NW
31	1		-	Yes	1	Yes	1		1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	31	4	1200 Delaware Avenue, SW
32	1		-		-		-		1	1		0	1		0		1	0	1		0		1	0		1	0		1	0			1	32	0	No address
33	1		-		-		-		1	0		1	0		1	0		1	0	1		0		1	0		1	0		1	0		1	0	33	0	No address
34	1		-		-		-		1	0		1	0		1	0		1	0	1		0		1	0		1	0		1	0		1	0	34	0	No address
35	1	Yes	1	Yes	1	Yes	1		1	0		1	0		1	0		1	0		1	0	1		0	1		0			1			1	35	2	241 K Street, SW
36	1	Yes	1	Yes	1	Yes	1		1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	36	3	490 M Street, SW # 404-W
37	1	Yes	1	Yes	1	Yes	1		1	0		1	0		1	0		1	0	1		0		1	0		1	0		1	0		1	0	37	4	1200 Delaware Ave., SW # 420
38	1	Yes	1	Yes	1	Yes	1	1		0	1		0	1		0		1	0	1		0		1	0	1		0	1		0	1		0	38	2	211 M Street, SW
39	1		-		-		-	1		0		1	0	1		0	1		0	1		0	1		0	1		0		1	0			1	39	0	No address
40	1	Yes	1	Yes	1	Yes	1	Y=0	Y=0	1	1		0	1		0	1		0	1		0	1		0	1		0	1		0		1	0	40	2	209 L Street, SW
41	1	Yes	1	Yes	1	NO	-	N=0	N=0	1	1		0		1	0	1		0	1		0		1	0	1		0	1		0	1		0	41	6	1019 16th Street, NE
42	1	Yes	1	Yes	1	NO	-	1		0		1	0		1	0		1	0		1	0		1	0		1	0		1	0			1	42	7	6909 Pickett Dr., Suitland, MD
43	1	Yes	1	Yes	1	Yes	1	Y=0	Y=0	1	1		0	1		0	1		0	1		0	1		0	1		0	1		0			1	43	2	245 M Street, SW
44	1		-		-		-		1	0	1		0	1		0	1		0	1		0	1		0	1		0	1		0	1		0	44	0	No address
45	1		-	Yes	1	Yes	1		1	0	1		0	1		0	1		0	1		0		1	0	1		0		1	0	1		0	45	3	560 N Street, SW, # N-614
46	1		-	Yes	1	Yes	1		1	0		1	0		1	0		1	0		1	0		1	0		1	0		1	0			1	46	4	1228 Half Street, SW
47	1	Yes	1	Yes	1	NO	-			1	1		0		1	0		1	0		1	0		1	0		1	0		1	0	1		0	47	6	2316 Irving Street, SE #2
48	1		-		-		-		1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0	1		0	48	0	No address
49	1	Yes	1	Yes	1	Yes	1		1	0	1		0	1		0	1		0	1		0	1		0	1		0	1		0			1	49	3	1311 4th Street, SW
50	1	Yes	1	Yes	1	Yes	1		1	0		1	0		1	0		1	0	1		0		1	0		1	0		1	0		1	0	50	1	907 6th Street, SW # 315C
51	1	Yes	1	Yes	1	Yes	1	1		0	1		0	1		0		1	0		1	0	1		0		1	0	1		0			0	51	2	287A G Street, SW
52	1		-	Yes	1	Yes	1		1	0		1	0	1		0		1	0	1		0	1		0	1		0		1	0		1	0	52	3	P.O. Box 70759, SW - N Street
53	1	Yes	1	Yes	1	Yes	1		1	0		1	0	1		0		1	0	1		0	1		0		1	0		1	0		1	0	53	3	P.O. Box 70759, SW - N Street
54	1	Yes	1	Yes	1	Yes	1		1	0		1	0		1	0		1	0	1		0		1	0	1		0		1	0			1	54	3	430 M Street, SW # N-207
55	1	Yes	1	Yes	1	Yes	1	1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0			1	55	3	1435 4th Street, SW
56	1	Yes	1	Yes	1	Yes	1		1	0	1		0		1	0		1	0	1		0		1	0	1		0		1	0			1	56	3	520 N Street, SW
57	1	Yes	1	Yes	1	Yes	1		1	0		1	0		1	0		1	0		1	0		1	0	1		0	1		0			1	57	5	SW
58	1		-		-		-	1		0	1		0	1		0	1		0		1	0	1		0		1	0	1		0			0	58	0	No address
59	1		-	Yes	1	Yes	1		1	0	1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	59	3	338 N Street, SW
60	1		-	Yes	1	Yes	1			1		1	0		1	0			1			1			1	1		0	1		0			1	60	2	201 I street, SW

	B	C	D	E	F	G	H	I	M	N	O	P	Q	R	S	T	U	V	W	X	Y	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	A	AP	BA	BB
11	RESPONSES TO QUESTIONS ## 1 - 8 & 10																																						
12																																						Res.	
13	Resp.						SW			1- Yes	1- Yes for	1-NO	# 2		2-NO	#3		3-NO	# 4		4-NO	# 5		5-NO	# 6		6-NO	# 7		7-NO	# 8		8-NO	# 10		10-NO	Resp.	Code	
14	No.		Name		Addrs.		Resid.			Street	Walkway	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	No.	SW	Respondent's Street Address
15																																							
16																																							
77	61	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	61	2	128 G Street, SW
78	62	1	-		-		-			1		0	1		0	1		0			1		1	0			1	1		0	1		0	1		0	62	0	No address
79	63	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0			1		1	0	1		0	1		0	63	1	610 G Street, SW (N.P.)
80	64	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0			1		1	0	1		0	1		0	64	1	610 G Street, SW (B.P.)
81	65	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0	1		0		1	0	Y=0	N=0	1		1	0	1		0	65	3	530 N Street, SW # 305-S (R.V.)
82	66	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0	1		0		1	0	Y=0	N=0	1		1	0	1		0	66	3	530 N Street, SW # 305-S (Mrs. R.V.)
83	67	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	67	2	128 G Street, SW
84	68	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	'	1	0		1	0	1		0	68	3	326 N Street, SW
85	69	1	Yes	1	Yes	1	Yes	1			1	0		1	0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	69	3	1250 4th Street, # 810
86	70	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	70	5	SW
87	71	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0			1		1	1			0	1		0	71	2	301 G Street, SW # 332
88	72	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0	1		0	72	1	700 - 7th Street, SW # 139
89	73	1	Yes	1	Yes	1	Yes	1		Y=0	Y=0	1			1	1		0	1		0		1	0	1		0		1	0		1	0	1		0	73	3	1250 4th Street, # W-800
90	74	1		-	Yes	1	Yes	1				1	1		0		1	0		1	0	1		0	1		0	1		0	1		0			1	74	2	301 G Street, SW # 332
91	75	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	1		1	0		1	0		1	0	75	3	429 N Street, SW # 508
92	76	1		-		-		-		1		0			1		1	0	1		0		1	0	1		0	1		0		1	0		1	0	76	0	No address
93	77	1		-	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	77	3	1311 Delaware Ave., SW
94	78	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0	1		0	1		0		1	0		1	0		1	0	1		0	78	3	1311 Delaware Ave., SW #S-838
95	79	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	79	3	300 M Street, SW N-300 & N-302
96	80	1		-	Yes	1	Yes	1				1			1	Y=0	Y=0	1		1	0			1	0	1		0	1		0	1		0	1	0	80	3	530 N Street, SW
97	81	1		-		-		-		1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0		1	0	81	0	No address
98	82	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	82	3	530 N Street, SW # S-805 (SJW)
99	83	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	83	3	530 N Street, SW # S-805 (Mrs. SJW)
100	84	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0		1	0	1		0	1		0	84	3	1425 4th Street, SW # A-703
101	85	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	85	3	1301 Delaware Ave., # N-222
102	86	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0	1		0		1	0	1		0		1	0		1	0	1		0	86	3	1435 4th Street, SW # B-414
103	87	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0		1	0		1	0	1		0	1		0		1	0	87	3	431 N Street, SW
104	88	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	88	1	700 7th Street, SW # 828
105	89	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0			1	1		0			1	89	3	1435 4th Street, SW
106	90	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	90	3	1435 4th Street, SW # B-509
107	91	1		-	Yes	1	Yes	1		1		0	1		0		1	0		1	0	1		0	1		0		1	0		1	0	1		0	91	2	743 Delaware Ave., SW
108	92	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0			1	1		0		1	0	1		0	1		0		1	0	92	1	601 4th Street, SW
109	93	1		-	Yes	1	Yes	1		1		0			1	1		0	1		0		1	1			0			1		1	0	1		0	93	3	1435 4th Street, SW (Riverside Apts.)
110	94	1	Yes	1	Yes	1	Yes	1			1	0		1	0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	94	3	1301 Delaware Ave., SW
111	95	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	95	1	704 6th Street, SW (T.A.)
112	96	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	96	1	704 6th Street, SW (K.A.)
113	97	1	Yes	1	Yes	1	Yes	1		Y=0	Y=0	1	1		0		1	0	1		0	1		0	1		0	1		0	1		0	1		0	97	2	723 3rd Street, SW
114	98	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0		1	0		1	0		1	0	98	3	600 M Street, SW
115	99	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0			1	0	1		0	1		0	1		0	1		0	1		0	99	3	288 N Street, SW
116	100	1		-	Yes	1	Yes	1			1	0	1		0	1		0			1	1		0		1	0	1		0		1	0		1	0	100	3	530 N Street, SW, S-906
117	101	1		-	Yes	1	Yes	1			1	0	1		0	1				1	0	1		0	1		0	1		0		1	0	1		0	101	2	614 3rd Street, SW
118	102	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	102	2	301 G Street, # 312
119	103	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	103	2	800 4th Street, SW # S-801
120	104	1		-		-		-		1		0	1		0	1		0	Y=0	N=0	1	Y=0	N=0	1	1		0		1	0	1		0	1		0	104	0	No address
121	105	1		-	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0			1	1		0		1	0	105	1	901 6th Street, SW
122	106	1		-	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	106	3	1301 Delaware Ave., SW
123	107	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	107	3	510 N Street,SW # N-422
124	108	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0	1		0	108	1	700 7th Street, SW # 828
125	109	1	Yes	1	Yes	1	Yes	1			1	1		1	0		1	0		1	0		1	0		1	0		1	0		1	0			1	109	4	66 Galveston Street, SW
126	110	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0		1	0	1		0		1	0	110	1	700 7th Street, SW
127	111	1	Yes	1	Yes	1	Yes	1		1		0			1	1		0	1		0		1	0	1		0	1		0		1	0	1		0	111	3	440 M Street, SW
128	112	1		-	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	112	1	700 7th Street, SW, # 827
129	113	1		-	Yes	1	Yes	1		1		0	1		0		1	0	1		0	1		0		1	0	1		0	1		0		1	0	113	3	1425 4th Street, SW
130	114	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	1	1		0	1		0	1		0	114	1	504 H Street, SW
131	115	1		-	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	115	5	Delaware Avenue, SW
132	116	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0			1	116	3	1311 Delaware Ave., SW
133	117	1	Yes	1	Yes	1	Yes	1			1	1	1		0	1		0		1	0			1			1	1		0			1			1	117	2	301 G Street, SW
134	118	1		-	Yes	1	Yes	1		1		0			1		1	0			1			1		1	0			1			1			1	118	1	700 7th Street, SW
135	119	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	119	2	209 G Street, SW
136	120	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0	1		0	120	2	813 3rd Street, SW
137	121	1	Yes	1	Yes	1	NO	-		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	121	6	200 Rhode Island Ave., NE
138	122	1	Yes	1	Yes	1	Yes	1		1		0			1		1	0		1	0		1	0	1		0		1	0	1		0	1		0	122	3	1301 Delaware Ave., SW # N 621
139	123	1		-	Yes	1	Yes	1			1	0	1		0		1	0	1		0	1		0	1		0	1		0	1		0		1	0	123	2	814 3rd Street, SW
140	124	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	124	3	1425 4th Street, SW (D)
141	125	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	125	3	540 N Street, SW # S-403
142	126	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	126	3	510 N Street, SW (G.S.)
143	127	1		-	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0		1	0		1	0	1		0	127	3	510 N Street, SW # N -322
144	128	1		-	Yes	1	Yes	1		1		0		1	0		1	0		1	0	1		0		1	0		1	0		1	0		1	0	128	3	430 M Street, SW
145	129	1	Yes	1	Yes	1	Yes	1		Y=0	Y=0	1	1		0	1		0			1			1	1		0	1		0	1		0	1		0	129	2	725 A Delaware Ave., SW
146	130	1		-	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0	130	2	800 4th Street, SW
147	131	1		-	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0			1	1		0	131	1	905 6th Street, SW
148	132	1	Yes	1	Yes	1	NO	-		1		0	1		0		1	0		1	0	1		0		1	0	1		0	1		0	Y=0	N=0	1	132	6	1335 Kenyon Street, NW (Jenny's employee)
149	133	1		-	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0		1	0		1	0	133	2	800 4th Street, SW
150	134	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0			1			1	1		0	1		0		1	0	1		0	134	3	560 N Street, SW # N-213
151	135	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0	1		0	1		0	1		0	1		0	1		0	135	3	1301 Delaware Ave., SW # N-407
152	136	1	Yes	1	Yes	1	Yes	1			1	0		1	0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	136	1	901 6th Street, SW
153	137	1	Yes	1	Yes	1	Yes	1		Y=0	Y=0	1		1	0		1	0		1	0		1	0		1	0		1	0	1		0		1	0	137	2	1134 3rd Street, SW
154	138	1		-	Yes	1	Yes	1			1	0	1		0		1	0		1	0		1	0	1		0	1		0		1	0		1	0	138	3	410 O Street, SW
155	139	1		-		-		-			1	0		1	0		1	0	1		0		1	0		1	0	1		0	1		0		1	0	139	0	No address
156	140	1		-	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	140	1	700 7th Street, SW

	A	B	C	D	E	F	G	H	I	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	A	AP	BA	BB
11											RESPONSES TO QUESTIONS #1 - 5 & 10																															
12																																								Res.	
13		Resp.						SW			1- Yes	1- Yes for	1-NO	# 2		2-NO	#3		3-NO	# 4		4-NO	# 5		5-NO	# 6		6-NO	# 7		7-NO	# 8		8-NO	# 10		10-NO		Resp.	Code	
14		No.		Name		Addrs.		Resid.			Street	Walkway	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS		No.	SW	Respondent's Street Address
15																																									
16																																									
157		141	1			Yes	1	Yes	1		1		0	1		0	1		0	1		0	1		0	1		0		1	0		1	0	1		0		141	2	800 4th Street, SW
158		142	1			Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0		142	1	6th Street, SW (Marina Towers)
159		143	1			Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0	1		0		143	3	290 N Street, SW
160		144	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0	1		0		144	3	1425 4th Street, SW # A-603
161		145	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0		1	0	1		0	1		0	1		0		1	0	1		0		145	3	1425 4th Street, SW # A-304
162		146	1			-		-			1		0	1		0	1		0			1			1			1	1		0		1	0	1		0		146	0	No address
163		147	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0		147	3	1301 Delaware Ave., SW # N-218
164		148	1			-		-			1		0	1		0	1		0		1	0		1	0	1		0	1		0		1	0	1		0		148	0	No address
165		149	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0	1		0		1	0		1	0			1			1	0		1	0		149	3	530 N Street, SW # S-806
166		150	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0	1		0	1		0	1		0		1	0	1		0		150	2	289 G Street, SW
167		151	1			-	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0	1		0	1		0		1	0	151	2	301 G Street, SW # 717
168		152	1			-	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0			1	152	3	316 N Street, SW
169		153	1			-	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0		1	0		1	0	1		0	153	3	530 N Street, SW # S-207
170		154	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0		1	0		154	3	347 O Street, SW
171		155	1			-	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	Y=0	N=0	1	155	5	3rd Street, SW
172		156	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0		156	3	300 M Street, SW #704
173		157	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		157	3	354 N Street, SW
174		158	1			-		-				1	0		1	0		1	0	1		0	1		0		1	0	1		0	1		0		1	0		158	0	No address
175		159	1	Yes	1	Yes	1	Yes	1			1	0			1			1		1	0	1		0	1		0		1	0		1	0	1		0		159	3	430 M Street, SW # N-108
176		160	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1		160	3	1425 4th Street, SW # A-812
177		161	1			-		-			1		0		1	0		1	0	1		0		1	0		1	0	1		0		1	0		1	0		161	0	No address
178		162	1			-		-				1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0		1	0		162	0	No address
179		163	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0		1	0	1		0		1		1	163	1	700 7th Street, SW (TST)
180		164	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0		164	1	616 G street, SW
181		165	1			-	Yes	1	Yes	1	1		0	1		0	1		0		1	0		1	0	1		0	1		0		1	0	1		0		165	1	700 7th Street, SW # 331
182		166	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0		166	3	1374 4th Street, SW
183		167	1	Yes	1	Yes	1	Yes	1			1	0	1		0			1		1	0	1		0		1	0	1		0		1	0		1	0		167	3	240 M Street, SW # E-108
184		168	1			-	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0		1	0		1	0		1	0	168	3	1301 Delaware Ave., SW # 723
185		169	1			-	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0		1	0		1	0		1	0	169	3	1410 3rd Street, SW # 11
186		170	1	Yes	1	Yes	1	Yes	1		1		0	1		0		1	0	1		0		1	0		1	0	1		0		1	0	1		0		170	1	610 H Street, SW
187		171	1			-	Yes	1	Yes	1		1		0		1	0		1	0		1	0		1	0	1		0		1	0		1	0		1	0	171	1	700 7th Street, SW
188		172	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0	1		0	1		0		1	0		1	0		172	3	389 O Street, SW
189		173	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0	1		0	1		0		1	0		1	0		173	3	560 N Street, SW # N-315
190		174	1			-		-				1		0	1		0	1		0	1		0	1		0	1		0		1	0		1	0			1	174	0	No address
191		175	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0			1		1	0	1		0	1		0		1	0		1	0		175	3	377 Q Street, SW
192		176	1	Yes	1	Yes	1	Yes	1				1			1			1			1			1			1			1			1			1	0	176	2	301 G Street, SW
193		177	1			-		-				1	0	1		0	1		0	1		0	1		0	1		0	1		0	1		0	1		0		177	0	No address
194		178	1	Yes	1	Yes	1	NO					1		1	0		1	0		1	0		1	0		1	0	1		0	1		0		1	0		178	6	336 37th Street, SE # 203
195		179	1			-		-				1	0		1	0		1	0		1	0	1		0	1		0	1		0		1	0		1	0		179	0	No address
196		180	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0		180	3	325 P Street, SW #512
197		181	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0	1		0	1		0	1		0		1	0	1		0		181	3	1481 3rd Street, SW
198		182	1	Yes	1			-				1	0		1	0		1	0		1	0		1	0		1	0		1	0		1	0		1	0		182	0	No address
199		183	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0	Y=0	N=0	1		1	0		1	0	1		0	1		0		1	0		183	2	835 3rd Street, SW
200		184	1	Yes	1	Yes	1	Yes	1			1	0		1	0	1		0		1	0	1		0	1		0	1		0	1		0		1	0		184	3	1409 4th Street, SW
201		185	1	Yes	1	Yes	1	Yes	1		Y=0	Y=0	1	1		0	1		0	1		0	1		0	1		0	1		0	1		0	1		0		185	2	101 G Street, SW # A-516
202		186	1			-		-				1	0		1	0		1	0		1	0		1	0		1	0		1	0		1	0		1	0		186	0	No address
203		187	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0		1	0		1	0		1	0		187	3	325 P Street, SW # 612
204		188	1	Yes	1	Yes	1	Yes	1		1		0	1		0		1	0	1		0	1		0	1		0	1		0	1		0	1		0		188	3	272 M Street, SW
205		189	1	Yes	1	Yes	1	Yes	1		1		0		1	0	1		0	1		0		1	0	1		0			1		1	0	1		0		189	2	835 3rd Street, SW
206		190	1			-	Yes	1	Yes	1	1		0	1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		190	1	901 6th Street, SW # 105
207		191	1	Yes	1	Yes	1	Yes	1		Y=0	Y=0	1		1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0		191	1	1100 6th Street, SW
208		192	1	Yes	1	Yes	1	Yes	1			1	0	1		0			1		1	0		1	0		1	0	1		0	1		0		1	0		192	1	700 7th Street, SW
209		193	1			-		-				1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0		1	0		193	0	No address
210		194	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0		1	0		1	0		1	0		1	0		1	0	1		0		194	2	208 G Street, SW
211		195	1			-		-				1	0		1	0		1	0		1	0		1	0		1	0	1		0		1	0		1	0		195	0	No address
212		196	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0			1		1	0	1		0		196	3	294 M Street, SW
213		197	1			-	Yes	1	Yes	1		1	0	1		0	1		0	1		0	1		0	1		0	1		0		1	0		1	0		197	2	800 4th Street, SW
214		198	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0		198	2	725 Delaware Ave., SW
215		199	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		199	3	1245 4th Street, SW # E-601
216		200	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0	1		0	1		0		1	0	1		0			1			1		200	4	1323 Half Street, SW
217		201	1			-		-			1		0	1		0	1		0	1		0		1	0		1	0	1		0		1	0	1		0		201	0	No address
218		202	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		202	3	229 O Street, SW # 20 (IA)
219		203	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		203	3	229 O Street, SW # 20 (ECA)
220		204	1			-		-			1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0		204	0	No address
221		205	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0	1		0		1	0		1	0	1		0	1		0			1		205	3	322 M Street, SW
222		206	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0		206	3	520 N Street, SW
223		207	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	1		0	1		0		1	0	1		0		207	2	235 G Street, SW
224		208	1			-	Yes	1	Yes	1		1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		208	3	520 N Street, SW
225		209	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		209	3	300 N Street, SW # 809 (Riverpark)
226		210	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0		1	0		1	0		1	0	1		0	1		0		1	0		210	3	1311 Delaware Ave., SW
227		211	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0			1	1		0	1		0		1	0	1		0		211	1	417 G Street, SW
228		212	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0	1		0		1	0		1	0	1		0	1		0		1	0		212	3	1250 4th Street, SW # 508-W
229		213	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0		213	4	85 N Street, SW
230		214	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0		214	1	821 6th Street, SW (JF)
231		215	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0		215	1	821 6th Street, SW (PF)
232		216	1			-	Yes	1	Yes	1		1		0	1		0		1	0	1		0	1		0		1	0	1		0	1		0		1	0		216	3	1435 4th Street, SW 2nd Floor
233		217	1			-	Yes	1	Yes	1	1		0		1	0		1	0	1		0	1		0	1		0	1		0		1	0		1	0		217	3	1425 4th Street, SW
234		218	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0	1		0	1		0		1	0	1		0		1	0		1	0		218	3	1301 Delaware Ave., SW # N-525 (ST)
235		219	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0	1		0	1		0		1	0	1		0		1	0		1	0		219	3	1301 Delaware Ave., SW # N-525 (HT)
236		220	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0		1	0		1	0	1		0		220	1	607 6th Place, SW

	B	C	D	E	F	G	H	I	M	N	O	P	Q	R	S	T	U	V	W	X	Y	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	A	AP	BA	BB
11	RESPONSES TO QUESTIONS ## 1 - 8 & 10																																					
12																																					Res.	
13	Resp.						SW			1- Yes	1- Yes for	1-NO	# 2		2-NO	#3		3-NO	# 4		4-NO	# 5		5-NO	# 6		6-NO	# 7		7-NO	# 8		8-NO	# 10		10-NO		Resp.	Code	
14	No.		Name		Addrs.		Resid.			Street	Walkway	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS		No.	SW	Respondent's Street Address
15																																						
16																																						
237	221	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0			1		1	0		1	0			1	1		0		1	0		221	1	511 H Street, SW
238	222	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0		222	3	395 N Street, SW (KE)
239	223	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0		223	3	395 N Street, SW (TE)
240	224	1	Yes	1	Yes	1	Yes	1		1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	1		0		224	3	1435 4th Street, SW # B-805
241	225	1			Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0	1		0	1		0	1		0		225	3	530 N Street, SW # 810
242	226	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0			1			1		1	0		226	3	520 N Street, SW # S-423
243	227	1	Yes	1	Yes	1	Yes	1			1	0			1		1	0		1	0	1		0		1	0			1		1	0		1	0		227	1	607 H Street, SW (GDG)
244	228	1	Yes	1	Yes	1	Yes	1			1	0			1		1	0		1	0	1		0		1	0			1		1	0		1	0		228	1	607 H Street, SW (KFG)
245	229	1	Yes	1	Yes	1	Yes	1			1		1		0			1			1		1		1		1			1			1		1	0		229	1	1007 7th Street, SW # 327
246	230	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0		1	0		230	3	520 N Street, SW # S-511
247	231	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0		231	3	510 N Street, SW # N-416
248	232	1			-		-			1		0		1	0		1	0	1		0		1	0		1	0			1		1	0			1		232	0	No address
249	233	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0		1	0		1	0			1		233	3	550 N Street, SW # S-701
250	234	1			Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	1	1		0	1		0		1	0		234	3	324 M Street, SW
251	235	1			-		Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0		1	0		1	0		235	2	214 G Street, SW
252	236	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0		1	0			1		1	0	1		0	1		0			1		236	3	240 M Street, SW # 714
253	244	1	Yes	1	Yes	1	Yes	1		Y=0	Y=0	1	1		0		1	0		1	0	1		0			1	1		0	1		0	1		0		244	2	237 K Street, SW
254	247	1	Yes	1	Yes	1	Yes	1		N=0	N=0	1		1	0		1	0		1	0		1	0		1	0			1		1	0			1		247	3	1250 4th Street, SW # W-704
255	255	1	Yes	1	Yes	1	Yes	1		1		0	1		0		1	0			1		1	0		1	0	1		0	1		0		1	0		255	2	1001 3rd Street, SW # 116
256	256	1	Yes	1	Yes	1	Yes	1		Y=0	Y=0	1	1		0	1		0		1	0		1	0	1		0	1		0	1		0	1		0		256	2	237 K Street, SW
257	258	1	Yes	1	Yes	1	Yes	1			1	0			1			1			1		1	0		1	0			1			0			1		258	1	726 6th Street, SW
258	259	1	Yes	1	Yes	1	Yes	1			1	0			1			1			1		1	0		1	0			1			0		1	0		259	1	618 H Street, SW
259	260	1	Yes	1	Yes	1	Yes	1			1	0			1			1			1		1	0		1	0			1			0		1	0		260	4	1500 1st Street, SW
260	261	1	Yes	1	Yes	1	Yes	1			1	0			1			1			1		1	0		1	0			1			0		1	0		261	3	1428 4th Street, SW
261	262	1	Yes	1	Yes	1	Yes	1			1	0			1			1			1		1	0		1	0			1			0		1	0		262	3	213 P Street, SW # 21
262	263	1	Yes	1	Yes	1	Yes	1			1	0		1	0			1			1		1	0		1	0			1			0		1	0		263	2	322 L Street, SW
263	264	1	Yes	1	Yes	1	NO	-			1	0			1			1			1		1	0		1	0			1			0		1	0		264	7	850 N Randolph Street, # 931, Arlington, VA
264	265	1	Yes	1	Yes	1	NO	-			1	0		1	0			1		1	0		1	0		1	0			1			0	Y=0	N=0	1		265	7	7344 Landover Road, # E, Landover, MD
265	266	1	Yes	1	Yes	1	NO	-			1	0			1			1			1		1	0		1	0			1			0			1		266	6	908 4th Street, SE # 31
266	267	1	Yes	1	Yes	1	Yes	1			1	0			1			1			1		1	0		1	0			1			0			1		267	2	1108 3rd Street, SW
267	268	1	Yes	1	Yes	1	NO	-			1	0			1			1			1		1	0		1	0			1			0			1		268	7	1412 Fenwood Ave., Oxon Hill, MD
268	269	1	Yes	1	Yes	1	NO	-			1	0			1			1			1		1	0		1	0			1			0			1		269	7	10160 Portsmouth Road, # 12, Manassas, VA
269	270	1	Yes	1	Yes	1	NO	-				1		1	0		1	0		1	0		1	0		1	0			1			0			1		270	6	1620 Q Street, SE
270	276	1	Yes	1	Yes	1	NO	-		Y=0	Y=0	1		1	0		1	0	1		0	1		0		1	0			1			0	Y=0	N=0	1		276	6	428 Oakdale Place, NW
271	278	1	Yes	1	Yes	1	Yes	1				1	1		0	1		0		1	0	1		0		1	0	1		0	1		0			1		278	2	800 4th Street, SW # N-415
272	279	1	Yes	1	Yes	1	Yes	1			1	0			1			1			1		1	0		1	1	1		0	1		0			1		279	2	909 Delaware Ave., SW
273	286	1	Yes	1	Yes	1	Yes	1				0			1			1			1		1	0		1	0	1		0	1		0			1		288	2	201 I Street, SW # 127
274	290	1	Yes	1	Yes	1	NO	-			1	0	1		0	1		0			1	1		0		1	0	1		0	1		0	1		0		290	7	1598 Addison Road South, District Heights, MD
275	294	1	Yes	1	Yes	1	Yes	1		N=0	N=0	1		1	0		1	0		1	0		1	0		1	0	1		0	1		0			1		294	2	906 3rd Street, SW
276	296	1	Yes	1	Yes	1	NO	-		Y=0	Y=0	1	1		0	1		0	1		0	1		0	1		0	1		0	1		0	Y=0	N=0	1		296	6	2627 Stanton Road, SE # A
277	301	1	Yes	1	Yes	1	NO	-		Y=0	Y=0	1	1		0	1		0	1		0	1		0	1		0	1		0	1		0	1		0		301	6	1225 Eaton Road, SE
278	305	1	Yes	1	Yes	1	NO	-			1	0			1			1			1		1	0		1	0	1		0	1		0			1		305	6	1012 20th Street, NW
279	307	1	Yes	1	Yes	1	NO	-			1	0			1			1			1		1	0		1	0	1		0	1		0			1		307	7	18402 Barney Drive, Acokeek, MD
280	309	1	Yes	1	Yes	1						1	1		0		1	0	1		0		1	0		1	0	1		0	1		0			1		309	2	1101 3rd Street, SW
281	312	1	Yes	1	Yes	1	NO	-			1	0			1			1			1		1	1		1	1	1		0	1		0			1		312	8	312 K Street, SE
282	313	1	Yes	1	Yes	1	Yes	1			1	0			1			1			1		1	1		1	1	1		0	1		0			1		313	1	700 7th Street, SW # 231
283	314	1	Yes	1	Yes	1	NO	-				1			1			1		1	0	1		0			1	1		0	1		0			1		314	6	1517 R Street, NW
284	316	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0	1		0	1		0	1		0	1		0		1	0	Y=0	N=0	1		316	3	300 M Street, SW # N-807
285	317	1	Yes	1	Yes	1	Yes	1			1	1			0	1		0	1		0	1		0	1		0	Y=0	N=0	1	1		0			1		317	1	950 L'Enfant Plaza, SW
286	318	1	Yes	1	Yes	1	NO	-			1	0	1		0	1		0	1		0	1		0	1		0	1		0	1		0			1		318	7	1010 Kenneth Street, Indian Head, MD
287	323	1	Yes	1	Yes	1	NO	-			1	0			1			1			1	1		0		1	0	1		0	1		0			1		323	6	1817 P Street, SE # B-32
288	325	1	Yes	1	Yes	1	Yes	1			1	0	1		0			1	1		0	1		0	1		0	1		0	1		0			1		325	3	240 M Street, SW # 714
289	329	1	Yes	1	Yes	1	NO	-			1	0			1			1			1		1	0		1	0	1		0	1		0			1		329	6	832 H Drive, SE
290	330	1	Yes	1	Yes	1	Yes	1			1	0			1			1			1		1	0		1	0	1		0	1		0			1		330	3	325 P Street, SW # 908
291	335	1	Yes	1	Yes	1	NO	-		Y=0	Y=0	1	1		0	1		0	1		0	1		0	1		0	1		0	1		0	1		0		335	6	5025 1st Street, NW # 3
292	337	1	Yes	1	Yes	1	NO	-				1	1		0			1			1		1	1		0	1	1		0	1		0			1		337	7	618 Concerto Lane, Silver Springs, MD
293	338	1			-	1	Yes	1		Y=0	Y=0	1	1		0	1		0	1		0	1		0	1		0	1		0	1		0	1		0		338	2	800 4th Street, SW # 324
294	341	1			-	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1		341	1	1100 6th Street, SW# 405
295	342	1			-	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1		342	3	350 N Street, SW
296	343	1			-	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0			1		343	1	527 G Street, SW (Dfw-1)
297	344	1			-	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0			1		344	1	527 G street, SW (Dfw-2)
298	345	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0			1	1		0	1		0	1		0		1	0			1		345	3	355 O Street, SW
299	346	1			-	1	Yes	1			1	0	1		0	1		0	1		0	1		0		1	0	1		0		1	0	1		0		346	3	203 N Street, SW
300	347	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0		347	3	1435 4th Street, SW # B-109
301	348	1			-	1	Yes	1		1		0	1		0		1	0	1		0	1		0		1	0	1		0		1	0	1		0		348	2	301 G street, SW
302	349	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0		349	3	1250 4th Street, SW # 302
303	350	1			-	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0		350	2	301 G Street, SW # 532
304	351	1	Yes	1	Yes	1	Yes	1		1		0		1	0	1		0	1		0		1	0		1	0	1		0	1		0	1		0		351	3	1417 3rd Street, SW
305	352	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0		352	3	341 N Street, SW
306	353	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0		353	2	719 3rd Street, SW (Capitol Park II)
307	354	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0			1	1		0		1	0	1		0	1		0		1	0		354	3	1301 Delaware Ave., Sw
308	355	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		355	3	530 N Street, SW
309	356	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0		356	3	510 N Street, SW # N-223
310	357	1			-	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1		357	3	560 N Street, SW # N-804
311	358	1	Yes	1	Yes	1	Yes	1			1	0			1		1	0		1	0	1		0		1	0	1		0			1			1		358	3	510 N Street, SW # N-339
312	359	1			-	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0			1		359	3	1250 4th Street, SW # W-114
313	360	1			-	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0		360	3	1231 4th Street, SW
314	361	1			-		-				1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1		361	0	No address
315	362	1	Yes	1	Yes	1	Yes	1			1	0		1	1	1		0		1	0	1		0		1	0	1		0	1		0			1		362	2	833 3rd Street, SW
316	363	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1		363	2	201 I Street, SW # 629

	B	C	D	E	F	G	H	I	M	N	O	P	Q	R	S	T	U	V	W	X	Y	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	AP	BA	BB
11										RESPONSES TO QUESTIONS ## 1 - 8 & 10																												
12																																					Res.	
13	Resp.						SW			1- Yes	1- Yes for	1-NO	# 2		2-NO	#3		3-NO	# 4		4-NO	# 5		5-NO	# 6		6-NO	# 7		7-NO	# 8		8-NO	# 10		10-NO	Resp.	Code	
14	No.		Name		Addrs.		Resid.			Street	Walkway	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	No.	SW	Respondent's Street Address
15																																						
16																																						
317	364	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0			1	1		0		1	0	1		0	364	3	445 N Street, SW (SF)
318	365	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0			1	1		0		1	0	1		0	365	3	445 N Street, SW (PF)
319	366	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0		1	0		1	0	1		0	366	3	240 M Street, SW # B-601
320	367	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0			1		1				1	1		0	1		0			1	367	2	1101 3rd Street, SW # 606
321	368	1			Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	368	3	1250 4th Street, SW # W-615
322	369	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1				1	1		0	1		0	1		0	369	3	1425 4th Street, SW # A-711
323	370	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	370	3	560 N Street, SW # 402
324	371	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	371	2	821 3rd Street, SW
325	372	1			Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	372	3	1322 4th Street, SW
326	373	1									1	0			1		1	0		1	0	1		0		1	0	1		0		1	0			1	373	0	No address
327	374	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0	1		0	374	3	325 P Street, SW
328	375	1			Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0	375	3	240 M Street, SW # E-509
329	376	1	Yes	1	Yes	1	Yes	1			1	1			1			1			1			1			1	1		0	1		0			1	376	3	325 P Street, SW # 501
330	377	1									1	0		1	0	1		0	1		0		1	0			1	0		0		1	0			1	377	0	No address
331	378	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	378	3	1301 Delaware Ave., SW
332	379	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0		1	0	379	3	409 N Street, SW
333	380	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	380	3	300 M Street, Sw # N-715
334	381	1			Yes	1	Yes	1			1	0	1		0	1		0			1	1		0			1	1		0			1	1		0	381	2	201 I Street, SW
335	382	1			Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	382	3	300 M Street, SW
336	383	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0		1	0	383	3	409 N Street, SW
337	384	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	384	2	301 G Street, SW # 216
338	385	1	Yes	1	Yes	1	Yes	1			1	1			0		1	0	1		0		1	0			1	0		0	1		0		1	0	385	2	201 I Street, SW # 641
339	386	1			Yes	1	Yes	1			1	0			1		1	0		1	0	1		0		1	0			1			1		1	0	386	3	560 N Street, SW # N-407
340	387	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0		1	0		1	0		1	0	387	3	560 N Street, SW # N-8906
341	388	1	Yes	1	Yes	1	Yes	1			1	0			1			1		1	0	1		0		1	0	1		0		1	0		1	0	388	3	560 N Street, SW (AB)
342	389	1			Yes	1	Yes	1			1	0			1		1	0		1	0	1		0		1	0			1	1		0		1	0	389	3	560 N Street, SW # N-405
343	390	1			Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	390	3	436 M Street, SW
344	391	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	391	2	611 4th Place, SW (RAJ)
345	392	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	392	2	611 4th Place, SW (MAJ)
346	393	1									1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	393	0	No address
347	394	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	394	3	560 N Street, SW (MC)
348	395	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	395	3	560 N Street, SW # N-804
349	396	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	396	3	1235 4th Street, SW (RS)
350	397	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	397	3	1235 4th Street, SW (VDS)
351	398	1	Yes	1	Yes	1	Yes	1		NO=0	NO=0	1		1	0		1	0		1	0			1		1	0	1		0	1		0		1	0	398	3	352 N Street, SW (MMR)
352	399	1	Yes	1	Yes	1	Yes	1		NO=0	NO=0	1		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	399	3	352 N Street, SW (RRR)
353	400	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0		1	0	400	3	560 N Street, SW (MS)
354	401	1			Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	401	3	560 N Street, SW # N-406
355	402	1			Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	402	3	560 N Street, SW # N-406
356	403	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0	403	3	1425 4th Street, SW
357	404	1									1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	404	0	No address
358	405	1					NO			Y=0	Y=0	1	1		0	1		0		1	0	1		0		1	0	1		0	1		0	1		0	405	7	Former FL McNair resident - Non-SW Resident
359	406	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0			1	406	2	725 3rd Street, SW
360	407	1			Yes	1	Yes	1		1		0	1		0			1			1			1	1		0	1		0		1	0	1		0	407	4	1423 Carrolsburg Place, SW
361	408	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	408	3	387 N Street, SW
362	409	1	Yes	1	Yes	1	Yes	1		1		0			1			1			1			1			1	1		0	1		0	1		0	409	3	240 M Street, SW # 608
363	410	1	Yes	1	Yes	1	Yes	1		1		0			1		1	0			1		1	0			1	1		0	1		0	1		0	410	2	301 G Street, SW
364	411	1	Yes	1	Yes	1	Yes	1		1		0			1			1			1		1	0			1	1		0	1		0	1		0	411	3	600 M Street, SW # 202
365	412	1	Yes	1	Yes	1	Yes	1		1		0			1			1		1	0			1			1	1		0	1		0	1		0	412	1	800 4th Street, SW
366	413	1			Yes	1	Yes	1		1		0			1		1	0		1	0			1			1	1		0	1		0	1		0	413	3	429 N Street, SW
367	414	1			Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	414	2	301 G Street, SW # 825
368	415	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1				1			1	1		0	1		0			1	415	3	1215 4th Street, SW
369	416	1			Yes	1	Yes	1			1	0		1	0		1	0		1	0		1	0			1	0	1		0	1		0		1	0	416	2	816 3rd Street, SW
370	417	1	Yes	1	Yes	1	Yes	1			1	0		1	0	1		0		1	0	1		0		1	0	1		0		1	0	1		0	417	3	560 N Street, SW # N-613
371	418	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0	418	2	803 3rd Street, SW
372	419	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0		1	0	419	3	1257 4th Street, SW (KC-W)
373	420	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0		1	0	420	3	1257 4th Street, SW (H C-W)
374	421	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	421	1	700 7th Street, SW # 504
375	422	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0		1	0		1	0	422	3	550 N Street, SW # S-401
376	423	1			Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0		1	0	423	3	1245 4th Street, SW
377	424	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0		1	0		1	0	424	3	520 N Street, SW # s-128
378	425	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	425	3	1259 4th Street, SW
379	426	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0	426	3	1311 Delaware Ave., SW # S-735
380	427	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0		1			1	1		1	0			1	1		0		1	0	427	3	446 M Street, SW
381	428	1	Yes	1	Yes	1	Yes	1		Y=0	Y=0	1	1		0		1	0		1			1	0		1	0	1		0	1		0	1		0	428	5	P.O. Box 70817, SW
382	429	1			Yes	1	Yes	1			1			1	0		1	0	1		0		1	0	1		0	1		0	1		0		1	0	429	3	1207 4th Street, SW
383	430	1			Yes	1	Yes	1		1		0	1		0	1		0	1		0			1			1	0	1		0	1		0	1		0	430	3	540 N Street, SW
384	431	1	Yes	1	Yes	1	Yes	1			1	0		1	0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	431	4	1414 Half Street, SW
385	432	1			Yes	1	Yes	1			1	0			1			1		1	0	1		0		1	0	1		0	1		0		1	0	432	1	700 7th Street, SW # 724
386	433	1			Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	433	2	101 G Street, SW # A-215
387	434	1									1				1			1			1			1			1			1			1			1	434	0	No address
388	435	1			Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0		1	0	1		0	1		0	435	3	490 M Street, SW
389	436	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0		1	0	1		0		1	0	436	2	800 4th Street, SW # S-119
390	437	1			Yes	1	Yes	1			1	0			1		1	0		1	0	1		0		1	0	1		0	1		0		1	0	437	3	510 N Street, SW
391	438	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0			1		1	0			1	438	3	490 M Street, SW # 700
392	439	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0	1		0	1		0	1		0	1		0		1	0		1	0	439	2	103 G street, SW # B-201
393	440	1			Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0		1	0		1	0	1		0	440	2	807 Delaware Ave., SW
394	441	1			Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0		1	0		1	0	441	3	520 N Street, SW # S-317
395	442	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0	442	1	600 H Street, SW
396	443	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0	1		0		1	0			1	0	1		0	1		0		1	0	443	3	354 N Street, SW

	A	B	C	D	E	F	G	H	I	M	N	O	P	Q	R	S	T	U	V	W	X	Z	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	A	AP	BA	BB
11											RESPONSES TO QUESTIONS ## 1 - 8 & 10																													
12																																							Res.	
13		Resp.						SW			1- Yes	1- Yes for	1-NO	# 2		2-NO	#3		3-NO	# 4		4-NO	# 5		5-NO	# 6		6-NO	# 7		7-NO	# 8		8-NO	# 10		10-NO		Resp.	Code	
14		No.		Name		Addrs.		Resid.			Street	Walkway	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS		No.	SW	Respondent's Street Address
15																																								
16																																								
397		444	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0	1		0	1		0		1	0		444	3	490 M Street, SW # W-107 (TH)
398		445	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0	1		0	1		0		1	0		445	3	490 M Street, SW # W-107 (AH)
399		446	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0		446	3	560 N Street, SW # N-401
400		447	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		447	3	560 N Street, SW # N-114
401		448	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0		1	0			0		1	0		448	3	1241 4th Street, SW (Townhouse)
402		449	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		449	3	384 N Street, SW
403		450	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0		1	0	1		0		450	2	201 I Street, SW # 538
404		457	1			Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0		457	2	707 A Delaware Ave., SW
405		458	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0		458	2	707 A Delaware Ave., SW
406		469	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0			1			1			1	1		0	1		0	1		0		469	3	325 O Street, SW
407		470	1	Yes	1	Yes	1	Yes	1		1		0			1		1	0		1	0			1			1	1		0	1		0	1		0		470	3	429 N Street, SW # 404-S
408		471	1	Yes	1	Yes	1	Yes	1		1		0			1		1	0			1			1			1	1		0	1		0	1		0		471	5	101, SW # 518-A
409		472	1	Yes	1	Yes	1	Yes	1		1		0			1		1	0			1			1			1	1		0	1		0	1		0		472	2	800 4th Street, SW # W-311
410		473	1	Yes	1	Yes	1	Yes	1		1		0			1		1	0		1	0			1			1	1		0	1		0	1		0		473	3	468 N Street, SW
411		474	1	Yes	1	Yes	1	Yes	1		1		0			1			1		1	0		1	0			1	1		0	1		0	1		0		474	2	1001 3rd Street, SW # 614
412		475	1		1	Yes	1	NO	-		1		0			1			1		1	0			1			1	1		0	1		0	1		0		475	6	1st Street, SE
413		476	1	Yes	1	Yes	1	Yes	1		1		0			1		1	0		1	0			1			1	1		0	1		0	1		0		476	3	325 P Street, SW # 201
414		477	1	Yes	1	Yes	1	Yes	1		1		0		1	0			1			1			1			1	1		0	1		0	1		0		477	4	34 P Street, SW
415		478	1	Yes	1	Yes	1	Yes	1		1		0			1		1	0			1			1		1	0	1		0	1		0			1		478	2	608 4th Street, SW
416		479	1	Yes	1	Yes	1	Yes	1		1		0		1	0			1			1		1	0		1	0	1		0	1		0	1		0		479	2	800 4th Street, SW
417		480	1	Yes	1	Yes	1	Yes	1		1		0			1		1	0		1	0			1			1	1		0	1		0	1		0		480	3	1406 4th Street, SW
418		481	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0		1	0		1	0		1	0	1		0	1		0	1		0		481	3	325 P Street, SW # 1010
419		482	1			Yes	1	Yes	1		1		0		1	0			1			1		1	0			1	1		0	1		0	1		0		482	3	240 M Street, SW # E-815
420		483	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0		1	0			1	1		0	1		0	1		0	1		0		483	2	101 G Street, SW # 518-A
421		484	1	Yes	1	Yes	1	Yes	1		1		0			1		1	0			1		1	0			1	1		0	1		0	1		0		484	3	1421 3rd Street, SW
422		485	1	Yes	1	Yes	1	Yes	1		1		0			1			1		1	0		1	0			1	1		0	1		0	1		0		485	1	1000 6th Street, SW # 303
423		486	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0		1	0			1			1	1		0	1		0			1		486	2	301 G Street, SW
424		487	1					NO	-		1		0		1	0	1		0		1	0	1		0	1		0	1		0	1		0	1		0		487	7	401 M Street, SW (Pizza Hut Manager)
425		488	1	Yes	1	Yes	1	NO	-		1		0			1		1	0		1	0		1	0		1	0	1		0	1		0			1		488	7	10704 Wimpole Place, Chrentham, MD
426		489	1	Yes	1	Yes	1	NO	-		1		0		1	0			1		1	0		1	0		1	0	1		0	1		0	1		0		489	7	1401 Blair Mill Road, # 420, Silver Springs, MD
427		490	1	Yes	1	Yes	1	NO	-		1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0		490	7	2413 Harmon Road, Silver Springs, MD
428		491	1	Yes	1	Yes	1	Yes	1				1		1	0		1	0			1	1		0			1	1		0	1		0			1		491	3	1406 4th Street, SW
429		493	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0		1	0		1	0		1	0	1		0	1		0			1		493	4	1230 Carrollsburg Place, SW
430		494	1	Yes	1	Yes	1	NO	-		1		0		1	0		1	0	1		0		1	0	1		0	1		0	1		0	1		0		494	7	375 Riverside Drive, # 7-G, New York, NY
431		495	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0		495	1	907 6th Street, SW # 314
432		496	1	Yes	1	Yes	1	Yes	1		1		0		1	0			1			1			1			1	1		0	1		0			1		496	2	301 G Street, SW # 215
433		497	1	Yes	1	Yes	1	Yes	1		1		0			1	1		0			1	0		1	0		1	1		0	1		0	1		0		497	1	1000 6th Street, SW # 401
434		498	1	Yes	1	Yes	1	Yes	1		1		0			1		1	0			1	1		0			1	1		0	1		0	1		0		498	2	800 4th Street, SW
435		499	1	Yes	1	Yes	1	NO	-		1		0		1	0		1	0			1	1		0			1	1		0	1		0	1		0		499	6	92H Hamilton Street, NW
436		500	1	Yes	1	Yes	1	NO	-				1		1	0			1			1	1		0			1	1		0	1		0	1		0		500	7	10051 Campus Way South, Upper Marlboro, MD
437		501	1	Yes	1	Yes	1	Yes	1		1		0			1	1		0			1			1			1	1		0	1		0	1		0		501	1	901 6th Street, SW # 306-A
438		524	1	Yes	1	Yes	1	NO	-		N=0	N=0	1		1	0		1	0		1	0		1	0		1	0	1		0	1		0			1		524	6	4634 Livingston Road, SE #202
439		525	1	Yes	1	Yes	1	Yes	1				1		1	0		1	0		1	0		1	0		1	0	1		0	1		0		1	0		525	3	1311 Delaware Ave., SW
440		526	1						-		1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0			1		526	0	No address
441		527	1			Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		527	2	820 4th Street, SW # S-613
442		528	1	Yes	1	Yes	1	Yes	1			1	0			1		1	0		1	0	1		0		1	0		1	0			0		1	0		528	3	560 N Street, SW
443		529	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0	1		0			1	0		1	0		529	3	346 N Street, SW
444		530	1	Yes	1	Yes	1	Yes	1			1	0		1	0	1		0		1	0		1	0		1	0	1		0			1	0		1	0		530	3	454 M Street, SW
445		531	1			Yes	1	Yes	1		Y=0	Y=0	1		1	0	1		0		1	0	1		0		1	1			1			1	0	1		0		531	3	1230 4th Street, SW
446		532	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0		1	0	1		0			1	0	1		0		532	2	103 G Street, SW # B-615
447		533	1	Yes	1	Yes	1	Yes	1				1	1		0			1		1	0	1		0		1	0			1			1	0		1	0		533	3	560 N Street, SW
448		534	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1	0		534	4	901 Wesley Place, SW
449		535	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		535	1	619 H Street, SW
450		536	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0	1		0	1		0	1		0	1		0	1		0			1		536	3	1301 Delaware Ave., SW # N-107
451		537	1			Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0			1	0		1	0		537	3	510 N Street, SW
452		538	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0			1	0		1	0		538	3	1312 4th Street, SW
453		539	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1	0		539	3	1227 4th Street, SW
454		540	1	Yes	1	Yes	1	Yes	1		1		0	1		0		1	0	1		0		1	0	1		0	1		0			1	0			1		540	1	722 Capitol Sq. Place, SW
455		541	1			Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0		1	0			1	0	1		0		541	1	611 Capitol Square Place, SW
456		542	1						-			1	0		1	0		1	0		1	0	1		0	1		0		1	0			1	0	1		0		542	0	No address
457		543	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1	0		543	3	1301 Delaware Ave., SW
458		544	1	Yes	1	Yes	1	Yes	1				1		1	0			1			1			1			1	1			1		1	1		0		544	5	P.O. Box 70799, SW
459		545	1			Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0			1	0		1	0		545	3	520 N Street, SW
460		546	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0			1	0	1		0		546	1	815 G Street, SW
461		547	1			Yes	1	NO	-		1		0	1		0	1		0	1		0		1	0	1		0	1		0			1	0	1		0		547	6	1352 S Capitol Street, SE
462		548	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0			1	0		548	3	449 N Street, SW
463		549	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0			1	0			1		549	3	333 O Street, SW
464		550	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0			1	0	1		0		550	3	1403 4th Street, SW (D.McA.)
465		551	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0			1	0	1		0		551	3	1403 4th Street, SW (A.McA.)
466		552	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0		1	0	1		0	1		0	1		0		552	3	1425 4th Street, SW # A-406
467		553	1						-			1	0		1	0			1		1	0	1		0		1	0			1			1	0		1	0		553	0	No address
468		554	1			Yes	1	Yes	1		Y=0	Y=0	1		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1	0		554	3	453 N Street, SW
469		555	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0			1	0	1		0		555	3	240 M Street, SW # E-507
470		556	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1	0		556	3	560 N Street, SW # N-304
471		557	1			Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0			1	0		1	0		557	1	1000 6th Street, SW
472		558	1						-			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1		558	0	No address
473		559	1	Yes	1				-				1		1	0		1	0		1	0	1		0		1	0	1		0	1		0			1		559	0	No address
474		560	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0		560	1	619 I Street, SW
475		561	1						-			1	0	1		0	1		0	1		0		1	0	1		0	1		0	1		0		1	0		561	0	No address
476		562	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0			1	0		1	0		562	3	371 O Street, SW

	A	B	C	D	E	F	G	H	I	M	N	O	P	Q	R	S	T	U	V	W	X	Z	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	AP	BA	BB
11											RESPONSES TO QUESTIONS ## 1 - 8 & 10																												
12																																						Res.	
13		Resp.						SW			1- Yes	1- Yes for	1-NO	#2		2-NO	#3		3-NO	#4		4-NO	#5		5-NO	#6		6-NO	#7		7-NO	#8		8-NO	#10		10-NO	Resp.	Code	
14		No.		Name		Addrs.		Resid.			Street	Walkway	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	Yes	No	ANS	No.	SW	Respondent's Street Address
15																																							
16																																							
477		563	1	Yes	1	Yes	1	Yes	1				1	1		0		1	0		1	0		1	0		1	0	1		0		1	0		1	0	563	2	241 G Street, SW
478		564	1		-	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0	1		0	1		0		1	0	564	1	625 G Street, SW
479		565	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0			1		1	0	1		0		1	0	1		0	1		0	565	3	429 N Street, SW
480		566	1	Yes	1	Yes	1	Yes	1				1		1	0		1	0	1		0			1			1	1		0		1	0	1		0	566	3	430 M Street, SW
481		567	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0	1		0	1		0		1	0	1		0		1	0	1		0	567	3	208 O Street, SW # 21
482		568	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0	568	3	441 N Street, SW
483		569	1		-	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0			1		1	0	1		0	569	3	1320 4th Street, SW
484		570	1		-	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0			1	570	3	510 N Street, SW
485		571	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0		1	0	571	3	457 N Street, SW
486		572	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	572	2	821 Delaware Ave., SW
487		573	1		-	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0		1	0		1	0		1	0	573	3	1311 Delaware Ave., SW
488		574	1	Yes	1	Yes	1	Yes	1		N=0	N=0	1		1	0		1	0		1	0		1	0		1	0		1	0	1		0			1	574	2	301 G Street, SW # 130
489		575	1		-	Yes	1	Yes	1			1	0		1	0		1	0	1		0	1		0		1	0		1	0	1		0		1	0	575	1	700 7th Street, SW
490		576	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	576	3	1250 4th Street, SW # W-800
491		577	1		-		-		-		Y=0	Y=0	1	1		0	1		0		1	0	1		0		1	0		1	0			1			1	577	0	No address
492		578	1		-	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	578	1	1000 6th Street, SW # 303
493		579	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	579	3	560 N Street, SW # N-103
494		580	1		-		-		-			1	0		1	0		1	0		1	0		1	0		1	0	1		0	1		0		1	0	580	0	No address
495		581	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0		1	0		1	0			1	0	581	2	222 G Street, SW
496		582	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0	1		0	1		0		1	0	582	1	715 6th Street, SW
497		583	1	Yes	1	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	583	3	510 N Street, SW
498		584	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0	1		0		1	0	1		0		1	0		1	0	1		0	584	1	610 9th Street, SW
499		585	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0			1		1	0			1	1		0	1		0	1		0	585	2	103 G Street, SW
500		586	1		-		-		-		1		0	1		0	1		0	1		0		1	0	1		0	1		0		1	0	1		0	586	0	No address
501		587	1	Yes	1	Yes	1	Yes	1		1		0		1	0		1	0		1	0		1	0		1	0	1		0		1	0		1	0	587	3	1301 Delaware Ave., SW
502		588	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0		1	0		1	0	1		0		1	0		1	0	588	3	452 M Street, SW
503		589	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0		1	0		1	0		1	0	589	4	1501 Half Street, SW
504		590	1		-	Yes	1	Yes	1			1	0	1		0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	590	3	510 N Street, SW # N 526
505		591	1	Yes	1	Yes	1	Yes	1		Y=0	Y=0	1	1		0	1		0	1		0	1		0		1	0		1	0		1	0			1	591	3	1425 4th Street, SW # A-411
506		592	1		-		-		-				1		1	0		1	0		1	0	1		0		1	0	1		0		1	0	1		0	592	0	No address
507		593	1	Yes	1	Yes	1	Yes	1		1		0			1			1	1		0		1	0			1			1	0		1	0		1	593	3	240 M Street, SW # E-704
508		594	1		-	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0		1	0		1	0	594	1	505 G Street, SW
509		595	1	Yes	1	Yes	1	Yes	1		1		0	1		0	1		0		1	0		1	0	1		0		1	0		1	0	1		0	595	3	434 O Street, SW
510		596	1	Yes	1	Yes	1	Yes	1			1	0	1		0	1		0		1	0	1		0		1	0		1	0		1	0			1	596	3	1250 4th Street, SW # W-101
511		597	1		-	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0		1	0		1	0			1	597	3	560 N Street, SW
512		598	1		-	Yes	1	Yes	1		1		0	1		0	1		0	1		0		1	0	1		0	1		0	1		0	1		0	598	3	1250 4th Street, SW
513		599	1		-	Yes	1	Yes	1		1		0	1		0	1		0	1		0	1		0		1	0		1	0	1		0	1		0	599	3	1435 4th Street, SW
514		600	1	Yes	1	Yes	1	Yes	1			1	0		1	0		1	0		1	0	1		0		1	0	1		0	1		0		1	0	600	3	560 N Street, SW N-304
515																																							
516																											65												
517		498		340		447		412			183	250	65	245	186	67	214	229	55	152	273	73	277	165	56	135	298	65	401	64	33	278	201	19	181	246	71			498
518		100%		68%		90%		83%																															
519											183	250		183	250		183	250		183	250		183	250		183	250		183	250		183	250		183	250				
520						Totals ## 1 - 600																																	10%	0 = 49 No address provided
521											65			67			55			73			56			65			33			19			71				
522																																							Non-SW-residents (Code ## = 6 or 7)
523																																						7%	6 or 7 - 37 Non-residents
524											183	250		245	186		214	229		152	273		277	165		135	298		401	64		278	201		181	246			
525																																							SW Voting Areas (Code ## = 1 - 5)
526											65			67			55			73			56			65			33			19			71			13%	1 - 63
527																																						19%	2 - 95
528											498			498			498			498			498			498			498			498			498			47%	3 - 234
529																																						3%	4 - 13
530											37%	50%		49%	37%		43%	46%		31%	55%		56%	33%		27%	60%		81%	13%		56%	40%		36%	49%			SW Resident - but SW voting area not known
531																																						1%	5 - 7
532											13%			13%			11%			15%			11%			13%			7%			4%			14%				
533																																						100%	498

(1)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Interne

Name (Optional) _____

Address 1311 Delaware Ave SW 233
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fore City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(2)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Interne

Name (Optional) _____

Address 530 N ST SW Wash 20024
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   UPSCALE SUPER MARKET (TO REPLACE SAFEWAY)

   NEW RESTAURANTS

   RELOCATE METRO ENTRANCE

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(3)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address HARRYS

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes No

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes No ?

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes No ?

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) because No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Small coffee/tea Eatery Shop — Better Clothing

   Deli — Restaurants

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(4) TO →

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Interne

Name (Optional) _____

Address 361 "O" Street S.W. Washington D.C. 20024-290

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.) yes

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fore City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? ~~Yes~~ NO

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No
   Safety will be better than now under either alternative.

I support the PUD plan in any event

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No
   than what

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? —only if they will pay higher rents (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No
   but in the long-term I will.

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development? boat...
   Kinko's — Silver Diner
   Starbucks — [redacted]

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No
    most definitely

4A

P.S. I am (NOT) an employee or vendor of the developer - just another citizen.

BOB CHARKOVSKY

12-12-02

(4A)

Thank you for this opportunity to respond. I basically support the developer 100 percent and hope that SWNA will reduce what I perceive to be its extremely obstructionist posture. Personally I would be delighted if Southwest became more like Roslyn or Bethesda and professional developers can start to make things happen. I also find much of your questionnaire (questions 4-6 and 8) skewed - but thanks again. - Bob Charkovsky

(5)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.

Boxes for

Serving near SW, DC since 1964
P.O. Box 70131, Washington, DC 20024

OLD Form !!

www.swdc.org

CURRENT VERSION QUESTIONS

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT

This Survey is being published in the Southwester and distributed to Southwest residents to obtain responses after the presentation of the Planned Unit Development plans of the Waterside Mall developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, for renovation of the Waterside Mall (soon to be renamed the Waterfront Mall or Waterfront) at the next General Meeting of the Southwest Neighborhood Assembly, Inc. to be held on Monday, November 25, 2002. The survey results will be published in the Southwester and will also be presented at the next regular meeting of the SWNA on January 27, 2003. The results may be presented at the public hearing on the PUD before the Zoning Commission.

1-4, 6-10 Post 2017

Please complete the survey and mail it to SWNA at the above address prior to Friday, December 19, 2002, or drop it in one of the collection boxes we will set up in the Mall at Harry's Liquor Store and Jenny's Chinese Restaurant. Your survey will count even if do not provide your name and address; however, if you wish to obtain further information by mail or E-mail from SWNA on this or other issues, providing your information will assist SWNA. Thank you for responding to the survey.

A. Name _____

B. Address 462 M St SE

C. E-mail address _____

D. Are you a resident of Southwest? Yes X No _____

E. Do you want to be placed on SWNA's mailing list or E-mail records for purposes of receiving meeting notices, the results of this survey, or other information about the proposed Waterside Mall and Southwest Waterfront developments in the future? [We do not release your personal information for commercial, political or other uses.]
Yes ✓ No _____

F. Have you attended any of the meetings held in 2001 or 2002 sponsored by the City, SWNA, ANC-2D, the developers or the City Department of Transportation (re the 4th street area traffic study) when the Waterside Mall development plans or proposals were presented or discussed? Yes ✓ About how many? 2 No _____

H. The purpose of this survey is to obtain your opinions about major issues concerning the developers' proposals in the Planned Unit Development ("PUD") application. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. (1A) Do you agree with the PUD plan for construction of a public street for automobiles on 4th Street between Eye Street and M Street through the center of the mall? (Yes) No

2. (1B) Do you agree that a pedestrian mall should be constructed along the 4th Street right-of-way as an alternative to a public street for automobiles? Yes (No)

3. All of the surface parking that rings the mall will be eliminated once the project is complete (PUD, p.23). The following lots will be eliminated:
M Street in front of the mall - 47 spaces; M Street in front of the Pizza Hut - 49 spaces;
M Street in front of the bank - 18 spaces; M Street in front of the West Tower - 25 spaces;
M Street lot next to Safeway - 45 spaces; the lot at the rear of the mall on K Street - 114 spaces; a total of 298 spaces. Are you in favor of eliminating this surface parking? Yes (No)

4. Retail parking proposed in the PUD plan includes the following:
Metered parking spaces on 4th Street - about 60 to 70 spaces;
The existing above-grade structured parking in the garage on the west side of the site; and
Access to expanded underground parking.
Do you believe the PUD parking plan is adequate for the Waterfront mall retail space? Yes (No)

5. Do you believe it necessary for guards to patrol the underground parking garage at the Waterfront project in order to feel safe and use that parking to visit the retail services? (Yes) No

UNDERGROUND SECURITY IS A MUST !!!

(5) page 2

6. The PUD proposes one parking space for every four apartments (perhaps one, two or three bedroom apartments), a total of 100 spaces for 400 units. Do you believe the PUD plan is sufficient to prevent an unreasonable impact on residential parking on nearby streets? Yes **No**

7. The PUD plans include construction of two 112 feet high, ten story office towers on M Street. Do you agree that these buildings should be built ten stories high? Yes **No**

8. The PUD proposes 75,000 square feet of retail space. The developers have not granted the current merchants the right to return to the mall and lease space at market rates upon completion of the retail space. Do you believe the current merchants should have the right to return to the Waterfront retail space? **Yes** No

9. The PUD provides that only Safeway, the Bank of America and CVS (in the present Pizza Hut location) will remain open to serve the Southwest community during the two to three year reconstruction of the retail space. Will the cessation of the other mall services during this two to three year period be an inconvenience to you? Yes **No**

10. Will the cessation of other mall services during construction be a hardship to you? Yes **No**

11. In your opinion, will pedestrian safety in the area of the mall be adversely affected if 4th Street is extended as a public street with auto traffic through the center of the mall? Yes **No**

12. Do you believe that the extension of 4th Street will improve rush hour traffic in the area? Yes No
UNSURE

13. Do you believe that safety from crime in the mall area will improve under the PUD plan? **Yes** No
BUT ONLY W/ GOOD SECURITY

14. The PUD plan includes only two buildings (two out of nine) to be used for residential use, a total of 400,000 square feet (400 or so one-two bedroom units), about 1/6 of the total project area. In your opinion is that share of total space for residential use enough? Yes **No**
½ BLDGS SHOULD BE RESIDENTIAL

15. Do you believe the PUD plan should include more residential buildings and less office buildings? (More than two apartment buildings, and less than seven office buildings) **Yes** No

16. The PUD plan includes construction of two residential buildings (at the northwest corner of the site) 112 feet high (ten stories) and one 112 foot high, ten story office tower (northeast corner) facing Eye Street. Do you agree that these buildings should be built ten stories high? **Yes** No
(Residential density might decrease crime around the mall @ night

17. Does the PUD plan provide for orderly and timely construction of the entire project? Yes **No**

18. Does the PUD plan appear to satisfy concerns about potential noise and air pollution? Yes **No**
4th St + M can only get noisier

19. Which of the mall's existing restaurants, stores or services and which new retail stores, restaurants, or services would you prefer to see in the completed Waterfront development ?

STARBUCKS, Jenny's (Corner Ford), BLOCKBUSTER VIDEO,
SAFEWAY BANK + CVS, AU BON PAIN, _____,

20. Do you believe that the PUD plan project will improve the ambiance of Southwest? **Yes** No
IF ARCHITECTURALLY INTUNE W/SURROUNDING RESIDENTIAL AREA

21. Which of the above issues do you consider the three most critical issues raised by the PUD plan and proposals for the new Waterfront development? (Please enter the numbers from "1" through "20" above to indicate your choices.)

Most important issue 7 **Second most important** 4 **Third most important** 6
Decrease height/Add setback PARKING / Underground

H. Please attach to the survey any specific comments you may have on the developers' PUD plan on a separate sheet.

*** PLEASE NOTICE THAT DRAWINGS AT (NRC Hearing) MEETINGS depict a smaller complex of buildings with the riverfront depicted

(5 places) (5)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.o

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Interne

Name (Optional) _____

Address CONVERSION FROM LONG FORM

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fore City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ See original _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(6)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 320 N St. SW Waterside Towers apt
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(7)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collect box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Interne

Name (Optional) _____

Address _____
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fore City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Chili's → Starbucks

   Houston's Big Bowl

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(8)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optio

Address 520 N St, S.W. Suite S-115

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   additional * convenience store liquor store

   dry cleaners video store

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(9)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024

www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collect box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 290 N St SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Coffee Shops — Classy Bakery

   Hardware Store — upscale restaurants

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(10) (11)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

TREATED AS TWO VOTES — BECAUSE OF TWO NAMES — ROM.

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Intern

Name (Optional) _____

Address 800 4th. St. S.W. #612-S Washington 200

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mal (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fore City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Blockbuster Video-Store Quality Dry Cleaners.
   Breakfast Diner African Restaurant

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(12)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____ _____

Address _____ Harbour Square N. 123 510 N Street, S.W. Washington, DC 20024 _____

(Please provide your address to ...nt and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Family Restaurant _____

   Dry Cleaner _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(13)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Intern

Name (Optional) _____

Address 232 G Str SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mal (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fore City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   White Collar Restaurants No fast food chains

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

clean up under & around the R.R. overpass

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collec box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

(14) Name (Optional) _____

Address S-216, Harbour Square

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No) see #5

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)
   Put some COPS on the street and @ bicycles.

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Jennies yes. (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes No
   Jenny's should be allowed.

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?
   a good Italian restaurant. French Rest. Vietnamese
   we need some good restaurants in this neighborhood. (OVER)

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

Think – look at – NY, cities UPPER West Side . . .

downtown and at the Smithsonian – save pollution, use metro, + WALK TO WORK. Make it pedestrian friendly.

(15)/(16)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

"LISTED 2 RESPONSES BECAUSE TWO NAMES ON 1 FORM." (RSM)
AS

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 1301 Delaware Avenue, SW Apartment N-314
Washington DC 20024-3929
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Office Supply - Print {Staples, Office Depot, or Kinkos}
   Fast Food as well sit down restaurants
   Delivery from restaurant(s)
   Clothing Men Women children With Alterations
   House wares / Butcher shop for fresh meat cut to order

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(17)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 609 H St.

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(18)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 300 G St. S.W. Wash DC 20024

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes) 100%

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(19)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 1001 – 3 ST S.W.

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(20)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

lease complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address Mailed in SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   "American" cuisine _____

   Indonesian cuisine _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(21)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 208 L St. S.W.
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Wendy's — McDonalds
   Popeyes — Shop

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(22)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address SW & Waterfront Mall
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(23)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 700 Capitol So. Pl. SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Cafeterias, Starbucks, Mail Boxes, etc
   & MOVIES —

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

    with garage parking —

(24)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 1001 3rd St SW
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes ?

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes ?

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?
   Cleaner w/Shoe repair Sit down restaurant/Carry out
   Nail/Manicure - Variety Store Radio Shack Ladies apparel Shop

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(25)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Interne

Name (Optional) _____

Address 231 4 St SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Game Room — Room for Homeless $1 Bowl Night

   Movies — Family Fun

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(26)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 2007 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Interne

Name (Optional) _____

Address 787A G St., SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fore: City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Full service restaurant / bar Clothing

   Coffeeshop / cafe Records / Books / CD's

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(27)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address Need at SWNA Table at Mall only
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(28)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) [redacted]

Address 215 L St SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Foothockers, Dollar Stores, Deli stores, Hardware Stores
   Seven Dollar Stores, Baskin Robbins + Chickens

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(29)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address Resident at Square Tower at Mall
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(30)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 411 Arkansas Avenue NW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Foot Locker — 7-Eleven

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(31)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collect box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 1700 Del Ave SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

32

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address Resident at Sunny Jobs at Mall Apts

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

33

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collect box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address East of Safeway Gate & Mall

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(34)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address Resident of SW NA Public Housing Apt 634
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(35)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 241 K St.
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   All — New Toy

   Bowling — Movies

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(36)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 490 M Street, SW 404W

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Coffee shop Italian Theatre (movie) (Specialty in art movies)

   Cleaners Nail Salon Jenny's Nice Bookstore / Coffee shop

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(3x)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) [redacted]

Address 1200 Delaware Ave S.W. #1120

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(38)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 211 M St SW.

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(39)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collecti box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address Reid at Sw4 Tubs at Mall Bldg
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(40)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 2002 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address _____
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(41)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Inter

Name (Optional) _____

Address 1019 6th ST SE 1
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes (circled)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes (circled)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(42)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 2007
www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 6709 Pickett Dr. Suitland, Md.
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Arcade — Shopping stores

   movie theaters — _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(43)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Inter

Name (Optional) _____

Address 215 M St SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? **Yes**

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? **Yes**

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? **Yes** No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? **Yes** No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? **Yes** No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? **Yes** No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? **Yes** No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? **Yes** No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? **Yes** No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(44)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address David & Sonia Tobe Hall / [illegible]

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(43)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collectic box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 410 M ST SW 20024
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?
   GOURMET Deli/GROCERY, VIDEO RENTAL
   WINE/LIQUOR, BANK, CLOTHING (HIGH END NOT DISCOUNT OR Deli
   STORE

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(46)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 1228 Half St SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(47)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collectic box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 231 I Irving St SE #2
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(46)

)UTHWEST NEIGHBORHOOD ASS[illegible]BLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Interne

Name (Optional) _____

Address Near 4th & Grand Ave at Mall
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?
   Organic Food Store — Organic Food Restaurant
   Movie Theater (not multiplex)

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(49)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 1311 4th St SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   better video store, Safeway

   better dry cleaner, CVS

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(50)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 902 6th St. S.W. #315C

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Whole Foods — Café (not a grille)

   Starbucks

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(51)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Inter...

Name (Optional, _____

Address 287A G St SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Liquor Store — Chinese Restaurant

   Book Store — Restaurant

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(52)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address P.O. Box 70759 SOUTHWEST RESIDENT WASHINGTON DC 20024-0759

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes) PARKING
   I DO NOT WANT A "PUBLIC" STREET. I WOULD PREFER A "PRIVATE STREET" WITH PARKING PARKING GATES (WHAT WE HAVE NOW).

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   JENNY'S CHINESE RESTAURANT HARRY'S LIQUOR STORE, BARNES BOOKS
   UPSCALE GROCERY STORE (TO COMPLEMENT/COMPETE W/ SAFEWAY) (LIKE BARNES + NOBLE)
   SENATE DRY CLEANERS WATERSIDE CONVENIENCE STORE, COSI, BLIMPIE'S, UPSCALE RESTAURANTS

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(53)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection x at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address P.O. Box 70759, SOUTHWEST RESIDENT WASHINGTON DC 20024

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   ① JENNY'S CHINESE RESTAURANT ② BICYCLE STORE

   ③ BAKERY ④ TRADER JOES ⑤ COSI SANDWICH SHOP ⑥ SUBWAY

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(54)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 430 M St., SW Apt. N207 Washington, DC 20024

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Jenny's Chinese Restaurant — Seventh Day Cleaners

   Kim's Taiwanese — Waterside Convenience Store

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(55)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 2002[illegible] www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Inter

Name (Optional): _____

Address 143 5 4th St, SW W/DC 20024
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?
   return of Jenny's Chinese

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(56)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 520 N St SW DC 20024
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes ? No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?
   Jenny's Chinese, other good restaurants
   store that sells CDs
   hardware store

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(57)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collectic box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Option_, _____

Address SW, DC

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   a cinema — a tea-coffee-ice-cream shop w/ outdoor cafe'

   a Walmart or KMART or similar — a doctor's office / alternative practitioner

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(58)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Interne

Name (Optional) _____

Address JENNY'S RESTAURANT #SM
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)
   OR
   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?
   food restaurant movie theater
   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

59

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collec box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Interne

Name (Optional) _____

Address 338 N Street SW Wash DC 20024

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Movie Theatre Italian Resturant

   Bakery Keep Jenny's

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(60)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Interne

Name (Optional) _____

Address 201 I St. SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

   ~100 high

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

   the restaurant

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Xerox (Kinko's) Haircuttery + Supercuts, post office, dollar store

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

    11 stories too high

(61)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20
www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Int

Name (Optional) _____

Address 128 G Street, SW
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fore City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Upscale restaurants; nice clothing stores, as in NW DC OR Northern Virginia's similar-sized malls.

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(62)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address HARRY'S LIQUOR Store Customer RSM

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes No UNFair question

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes ? No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Barber Shop _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(63) & (64)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collect box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Int

Name (Optional) _____

Address 610 G St SW — SW resident

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Hardware Store — Starbucks

   Barber Shop

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

We need more density for a successful community.

(65) (66)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 200 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) Jare

Address 530 N St. S.W. #3055 Wash. D.C. 20024
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be ~~improved~~ adequate under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) AND (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Olive Garden — Target

   Bob Evans — Blockbuster

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(67)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 128 G Street SW

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   TOO MUCH OFFICE NOT DESIRABLE. IT CREATES EVENING EMPTINESS
   GOOD SHOPS NEED RESIDENCES. THE "PUD" SHOULD PROVIDE "MIXED USE"
   SHOPS AT GROUND; OFFICES AT 2-NO THROUGH 4th FLOOR, RESIDENCES ABOVE

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

    ALSO USE SMALL HOTEL USE FOR "PANZIO." A NEW DESIRED FEATURE FOR WASHINGTON AND A GOOD PROFIT FEATURE FOR THE DEVELOPER

68

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 2007
www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 326 N St. SW, Wash DC 20024
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)
   OR
   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No
   Pedestrian walkway would be easy target at night!

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Gut it, and start all over! Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?
   Outdoor/Indoor Cafes — Dry cleaner/Video/Hardware Store
   Starbucks/Einstein's — Crate & Barrel/Pottery Barn

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

Please do not delay the development. We will never get a perfect development. Be thankful someone wants to do it.

(69)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collecti box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 1250 4th St SW #810

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   dry cleaner deli

   convenience store _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(70)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20[illegible] www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address SW Resident

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   flower & garden shop — good dress store

   Coffee shop

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

21

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 301 G St SW #332

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   dry cleaner — cafe / restaurant

   stationery store — video store, liquor store

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

72

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____ PROPERTY OWNER

Address _____ 700 - 7th St., S. W., #139 Washington, DC 20024-2444

(Please pr _____ hwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? HARRY'S LIQUOR (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?
   KEEP HARRY'S LIQUOR
   HARRY'S LIQUOR
   A SUPER MARKET THAT APPEALS TO MIDDLE CLASS RESIDENTS
   THE CURRENT SAFEWAY IS TERRIBLE

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(73)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collecti box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) [redacted] We have been residents of

Address 1250 4th St. S.W. W-800 Carrollsburg Condo Washington DC 20024-2320 SW DC for 39 years (1963)

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   (1) Fast food Restaurants or Less one (1) (3) Bake + pastry shop

   (2) Seafood Restaurant

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(74)

UTHWEST NEIGHBORHOOD ASSE[illegible]LY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 301 G St., S.W.

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? ~~Yes~~ (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

   WE NEED THE RESTAURANTS & THE VIDEO STORE!!

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   SAME AS NOW = HARRY'S LIQUOR, PIZZA HUT, BLIMPIE'S GRILL, PEMS, JENNY'S CHINESE RESTAURANT, WATERSIDE CONVENIENCE STORE, KIM'S, WASHINGTON VIDEO / SENATE, DRY CLEANERS / SALON, BARBERSHOP

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes No

(75)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 429 N ST SW #508 WDC

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Coffee Shop _____ _____

   _____ _____

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(76)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address Mailed in – REM

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. ~~The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway.~~ Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Starbucks; Bookstore / Reading Room / Snackbar – e.g. Borders

   Upscale Cafe; Attractive / Cozy / Casual Dining / Ethnic restaurants

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

77

UTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 1311 Delaware Ave. S.W. 20024

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes (No)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Hardware, bookstore

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(78)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 1311 Delaware Avenue SW #5838
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Irish pub restaurant freshfield's food market

   seafood restaurant post office or better liquor store

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(79)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collecti box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 300 M STREET SW N300 & N302 WASHINGTON DC 20024
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)
(202) 554-4435

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? Yes (No)

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   FULL SERVICE RESTAURANTS, BAKERY, COFFEE SHOPS, CLEANERS, HARDWARE STORE, BARBER/BEAUTY SALON, LIQUOR STORE, FLORIST, GROCERY STORES/MEAT MARKETS, DRUG STORE, BANKS, APPAREL SHOPS, OPTICAN, DOCTORS, BARS, CARRY OUT RESTAURANTS.

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(80)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address 530 N St SW
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes for residents) (No for offices)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (not sure) Yes No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?
   Family clothing || Dry cleaner || Moderate cost restaurant || Good BAKERY
   Improved grocery store || Good hair salon unisex haircuttery

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(81)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet.

Name (Optional) _____

Address Mailed in PSH

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? (Yes)

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? Yes

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   HARDWARE STORE — BAKERY

   DRY CLEANING ESTABLISHMENT

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(82)/(83)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 530 N STREET SW #805 WASHINGTON, D C 20024

(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   LADIES APPAREL STORE, VIDEO STORE

   MOVIE THEATER, SHOE SHOP, HAIRDRESSER

   TAILORING SHOP, CHINESE RESTAURANT

   DRY CLEANING + SHOE REPAIR, LIQUOR STORE

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

    FLORIST
    BOOK STORE

    GOURMET GROCER
    WATCH REPAIR, LOCKSMITH, BAKERY

(84)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 **www.swdc.org**

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collect box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 1425 4TH ST SW A703 WASHINGTON, DC 20024
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Forest City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   OPTOMITRIST NEW VIDEO ie BLOCKBUSTER

   HEALTH/VITAMIN STORE PUBLIC LIBRARY BRANCH

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No

(85)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collection box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 1301 Delaware Ave, SW #N-222 WDC 20024
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? Yes (No)

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? Yes (No)

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? Yes (No)

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? Yes (No)

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? (Yes) No

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? (Yes) No

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?

   Dry cleaners (better than current one) — watch repair / card/stationery shop

   Radio shack, household Furnishings — more restaurants / walk-in clinic

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? Yes (No)

(86)

SOUTHWEST NEIGHBORHOOD ASSEMBLY, INC.
P.O. Box 70792, Washington, DC 20024 www.swdc.org

SURVEY re PROPOSED WATERSIDE MALL DEVELOPMENT – Dec. 9, 2002

Please complete the survey and mail it to SWNA at the above address prior to December 31, 2002, or drop it in a collect box at either Harry's Liquor Store or Jenny's Chinese Restaurant in the mall. Please see our website if you are on the Internet

Name (Optional) _____

Address 1435 4th St SW #B44 Wash, DC 20024
(Please provide your address to indicate whether or not you are a Southwest resident and to prevent multiple responses.)

The purpose of this survey is to obtain your opinions about issues concerning proposals for renovation of the Waterside Mall (renamed "Waterfront") in the Planned Unit Development ("PUD") application of the developers, Kaempfer Company, Fores City Enterprises and Bresler and Reiner, to the D.C. Zoning Commission. The PUD is a special request for rezoning and covers plans for the completion of redevelopment of the Waterside Mall area over a long term, perhaps as much as 20 years. Please read each of the following questions, and circle the answer **"Yes"** if you agree, or the answer **"No"** if you disagree.

1. The developers' PUD plans include construction of a public street for automobiles on 4th Street connecting I ("Eye") Street and M Street, that includes sidewalks and clearly marked pedestrian crossings. Do you agree with the developers' plan for a public street? Yes

   OR

   An alternative PUD plan would construct a public walkway on 4th Street between Eye and M Streets for pedestrians only instead of a street for automobiles. Do you agree with such an alternative? (Yes)

2. The existing East and West Towers at the mall are 130 feet high. The developers' PUD plans for M Street include construction of two 112-feet-high (eleven stories) office buildings on M Street. Do you approve of the proposed height of these new office buildings? (Yes) No

3. The PUD plans for the Eye Street side of the mall include construction of three 112-feet-high (eleven stories) buildings that will overlook the two churches on Eye Street: Two residential buildings (on the northwest corner of the site near the pond) and one 112-feet-high (eleven stories high) office building (on the northeast corner). Do you approve of the proposed height of these buildings? (Yes) No

4. The developers' plans includes the connection of 4th Street from Eye to M Streets with auto traffic alongside sidewalks and with marked pedestrian crossings between the east and west sides of the street. Do you believe that pedestrian safety in the area will be improved under this plan? (Yes) No

5. An alternative to the above plans call for a public walkway on 4th Street between Eye and M Streets for pedestrians only. Do you agree that pedestrian safety would be better under this plan? (Yes) No

6. The developers plan for a roadway on 4th Street between Eye and M Streets rather than a pedestrian walkway. Do you agree that safety from crime will be better under the developer's plans? (Yes) No

7. Would you like to see the current merchants be invited by the developers in the future to negotiate for new leases and have the opportunity to return to the new Waterfront retail space once it is completed? Yes (No)

8. The developers' plan provides that only Safeway, the Bank of America and CVS will remain open to serve the Southwest community during the two year period (estimated by the developers) for reconstruction of the retail space once the mall is demolished. Will the lack of other mall stores and services during the reconstruction of the new retail space be a hardship to you? Yes (No)

9. Which types of restaurants, stores or services would you prefer to see at the new Waterfront development?
   STARBUCKS
   Boya Fresh
   COST
   CVS

10. Do you agree that the project as planned (including a public street for automobiles and eleven story high buildings on four corners of the site) will improve the quality of life in Southwest? (Yes) No