

PROPERTY INFO

Address: 1834 Ontario PI NW Washington, DC 20009

Neighborhood: Adams Morgan

ANČ: 1C

Year Built: 1909

Type: Residential-row-Inside Land Use: Residential

Stories: 3

Lot size: 2,484.4 SF SSL: 2583 0351 Zone: RF-1

Applicable Codes

Applicable Codes:
DCMR12 - 2013 Supplement
DCMR12 - 2013 Supplement
DC Law 8-36 District of Columbia Environmental
Policy Act of 1989
DCMR Title 11 - Zoning Regulations
Green Building Act 2012

Lot Occupancy

Allowed: 60% Max. (1,490.6 SF)

Main House with/ modified porch: 1,257 SF

Proposed Garage: 356 SF Total: 1.613 SF

1,613 / 2,484 = 65%

Main House with existing porch: 1,343 SF

Proposed Garage: 356 SF

Total: 1,699 SF

1,699 / 2,484 = 68%

Owner:

Date

Page

Cover

1834 Ontario PI NW

A101

DC

Washington

Malcolm Haith & Lee Wells 1834 Ontario Pl NW Washington, DC

Pervious Area

Required: $2,484 \times 20\% = 496.8 \text{ SF}$

Proposed: 509.65 SF = 20.5%


27SF + 136.4SF + 49.5SF + 263.5SF + 52SF = 509.65


Contractor:

Moore Construction Group LLC 3335 Duke St Alexandria, VA 22314


Status:


pard of Zoning Adjustment
District of Columbia
CASCHOUNG Design
EXHIBIT NO.30C






5 Garage Roof Plan 1/8" = 1'-0"






Garage Floor Plan
1/8" = 1'-0"




2 From House 1/8" = 1'-0"



3 From 1834 Ontario PI NW 1/8" = 1'-0"

1834 Ontario PI NW Washington DC



Owner:


Malcolm Haith & Lee Wells 1834 Ontario Pl NW Washington, DC

Contractor:

Moore Construction Group LLC 3335 Duke St Alexandria, VA 22314

Status:

Schematic Design



Garage Floor Electrical 3/16" = 1'-0"

Electrical Notes & Symbols

S Switch

 S_3 Three Way Dimmer Switch

Dimmer Switch S_{DIM}

 $S_{3\,\text{DIM}}$ Three Way Dimmer Switch

GDO Garage Door Opener

Door Bell $\overline{\mathbb{Q}}$ Outlet

GFCI Outlet

220v Outlet

USB **USB** Outlet

Exhaust Fan Smoke/CO2 Detector Smoke Detector New Wall Mounted Fixture

Flushmount Light

Recessed Light Recessed Light Dimmable

Pendent Light




New Box, New Ceiling Fan

Electrical Notes: Installation Standards

- Install new plugs, switches, and cover plates throughout renovation area All light bulbs should be daylight balanced
- Install new fixtures throughout
- All installations should performed per code / manufacturer's standards
- All smoke/carbon detectors to be minimum 12 inches from interior wall
- All outlets to be AFCI per 210.12 in all habitable spaces unless otherwise indicated as to be
- Install new hardwired smoke detectors / CO2 throughout as necessary per code Outdoor outlets shall be GFCI protected
- Outdoor outlets to be encased in water-tight weatherproof rated while-in-use cover kit
- Exterior light fixtures for garage to be motion sensor operated

1834 Ontario PI NW Washington DC



Owner:

Malcolm Haith & Lee Wells 1834 Ontario Pl NW Washington, DC

Contractor:

Moore Construction Group LLC 3335 Duke St Alexandria, VA 22314

Status:

Schematic Design