

GOVERNMENT OF THE DISTRICT OF COLUMBIA
Board of Zoning Adjustment



September 17, 2020

Memo to file:

Re: BZA No. 20121 - Application of Bridges 2 Psychological Services & Consultation, LLC

At the Virtual Public Hearing of September 16, 2020, the Board of Zoning Adjustment completed the hearing, **closed the record**, and **scheduled** the case for decision at a **VIRTUAL PUBLIC MEETING through Webex on SEPTEMBER 23, 2020 – session to begin at 9:30 am.**

Please see the Office of Zoning website at <https://dcoz.dc.gov/release/watch-zc-and-bza-virtual-meetings-live> or use the information below to view/listen to this meeting.

WebEx Access Information for Participants
September 23, 2020 Virtual Public Meeting

To watch / listen via Webex:

Visit the link below:

<https://dcnnet.webex.com/dcnnet/onstage/g.php?MTID=e9f913f6dd497f89190fbc5a65d51061>

Event Password (if not auto-filled in): DCOZ

To listen via telephone:

Call-in toll number (US/Canada): 202-860-2110

Access Code: 160 566 5441

Pursuant to Subtitle Y § 602.6: “Any supplemental material received by the Board after the close of the record that bears upon the substance of the application or appeal shall be returned by the Director and not accepted into the files of the Board. However, if the materials are accompanied by a separate request to reopen the record, the request shall be accepted and presented to the Board for consideration. The request must demonstrate good cause and the lack of prejudice to any party. Such requests may be granted by the presiding officer and, if granted, the supplemental materials shall be entered into the record.”

Sincerely,

A handwritten signature in black ink, appearing to read 'Clifford W. Moy', written in a cursive style.

CLIFFORD W. MOY

Secretary, Board of Zoning Adjustment
Office of Zoning

441 4th Street, N.W., Suite 200/210-S, Washington, D.C. 20001

Telephone: (202) 727-6311

Facsimile: (202) 727-6072

E-Mail: dcoz@dc.gov

Web Site: www.dcoz.dc.gov
Board of Zoning Adjustment
District of Columbia

CASE NO.20121
EXHIBIT NO.83