

- THE CONTRACTOR STATE WITH THE STEED OF COMPRESS OF THE PROBESS OF THE CAMBRIEF WID PERFORM OF TOOK RECURRED PRIOR TO SHEWFORK OF THIS OF OFFICIAL BEST HE CAMPLING WITH THE DRIVING STATE STATE STATE SHALL BE HAVE TO THE THE THIS STATE OF THE STATE OF TH
- 2-UP AND PAY OR ALL RECIDING ANYWAY, RESMIT REPAID ON LIC AND DERIVE THE DIFFUSA, RECORDS OF THE STANTIAL OF THEM TO THE COMPUT WITHOUT ALDERNAL COST TO THE COMPUT.
- ELECTRICAL PLANS AND DIAGRAMMARIC DO NOT SCALL DRAWN'DS
- CONSULT FLMS OF ALL OTHER TRADES FOR DIGHTHANDON ONLY FOR SILLERED AND AUDIENCE WHEN THIS DECLINED WITCHEN DRAWNESS, EDUCATED AND THE INFORMATION OF THE PROPERTY OF THE PROPE
- SOOT RESIDENCE FOR ALL ELECTRICATE OF PRINTED CONTROL AND ANY CONTROL ANY CONTROL AND ANY CONT
- PROVIDE AL. THE COMPARTS, RIGHTS, EVEN NECESSARY FOR A COMPARTE BRINDS STOCKED FOR ALL HIDDER COMPARINT AS INDICATED FOR THE ELECTRICAL MISS. SHOWNING IT AND ARROYS THE WARRY STATEMENT OF MICH.
- ST. CONTIACTOR SHALL MERTY THAT ALL COOR SWINGS & ECUPPMENT LOCATION ARE CORNECT
 METCRE INSTALLING LIGHT SMITCHES AND OLDERS
- HORSEFUNDS RABBOS ROCARD ON DEAMING MAY DEFAIL FROM ACTUAL COMMINENT (MARGINET IN FIRST-BERT COUPRING TOTTES THOSE BACKOS ON PRIMARY OF THE ACTION OF THE AC
- CONTACTOR SHIPL MOTE UIL LIPPLS OR METHANDEL EQUIPMENT TO ACTUALLY BE ASSELLED CALLS FIRS DEL GARAGINENT SOUTCHER DEVICE NO HE FARLS, DIE ELECTRICAL COMPARTIES HAVE, PROVINCE TOURS DESCRIPTED WAY PROVINCE IN 555 AT DIE SHIPLE LOCADOL MIDICAND OR BERNINGEL SHIP OF MOTE AND THE COMPARY.
- BE CORRECT MARKER OF WHEN MAY NOT BE REDUCATED FOR ALL CROCKET, CHLY THISSE WHERE CLARFOCKION IS WIGHTSMAY DIE ELECTRICAL COMERACION STALL PROVINCE ALL WEST INCOSSINE FOR THE PROPER THISSEN, OF THE STOTEM WHENEX RESCATED ON CHARGES OF MOT.
- STE. ALL CONDUCTORS, PACEBAYS AND GASLES SHALL DE CONCLAED IN WALL DIE REV. ALONG THE BEAM UNLESS PUDCATED CHERNESE.
- OFF. THE LIGHTING PRITIESS SHALL BE FLOREPHED AND RETINALIS COMPLETE WITH ACCESSORES (MICLIONIC LAWS) MOUNTING DEPOSE, ETC. BY THE CONTRACTOR
- GHE ALL PENETRATIONS OF FLOOR AND WALLS SHALL BE FIFE STOPPED IN ACCORDANCE WITH HOCA, NET AND MPPA.
- STB. CONDUCTORS SHALL BE RESTALLED CONTINUOUS BETWEEN IN VICES, WITH SPIECE LOCATED DRIV OR SUBSCISION BOSES OR SCIENCES.
- TO THE CONTROL OF A SPECIAL BLOOD OF COMMENT AND SOUTHERS FOR SPECIAL BOOK CONTROLS BY A SPECIAL BY A SPE
- 629. ALL LIGHTING FIXTURES SHALL BE RESTALLID IN STRUCT ADDICABLE WITH N.E.C., ANTICLE 370-15 AND 410-15, AND DIMAL PROPERTY AND DUTABLE SUPPORT THE REGIST OF HAY RETURE RESTALLIDE.
- G22. EMPROVINCE UNIT EQUIPMENT SHALL BE INSTALLED IN ACCUMPANCE MERE N.E.C. ARRICLE 700-1287).
- CO. PROMOT TEMPORARY EXTRICE AN INCRESSANT FOR LECTURE AND POWER CO.-PARTNIT (BRILLS, SAME, ETC.), AFFER TEMPORARY RECORDERATION WITH CONTRACTOR. PROMOTANT VILLAGORIAN PROMOTE SHALL BRIT OFFER THE CONTRACTOR. THE PROMOTE SHALL BRIT OFFER THE CONTRACTOR OF THE CONT
- GUA. THE SLECTRICAL COMPRACTOR SHALL COORDINATE WITH FOREN COMPRAY (PEPCO) FOR THATY CORNECTION OF SHIP SLECTRICAL SCRUCE FEECH. BE OCKNOWNED SHALL ALSO PROMBE CONSULTS FOR TELEPHONE AND CABLE TELEVISION IF RECURSED BY HE PROMBES.
- 125 ELECTRICAL CONTRACTOR SHALL COORDINATE WITH UTILITY SO. (PEPCO) WHETHER OF NOT AN OUTAGE IS REQUIRED.

- AL WAS AND CAPLE THAN BE COMPUTE WITH DISCRIPTION OF THE ARC ALL WHE TIZES WAS EXECUTED ON COPPER TONG SECTIONS WITH THE HEALTHON SHARES WORK ARE OTHERWISE ALL COMMECTORS LIVES. (C) SHARE BE JISTED FOR THE
- FROMOS WHING HOT SMALLER THAN \$12 AWO FOR THE HORER
- AL CACUTE 170/208 V) THER OF FEET FROM PANE TO FIRST OUTLET SHALL HAVE CONDUCTORS THE TREE LARGER THAN NORMALL RECLIRED WHETHER NEIGHTED ON PANEL SCHEDULE OR NOT ELECTRICAL BOXES AND FITTHOS
- AL BOXES 640 FIRMOS SHOLL BE OF CODE-DAUGE STEEL
- JUNCTON MELPILL BOXES SHALL BE CALVANIZED CODE-GAIGE SHEET STEE WITH SCHEM ON TOHER OF THREE SHAMES AND SIZES TO BUT EACH RESPECTIVE LISCARDA

- PROMET DUPLEX SPECIFICATION GRADE RECEPTACES 2 POLE 3 WEE.
 CACHINING MITH WELLS HEXACONAL CURRENT SHOUND SCHEM, GROUND
 TERMINALS AND POLES HITEMALY CONNECTED TO MOUNTING YEE. 20 AMPERES,
 125 WILLS WITH METAL PLASTER EARS, DOE MRINK, NEMA CONTOURATION
 75-70R.
- CACOND FALLT INTERPLETER (CP) RECEPTACLES SHALL WITH RUBBER CASSETED WARLANT TO HARRHAL —INCL. CAL. NO. (CIRC)
- DEPET, NEWS 5-201 WITH GET PAUL COMP. SHALL IN W. CHRIDGECTS TYPE WITH RUBBER CASKETED SMEAR YO HUBBEL—HELL CAT. NO SCHOOL TYPE WITH RUBBER CASKETED SMEAR YO HUBBEL—HELL CAT. NO SCHOOL
- MENG DEVICES PLATE COVER SHALL BE STABLESS STEEL SAIN ENISH COMMERCIAL CRADE TIME EQUIPMENT SPECIFICATIONS
- ALL ELECTRICAL, WHEN I SHALL BE IN CONDUITS FROM DEVICE BACK TO THE ELECTRICAL PANEL AND MINIMUM SIZE OF THE CONDUITS SHALL BE 3.74°
- FROME LIGHT TIGHT FLYRIL DORDAT FOR CORRECTION OF WOTGR AND FOR OTHER RECTFORM EDJEWART MAKE SUBJECT TO WORKERT MAKE ASSERT AND AND ARROWS AND SHARET MAKE AND AND MAKE A WORK OF THE FOLLOWING CONTINUAL LIGHTS AND ADMINISTRATING AND ADMINISTRATION OF MAKE A MOST AND TAKEN ADMINISTRATION FROM THE CONTINUAL CAN BE EMPLIED TO ACCOMMANCE.

 NEARCH TO DEPORT OF GREATE OF MAKE TO
- ALL COMBUTS SHALL BE CHOUNDED PER NEC CONDUTE ENTERING THE DUTLET ECKET, PANEL CARRACTS ETC MUST EE STEED WITH A BORRET LODGELT MAS
- EXPOSED CONDUCT IN WITCHEN AREAS SHALL BE REDC STELL DIRECTED WALL CONDUCT CHECKED FILL EXPOSED LENGTH WITH CHECKED PLANED.

PANELBOARDS

- ENGLOSURES SURFACE MOUNTED CABINETS NEMA PBI, TYPE I, HWGED HAGN'T GOVER, GREGITORY CARE, WITH PROJECTIVE COVER.
- 2. CROWN RUS
- EORIPMENT GROUND BUS ADEQUATE FOR BRANCH-DROUT EQUIPMENT OFFICIAL CONDUCTIONS BONDED TO BOX.
- 3. CONDUCTOR CONNECTORS: SUITABLE FOR USE WITH CONDUCTOR MATERIAL MAIN AND NEUTRAL LUGS: MECHANICAL TYPE
- GROUND LUGS AND BUS CONFIGURED HERMONTORS COMPRESSION TIME. PUTURE DEVICES: MOUNTAING BRACKETS, BUS CONNECTIVIES AND NECESSARY APPERTUNANCES REQUIRED FOR FUTURE INSTALLATION OF DEVICES.
- PARELEGARD SHERT-CROUNT EATING HAND TO INTERACIPT SYMMETRICAL DHORT CROUNT CHRISTIN AVAILABLE AT TERMINALE MIRRIUM INTERHUPTING HAVING SHALL DE 12,700 AMPERES AT 240K.
- ALL BREAKERS SERVING HEATING AND AIR-CONCITIONING EQUIPMENT SHALL BE ULLUSTED AS THACK TYPE

DEMOLITION NOTES:

- THE CONTRACTOR SHALL CAREFULL WARNY ALL DISCING BRANCH CHOILES AND BEEN CORRESPONDING PARTS BARRY OFFICIALISTED FRONTING POLICIES FROM TO ORNOLITOR OF DESTROY SHALL ASSO YORTY SHOTH DISCINCTION OF CORRECT WILL BE UNCONNECTED FROM ESSETING PARKELIDATING CHICAL SHELLARIS.
- CALIDDE ELETTROAL SYSTEM COMPRIENTS (4-9 BATTERES, SALLASTE, BRUES, LAMPE, CAMACTOLL, SMITCHES, DEBRIGOSES, MELIESES (447 COMERCINES) CONSTRUMENTS (4-5 MERCHART LACE, CAS, FOCKS, FOCK PERSONAL CALLOS (4-5 MERCHART LACE, CONSTRUMENT CO
- AL COMPUTE STURMED DEFENDE FLOOR OR WALL SERVING RECEPTAGE QUILITY TO BE REMORE AND NOT TO BE BESURE, SHALL BE CUT OFF FLOOR WITH SLAB AND FLIED TO SLAB LIVE, WITH CONCRETE OF CAPPEL AS FERSIONE.
- 4. DONTRACTOR SHALL FURNISH AND INSTALL BLANK COVER PLATE ON THE EXISTING BOXES FOR PEDEPHAGES AND MORE OR DATA OVERETS NOT BOYINGS.
- SERVICE MARRIED MARRIE MEL REMINER DIGHT STORM STREET TO CHIEF AND OF THE CHIEF CHIEF
- IN SET DISTRIBUTION OF BRANCH OPERAT SOURMENT GLAD CONTEST, FINE BOARDS, EXECUTED THE FORE, ETC. J. IS TO BE REMOVED, THEN ALL DRUFFS HOWEVER OF THE STO REMAIN SHALL SE RECOVENIES TO THE OWN OFFSTRESHOLD OF BRANCH CHARLES PROMISED AND ALL DESCRIPTIONS TO THE ARCHITECT/TRIPHETERS (A/C) THE CLARENCATION AND COASILITATION FROM TO PROPERTION WHOM
- 8. FREDR TO COMMENCE WORK ELECTRICAL CONTRACTOR COMPLETELY CHECK AND VERRY MAIN SERVICE DESCONDED IS MEDIT AS SHOWN IN THE DIRANGE THORE FIGURE GAGRANT COORDINATE WITH POWER UNITY OF CHECKS PRICE FOR DEBOURDING MODE.



Vol. 15.05	****	VOLTAGE					NELE									A***		6	
CONTROL CONT				WIRE										MOUN	TING	DEFACE			
R		T2U 2US	3	4				275	54	1	5000		SEACE.	-			10-		
R		7.100	Trusts		TYS												14		
M MEGREGUP G OTTERN LOAD LOAD CAT FIRST					Α.		HN EQPL	ENT	Ti.	EXIGI	BW()								
ITEM								HOR											
THACK LIDHT BEATING AREA	-	to local	IN E GOSP		0	OTHE	R					100					****		
TRACK LIDHT BERTING AREA Difference Di			create.		*	le le	CWT	BEN				VT ROW	I F				-		
THACK LIDHT BEATING AREA						10	-	1,000	LOAL		JAUL	W1 5:00	1 3		1				
THACK LIDHT BEATING AREA	X	- 0	ENAFL		g A	8	TRI	0 0	(VA)	13 0	VAT I	Marries .	1 2	32	18				
3 DIGHT OFFICE LET COMPTION 4 TO DESCRIPTION AS A 100 MILES AND A 100 MILES AN		7223736 1222	T DITAMA		1					10.		tialle	0	1 8	12		*		
5 FEACHMREE MISTANTING LTC SSA 1 CC 10 200 SSA 1/2 2011 SSA 1/	9	LATINTE, KOTON	I GEATING	PRES											L	LIGHTS- CHANDELIER COVE LIGHTS	13		
PRIZE PRIEF RIFE 1.5 1947-1706 107 1034 1040 1050 1 004 1041	1			IUM 6 15									1/2"	2812+120		EM LIGHTS & NIGHT LIGHT			
PACE PROFITED 1	¥ 1			-								20A		2#12+120	R	GENERAL OUTLETS STATING AREA	- 4		
PIZZA PREP REF 1	13				K 2812+1	2G 1/2							100	28126128	R		- 2		
12 COUNTROL OF STATE DESCRIPTION DES	11												1/2"	2412+120	L		107		
15													1/2				45		
17 DOLLET BECK CONNECTION OFFN													\$2"						
10 COLUMN 1997 CONNECTED COOKIN 1997 19												30A	3/4	3810-100	3.5				
MA		DOMESTIC DECK	COMPECT	ON OVEN	K 2#12+1	2G 1/2													
222 Maring Coda Kie Prijere Dampo University Org. 122 55.4 1.180 2 1.80 3 4.8		CODELE DECK	CONVECT	ON OVEN	K 281211	20 1/2			960			200			1		20		
27					1							30A	3/4	398+10G	5.1				
27		SHEAD SOLA 6	KE DPSE	R.CARBO					1140	C 11	141		-	-	-				
Convertible Doad (VA)				ASE			20A		1476	A 11	141	-	-	1					
1					L 2#12+1	2G 1/2				8 16	558 1 1		1/4	308+16/2	6.2				
POOL PRIEF DIST	ZB.						26A*	. 1	200	IC:		204		1217-1412	100	ET TIEST GVEN PRODU			
CONNECTED LOAD TAX									1728	A 45	23 1		10	386+100	8.5				
Marchard-Electoorine Marchard	30						434	1 2	3000	8 43		1111111111		3000					
Marchard-Electoorine Marchard	35						-	-	3000	C 43		-							
MILECTROPIC HAPPER M. 968-100 V	36						204	1 1	1500	A	11	208		-					
2000 C 2/A RFARE 22		ARR CURTAIN E	LECTION	HEATER	M 383 0 10	G Tr	40	2	3200	3		20A							
CONFECTED LOAD (TV) 75-67 184-57 186-58 184-58	41						711		3200	C				***************************************	-				
CONNECTED LOAD (7A)								********	end-consequen			-	MOTE		-	SPRISE	-27		
CARP					A		0		TOTAL						TOR	MAY MA CAD E AS ADDROUGH BY			
		0	DHAVECTED	LOAD (VA)	17340	1848	1 1826	5	54095					ALCINOTES.	N MA	THE PROPERTY OF SPECIAL PROPERTY OF			
MCSES MCSE																			
100 100				S.		A	CON	V D	EMAND	DEMA	ND		200	CROSTR	DEA.	CER COLIDOED AND COLUMN TOO			A CONTRACTOR
100 100					Pfd	Pha	LEXVA	() F	ACTOR	LOAGE	VA1		-	0170010	-	TEN COOPER WITH SHURIT THE			
10 10 10 10 10 10 10 10							4,100		125%	5.12	5 7		2.00	NEW DAN	en va	COUNT OF THE SPECIAL CONTRACTOR			
100 100													-	THRULLING	SEC	S ELM SE DANE		X Tarelland	
10,282							31,80	2	100%	31,80	27			THE REAL		THE PERSON NAMED		ASS.	
TOP TOP TOP							15,82	8	85%	10.28	Se I	8	# OF K	TCH EQUI	HIEN	T.			
PERIC 276 0 270 100% 200 270						1	3		125%			-		GIG CHANG		Warning to the control of the contro			
TO TIMES B C CONNECTED TOTAL (VA) 14085 4938 0EMAND COND CONNECTED MAPACITY (A) 150:15 137.62 DEMAND CAMPACITY (A)							200	1	100%										
CONNECTED O'GRAL (VA) 14.095 49.565 DEMAND COND CONNECTED AMPACTY (A) 110-15 137-55 DEMAND CAMPACTY (A)	77.61	IING	0						125%										
CONNECTE D MAPACITY (A) 150-15 137-82 DEMAND AMPACITY (A)				CO	MNEC'ED "	CTAL (VI	34.09	51			OF	MANDE	DAG						
P. Carrier and P. Car				CONN	ECTE O AMI	ACITY U	NH 150.1	51						W. 14.					
Shahi							7	-		1	The same	The second	a AL	1 201					
																			Par



MAMMA LUCIA RESTAURANT




REV NO	DESCRIPTION	DATE
		5-54 (0.19)

SYMBOLS, NOTES AND SCHEDULES

Project number Project Number
Oate 1980 - Oat


E000



- Equipment IN 15 HOO COUNTRIES WEN HECHMANDS/ARCHITECTURAL DRAWINGS FOR ACTUAL LOCATION
- (3) 1/4 DF EMPT. TRACES WT POLE STRING WEE HER LAND.
- (a) 2/41 EMPTY TOAGUST WITH PURE STREAM WIRE STUB-UNIT ARE A CRUMO.
- (S) LAS SIZENDO CALVE CONNECTED TO FRE BLAVMENTON SYSTEM DES COLUMNO, DASRAM ACTUAL LOCATION VENEY ON THE PERIOD


FLOOR PLAN

SCALE: 1/4" # 1'-0"



FLOOR PLAN-LIGHTING

SCALE: 1/4" = 1'-0"



POWER RISER DIAGRAM NOTES:

- ① EXISTING APPROVED UTUTY CO (PEPCO) WETER SOCKET 2004 120/206V 3 PHASE 4 WRE NEMA 1 ENGL. TO
- (2) EXISTING FUSIBLE NAMN SERVICE DISCONNECT SWITCH 2004, 3P IN RATTO MADVAC, FUSED AT 2004 IN HENAL 1 EVIL TO JUNIO.
- (3) REMOVE LOAD CENTER 100A MCB 120/208V 3 PHASE 4 WIRE NEWA 1 (3)(0). (1) REMOVE MULTIPLE BRANCH CIPCUITS FISLD VERIFY.
- (3) EXISTING PEEDER 4#3/0+1#4C III NEW 2-1/2" CONDUIT
- (5) REMOVE PREDER MIPPLE 4/3/0+46, I-1/2" COMBURT
- (7) MARIE SWITCH 100A, JP- 6/N 740V DISCONNECT SWITCH. FUSED AT 100A IN NEWA "SR" ENCLOSURE.
- (8) 4#3/0+1#40 IN MEW 2-1/2" DONDUIT.
- EXECUTE 2-1/2" DIA 129FLE WITH 443/0+1440
- (III) EXPERING PURGLE SEPTICE SMITCH TODA , 240V NEMA :

- (I) EXISTING UETER SOCKET 1004, 240V 3 PHASE, 4 MIRE NEWA 11 ENGLOSURE TO REMAIN
- (I) EXISTING FEEDER TO HEMAIN
- PROMODE PALLEDOS B'N" NE" MEN PLATE COUPS A" DIO PONT. CONTRACTOR TO PIED MINEY PROMIDE NEW JAMES A DIO PONT. CONTRACTOR TO PIED MINEY PONT.
 CLICITATION DO SECURITOR TO PROPRIAD ADMINISTRATION DE MINEY PROMIDE NEW JAMES AND PROMIDE PARTICIPATOR DE PONTACIONAL PARTICIPATOR DE P
- (5) 4 FOLS LIGHTING CONTRACTOR TO CONTROL SIGNAGE AND EXTERIOR LIGHTS
- (16) THER SWITCH 7 DAYS/24 HOLES TO CONTROL SCHARE AND EXTERNOR USATS.
- (7) PROTOCOLL TO CONTROL 'ON RECILENCE OF THE LIGHTING CONTRACTOR, PHOTOCOLL SHALL HE MOUNTED ON THE MORPHEAST
- (8) 3 912 F DIA CONDUIT.

ARCON

MAMMA LUCIA RESTAURANT



FLOOR PLANS SCHEDULE AND RISER DIAGRAM

Project cumber	Project Number
Ditte	Tassie Date
Drawn by	Assiss
Charleson	At .

E100

LIGHTING FIXTURE SCHEDULE

TIPE	DESCRIPTION	MARKEN CHRER &			MF	1		TIME		
_		CATALINI NO	120.	Stat (D	I PE	P	W B		VOCTAGE.	PERMIS
A)	CHANGELER	SELECTED BY THE APPOINTED							120	
В	TRACK JOHT	SELECTED BY THE ARCHITECT					t		120	
	PENDANT	EXISTING REMAIN						П		
0	2" x 4" PELESIED PLIORESCENT TROFFER	ISI & SPAZE LED SO UK (M. 4)	t	30	LED	1				
Ε	CONT. EXBVE	SELECTE BY DEL ARCHEOL				H			150	
F	2 x 2 RECESSED FLUCRESCENT TROFFER	LS # SFPA22 LED 30 UE DIM 40	1	30	LEG	Ħ		Н	500	
н	WALL FACE EXTERIOR LIGHT	CRACLE # CMF-NO-201-LED- 4500C-MYCLT-4CK-BZ-MPPHC	1	44	LFD	H			135	
*	THOU TIKE	ENERGI-LITE & ASPENIAN	1	3W	LED	T			120	
W	SELF-CONTAINED BATTERY PACK	EMERGI-LITE # EL-23QL	Ä	2.8%	LEC	H			120	

PARTIAL POWER RISER DIAGRAM

NOT TO SCALE

NOTES AND SPECIFICATIONS

- The state of the s
- SHOULD BE SHOULD BE SHOULD SHO
- ON STADE ALL HORIZONIAL COPPER TRACKISATE DEAN DEPIC MEN THE SERVICE S
- MISHAR ALL SACTWORK INTERLET OUTCODES WITH MARRIES T MINERAL DISER INSULATION PROVIDE ALUMNIUM LACKET AND COURSINATE FIRSK WITH THE AMERICAN
- SECTION 1 FAVEL MAKELEM PAR UNE!

 1. NOTAL WATER MOCKETS AND OF SONDRELS A MOCK MOCKETS. MAKELEM PAR UNE! RETURN TO A MOCKETS AND A MOCKETS AND A MOCKET MOCK AND A MOCKET MOCKETS AND A MOCKET MOCK AND A MOCKET MOCKETS AND A MOCKET MOCKETS AND A MOCKET MOCK AND A MOCKET MOCKET

SECTION 18870 - EXHAUST FARS:

- PROVIDE THREAT GUARD, ROCK PROTECT OF STOTEM ARCHIED FACH ROCK MOUNTED KITCHER EXHAUST FAM (NOT LESS THAN SO MISE AT ALL FORTS ARCHIED FAM DURE). PROVIDE ROOF MOUNTED EXHAUST FANS AS INDICATED ON THE PLANS, PROVIDE FLEXIBLE DUE! CONNECTIONS

- SALE STORM ME HOUSE CLEAR CHARGESTER.

 THE SECRET ALL AND COURSE AND A SECRET SECRET AND A SECRET SE
- OCT ON THE TAKE OF APPLICATION AND THE STATE OF THE STATE

- SIGNAT CONTROL GRAWINGS TO WIGLING WRITTEN SEQUENCE OF OPERATION SCHEMATIC

SECTION 15980 - TESTING ADJUSTING AND BALANCING

- 2. ADJUST HOOD MAKE-UP AND EXHAUST SYSTEM TO PROVIDE ARE QUANTITIES INDICATED ON

STARTERS FOR AL. FANS PROVIDED BY MODD CONTRACTOR SHALL BE PROVIDED BY MODD CONTRACTOR IN HOUD CONTROL PANEL, REFER TO ELECTRICAL DRAWINGS FOR STARTERS.

BEFER TO 4000 BRAWNOS FOR SPECIFICATIONS AND CAPACITES OF KITCHEN HOOD, FAILS CONTROLS AND TO VERBY ALL ARE CHARLESS.

- If SHALL IF THE LEPTHON ITS OF THE COMPACTOR TO EXAMINE THE SER OF SHALL IN THE SER OF THE SHALL IN THE SER OF THE SER OF
- ALL WIRK AND MATERIALS THALL BE INSTALLED BY A DURCHMEN MEY ZONE OF BETWENDING MEGHANICAL CODE WITH PARTIAL CODERY AMOUNTS IN
- G+ ML MORK SHALL SESSIBLET TO THE ADDRESS OF THE CHATTE AND CONTRACTOR $\ll S$ OURLY ACCORDING COMPANIES.
- AL SURE MOTE FURMENT ONLY THE THROUGH FOR LAND ME. SET CONTRACTOR SHALL SECOND KINES SET OF FREIENDS ON AN HOLD EXPENDED TO THE SET OF ADDRESS OF THE LAND SHALL SECOND CONTRACT ON THE SET OF ADDRESS OF THE LAND SHALL SEC
- HE COMPACIDE SHALL AS OUT HE WEST WITH HAST OF ALL HOLLS PROCEEDED. AND REFERENCES FOR HILL MEATHERWISE, HE SHALL HOLLS ADDRESSED HER AND ADDRESSED HER AND ADDRESSED HER AND ADDRESSED HER ADDRESSED
- CONTRACTOR SHALL BE RESPONDED FOR AND PAY FOR ANY DAMAGES CAUSED BY/OR RESULTING FROM DEFECTS IN HIS MODE.
- THE CONTRACTOR SHALL CLARANTE SERVE, ADMINISHED AND VATERALS REFERENCES BY HIM AND SHALL STEAM OR REPORT. AS IN A ROBINDAY, DO'N ON THE OWNER, AND YEAR SHALL SHALL OR REPORT OF THE WHITE YEAR OF THE 19 HEART OLD OWNER HIS DATE OF FIRM AND PRINCE BY HE SWORTHOU, EXCHENT GROWNER HIS DATE OF FIRM AND PLAN.
- IN AREAS WHERE IT IS NECESSARY TO CUT FLOORS, WALLS, MOOF AND LELFHOS THIS CONTRACTOR SHALL CO ALL CUTTING AND REPLACEMENT BEFORE MAY CUTTING OR PACHONIC CONTRACTOR SHALL GOTAN THE APPROVAL OF THE OWNER.
- DID ALL PATABLES AND ECREMENT SHALL BE CONNECTED AND MADE REMOVED USE UNLESS CHARMES NOTE. MECHANICAL NOTES
- (H) COMERACIOR SHALL FIELD MERE? ALL MEASINGHIZES AND LUCK BOSS OF EUROPHOTI AND PROPE TO ANY HULTERING TANGETS TON TOWNS TO PHASE. SHIRLY FOR APPRICAL SHOPO? BEARWAST OF ALL NEW BOOK AND EQUIPMENT PROPE TO FARRICATION AND CISTALLACO.
- NY PROPER MOINTINGS FOR ALL EQUIPMENT SHALL BE ITI ACCORDANCE WITH THE MANUFACTURER'S RECONRENCEMENTS AND SHALL BE INSTALED BY THIS CONTINUENCE PROPRIES PROPULED THAT WHICH DETAILED WITH MEDICAL HOLLD FOR EYONG A PROPULED THAT OF THE PLOOF OR CITED AND ANY PROPULED TOWN.
- NO. PHISCAL DWENSIONS AS WELL AS COOLING, HEATING CAPACITES AND ELECTRICAL CHARACTERISTICS OF SUBMITTED UNITS SHALL MATCH BUIL OF SPECIME COURSEANCES RESPONDED FOR ALL FRACE PLANTS COSTS DUE TO GRANGES PELATED TO SUBSTITUTION OF COMPRISE PROPRIED BY THE CONTRICATION.
- 49. COMPRACTOR DALL REPRETED THE TRECTHERAL DRAWNING FOR THE PROPER ELECTRONIC ACADEMICS HIS FOR ALL MOTION, WE ATTO, AND ALL THE OTHER ELECTRONIC TO THE MODERN TO COMPRESS OF THE OTHER THE PROPERTY OF THE ACADEMIC COMPRACT COMPRESS OF TO COMPRESS OF THE OTHER PROPERTY OTHER PROPER
- 46 COMPRACTOR SMALL SUPPLY AND BRITAL ALL NOTSERF DOOR AQUISSORES SUCH AS VOLUME DAMPERS, THE CAMPTING THERMING WHERE, DUCT HANDSOME CONNECTIONS COORDERS COOPED THE CAMPTING THE CAMPTING THE CONNECTIONS AND CENTRE COORDE. THE CONNECTIONS AND CENTRE COOPED THE CONNECTIONS AND CENTRE COOPED THE CONNECTION STATEMENT OF THE CONNECTION STATEMENT OF THE CONTROL OF THE
- NY PROVER FLORE BOLT OWNERTHONS MICROYER DUCTIONS CONNECTS TO MEANING CLAMMEN. COURT PLOT FLORES CONNECTIONS OF WERREN'S COARS. FLAMMEN MAY ARREST COURT FROM A CONNECTS OF WERREN'S COARS. FLORESCENCE AND ARREST CONNECTS OF WERREN'S CONNECTS OF MAY ARREST AND TOTAL OWNERS OF MAY ARREST AND TOTAL OWNERS. AND TOTAL OWNERS OF MAY ARREST AND TOTAL OWNERS AND TOTAL OWNERS OF MAY ARREST AND TOTAL OWNERS.
- PROME FURBLE OWNET BITS AT THE WALL MAD DUTLET DOWNLETON FOR EACH FARM AND ROOF OF MAY.

 FROM FERRIE CONNECTOR DUTLET, MAD BY FREE MODERANT AND SHALL MAD BY 1° OF FREE MODERANT AND SHALL BE COMMETTE AND THE MODERANT AND SHALL BE COMMETTE AND THE SHALL MAD BY 1° OF FREE MODERANT AND SHALL MAD CONTROL OF THE MODERANT AND THE CONTROL OWNERS OF THE MODERANT AND THE

- CONTRACTOR SHALL BRACE DUCTWORK (AS REQUIRED) AT ALL FLEXIBLE COMMECTORS TO ENSURE BEAT DUCTWORK IS MEPT IN ALCOHOLING

- PLEASE THE THAT HE SHOPE HO WITH IN PARTY ON A SHOPE AND WITH IN THE SHOPE AND A SHO
- WIT LOW PRINCIPLE DICTIONS THAT HE RESTAUCT THAT TO INDICE SEE OF CHARGE SEE

SISTEN

MAU-1

- NIT DETAIL ONE PAY FOR ALL TRACE PERMITS REQUIRED FOR THE WORK.
- NIR DISTINGUES DIMENSIONS SHOWS ON SEAWINGS IFE NET SHEDISONS WITHOUT TOWISES ARENETHED HOW HOSE ARON OF SEARING LIBERS.
- WIR BALANCE DAMPERS, SHALL BE INSTALLED WHERE INDICATED AND/OR REGIRED FOR PROPER EALANCING OF SYSTEM
- MAKE CHANGES TO DUCT THE TO FELT CONDITIONS SHALL BE MAKE TRAIN THE DUCT SIZE FREE AREA AS MAINTAINED AND AFTER SUBMETION TO THE LINCXLER OF SECOND FOR AFFROM
- WELLERAGE NEW SECT DENTS SHILL BE SEALD WITH INTERDICAST FOR LEWAKE THROUGH ALL NEW AND EXISTIC DUSTNING SHILL BE SEE PHYSICAL STOCKNING AND SHALL SE FACE SHALL BE SEEN SHIP SHALL SHALL

BUILDING PRESSURIZATION ANALYSIS

MAY 2 8 2018

SYSTEM HAM:

EXHAUST AR FLOW

SUTSIDE AIR FLOW

4417

YOTAL BUILDING PRESSUR/ZATION + 117 CFM



64 5

SCHARE DIFFUSER WY POUND NECK - 100 CEN

-7 LOJAEPED FACE 0-120

S-3 LOUVENED FACE 20 -350

R-1 RETURN RECISTER HOU-1900

E-1 EXHAUST REGISTER 0-100

DE/ME DAY RAD/WET BUT AN TEMPER OF

(III) EXISTING WORK SHALL BE REMOVED

(30) RELOCATE & REGULARET

THE REPORTED & REPORTED TO

(SD) DUCT SMOKE DETECTOR

TZYTO-SL T" SOURE LINED DUC" MORK SHEETMETAL DIMENSION SHOWN

SCHEDULE

1842 38 DES PAS 184 36 DES DARA-AS

229 35 BT/S TUPA-AA

24x24 35 TO IS OWNE

29420 35 BTUS 255 FL

6x6 8x8 33 117LS 356 FL

15+18



TEL (301: 654 - 9299

MAMMA LUCIA RESTAURANT

REV NO DESCRIPTION DATE

			000	CMPATIBLE WE DE VICES COORDIN	TY WITH CELLS TO AREAS W ATE DOLOR W	ALL NECE IG TYPE. TH NO CE TH ASICHIT	DOCRDINATE W.	WITH ARCHITECTU ORIES TO ACHESO TH ARCHITECT FO ROERING AR DEVI	R ELEVATION OF	
					FA	N S	SCHEI	OULE		
FAN NO.	anı	ESSE.	RPU	DPNE	FAIR TYPE	7LA	VO.75/9H	OWNERS, INTERLOOK	MASAUS OF OFFICIAL "OPERATEDHESCH"	#36.P0

DO SENTRIFICAL DOS

DIFFUSER

		,						NEV	V R	OOF	TOP	UI	III	SCH	EDU	JLF	7			-							
100	LOCATION	AREA SERVED	NOMBRE	TOTAL	OUTSOE AFE CFM	Yan	100		conve ca	E. CATA			SA	S HEATING			-				0.00	TRICK DA	678			Purple Ar	
300		-7-0-1	TUNNACE	CFM	CFM	47	Ps. Wh	DB. Y	VE. Y	1A1 08. 1	Wil. 8	MEH	EAT HB 7	LAT OB. T	TOTAL	Ç	PRESSOR	Sum	DOOR FANS	NCA.		VOLI	102	PK.	W10H	BASIS OF 19,660k	HERAGO)
RTU-1	ROOF	DIANG AREA/ KITCHEN	6.0	2000	850	7.0	1.0	63.5	87.7	56.0	36.5	70.0	44.3	82	100	1	20.4	No.	7.8	v	50	204	-			AAON	
													-		-		10.4	+	2.00		- 50	205	60	- 1	: 670	RQ-006-B-H-(H0)-538	1,2,3,4,5,6 (4.3 (2.8)
			-			-	-	-	-	-	-	_												1			

- ALL LOCATION METER THAN I. II. FROMEZII METER DE FOLLOWIGO.

 2. TICS WIRELEN VIGA. DE SERVICIO METER DE FOLLOWIGO.

 4. ACCUPIT MODETTIO CHILLA I PROVINCIA MEDI SOCIONALET.

 5. MININE VIGANITE LA MOST REI MODIONALI TON.

 5. MININE VIGANITE LA MOST REI MODIONALI TON.

 6. MININE VIGANITE LA MOST REI MODIONALI TON.

 6. MININE VIGANITE METER DESIGNATION DE MODIONALI TON.

 6. MININE VIGANITE METER DE MODIONALI TON.

 6. M

- 2. FLYSIC COMPUTIONS

 EMANGER COTTON 40 BST/TOT 08/48

 CAMAGE PROSE ARE TST AND TOO 10


 CAMAGE PROSE ARE TST AND TOO 10

 AND TST AND TST AND TOO 10

 AND TST AND TST

SYMBOLS NOTES AND SCHEDULES

M000



FLOOR PLAN

NOTES: SHAPORT SYSTEM MUST HUT DAMAGE DUCT OF CAUGE DUT OF ROUND SHAPE

LOW VELOCITY ELBOWS LOW VELOCITY TRANSITIONS LOW VELOCITY OFFSETS RADIUS ELBOW DIVERGING FLOW D77/84 SHIPPESE SHREET HART CHE MINING VOCE SETAL) 17 (LEON) RECTANGULAR ELBOW CONTRACTION FLOW


FLEXIBLE DUCT SUPPORTS NOT TO SCALE POUTE CONDENSATE DRAIN WITH CAPPED CLEANOUT.

NOT TO SCALE

PACKAGE UNIT INSTALLATION DETAIL

LOW VELOCITY TRANSITIONS AND ELBOWS NOT TO SCALE

SCALE: 1/4" = 1'-0"



CEILING DIFFUSERS BRANCH DUCTS

NOT TO SCALE

IMC 2015 - VENTILATION CALCULATIONS SPACE INFORMATION OUTSIDE AIR DEFAUL! AIR RATE PER IMC SYSTEM PER INC ROOM CATEGORY AIR ZONE OUTDOOR AR FLOW V = R p + R A X) TABLE 493.3 (R_a) TABLE 403.3 TABLE 403.3 (R_e) DESIGN SYSTEM OUTS DE AIR FLOW OLTOXIK AR FLOW (R.A.) (P,) PEOPLE INING AREA AFETERIA, FAST FOOD (DPM) 300 0.16 70 7.5 159 212 0.5 265 285 265 ITCHENS (COOKING) 0.12 464 199

SHARMS SHEAR DUST OF TO MEET I SOCKED ON LONGER BOOK COMMENT OF THE CHARMS CONTROL OF THE CONTRO

S PROVED THE BASE TERREY ARE DUCK CONNECTIONS TO BACK KITCHEN HOLD BALANCE EACH COMMITTEE AT ANY DIVINITION OF THE KITCHEN HOLD MANUFACTURES TOWNS, OF THE

STARR WALL-JE AR DUCT OF TO MAJ-I ESCARD ON LOWER ROOF PLOK DOT ROOK OFFICE OUR ROOM OFFICE OF ROOK AND AND ARE ADDITIONAL RESOURCE OFFICE OFFICE OF THE WIN-I VALUE AND ARE

(R.12) DUST CONNECTON TO HOOD (3) CONTRACTOR TO COMPLY WITH ALL TYPE II HOOD EXHALT SYSTEM REQUIREMENTS AS INDICATED IN NITCHEN DRAWNINGS.

(B) PROMDE TWO 2668 SUPPLY ARR DUCT CONNECTIONS TO EACH MITCHEN HOOD BELANCE EACH UDWALTON AT 460 COW, VILLIAM EXAMPLE NO DE MADOWED BY THE MITCHEN HOUSE MANUFACT ROLE. THE CALL OF TAX

THE PROPERTY OF THE PROPERTY AND BELANCE TO SEE ON, VOLUME DAMPSE TO BE PROPERTY OF THE WITCHEN HOSE MANUFACTURES.

(3) EXTEROR 22X13 SUPPLY AND 16X2 RETURN AR DUST, PROVEE USULATION 10KN, 4-5; UST, WEATHER PROOF COVERNO, PROVIDE INVASION, AS RECEIVED AND COVERED TO SET UNIT BY PLUMED BUS CONNECT TO SET UNIT BY COMMISSION OF BITS WITH BUSINESS VECTOR CONNECTION OF BITS WITH BUSINESS AREAS OF CONNECTION AND VISION OF BITS WITH BUSINESS AREAS OF CONNECTION AND VISION OF BITS WITH BUSINESS AREAS OF CONNECTION AND VISION OF BITS WITH BUSINESS AREAS OF CONNECTION O

(COMPORT CONTRACTOR THE MOSTAT FURNISHED BY THE RELIGIORED AND ASTRLED BY THE MICHARDAL CONTRACTOR

(4) PROMOE 14/14 THUS FAS AA CEILING BOFFUSCH.

(PROVICE 18418 TITUS 350FL AN BALANCE TO 1,150 CPM.

(D) PROVIDE SHE RIUS SOUTH AN BALANCE TO UT O'M.

(E) ELS EA SLICT UP TO GREENHOW GREE HELET ROOF CAP LOCATIO UP NOW COORDINATE DIVE TO A THE WITH ARCHITECTURAL PLOOF PLAN.

SPOT WELT ANG F TO SIRVCRIBAL STEEL 4 FRANS P PAPETE HANGE NOTES

REFER TO STREET DETAILS ON THIS SPLANNED FOR HIGH VELOCITY DUCTWORK DETAILS AS RECURSORS

2. FOR STRAP AND TRAPEZE HANDER SOE, REFER TO SUACHA DUST STANDARDS

I NO POP RIVETS ALLOWED, USE SELF-TAPPING SMIETVETAL SCREWS $\mathcal{G}\mathcal{G}_{n,N}$

DUCT HANGER DETAIL

NOT TO SCALE

MAY 2.8 CHY

MARCON

TEL (301)654-9299

MAMMA LUCIA RESTAURANT



REV NO	DESCRIPTION	DATE
	FER-10[1	

1ST FLOOR PLAN SCHEDULE AND DETAILS

Project number	Project Number
Date	
Drawn by	Author
Checked by	Charter

M100

RECARDLESS OF EMSTREE COMPUTERS COMMISSIONS IS RESPONSED TO WELF OF EXCEPT ALL CODES AS EXCHELABED BY A MIGHT TO AMERICA AMERICAN

BY ANY LIMITED OF CHASCARE AFFECT IN THE CONTROL TO CANCEL THE CONTRACTION THAT A PART OF THE AFFECT OF THE AFFECT

CELLING BRACE IS A METERN AN INJENSIR. ALL WORK (EXSTITE MELOCATED MED NEW) SHALE CONTINUE AND ACCURATE TOOLS.

4 DESMITS, ACTIVES AND ITEM.

A. THE CONTRACTOR SHALL PAY ALL REQUISED FOR AND SHALL OFFICE ALL INCOMES FOR DESTALLATION OF THE WORK COURSES.

A. CONTRACTOR SHALL WARE FROM HOUSE TO ALLOW FOR NO CHRONING OF PLUMBRID SHAVES TO COLUMB SHALLS DURBLE DO SOURCE OF COLUMN OTON. CONTRACTOR SHALL MAKE MODIFICATIONS TO COLUMN-SOORS FUNDING. STITLING TO DESURE PROPER SPERATIONS OF SUCH SYSTEMS IN OCCURRED SPACES.

GOORDWATE ANY SYSTEM SHOT DOWN WITH BUILDING HANAGENEY). ALL SYSTEM SHUT DOWNS SHALL BE DONE AS TO NOT INTERFER WITH ON-SOME OPERATORS.

COVER ALL CONSTRUCTION AREAS TO PROTECT DUST FROM MIDPLATING TO HON-CONSTRUCTION AREAS

6. WHIT TO THE

A THE CONTRACTOR SHALL VIST THE STE AND SHALL PANELHIZE HUISELF WITH THE EXISTING CORD TOXAL COLUMNEST, TRUSHES, CTC., FROM TO THE START OF WORD. IF ANY DESCRIPANCY BE CETCHE, IT SHOULD BE REPOUND IT ON A APPLICATE ATTENTION WITH PERCUMENDATIONS FOR PROMET CORPECTIONS FOR THE ARCHITECT'S APPRIVATE.

EXISTING SERVICES

SPECIAL TO THE THEFT OF SIZES, COLUMNIC SHALL SEZES THE BULDING OWIGIN'S PERSONNEL TO SERVICE OF SIZES OF SIZES

ALL PIPE PENETRATIONS BURDARS AND WALLS SHALL BE TEALED WITH TIPE RATED MATERIALS IN AGCERDANCE WITH THE BASE BUILDING STANDARDS, AND SHALL BE APPROVED BY THE BURDARD BURDARD SHALL BE APPROVED.

IO. INSTALLATION.

A. INSTALLATION OF PLUMBING FIXTURES, PIPING, VALVES, ETC. SHALL BE DONE IN NEXT AND WORKMANLINE MANYER, AND SHALL CONFIRM TO THE LATESY TRADE PHACEFUL

DRAWESS THE FLAMEND SKAMMOS ARE DANSHAMED AND LOSS AND THE FLAMEND SKAMMOS ARE DANSHAMED AND ADDRESS TO THE CONTRACT THE FLAMEND AND ADDRESS AND ADDRE

HARDS THE STORE OF THE TONESSOUTH WAS IN THE STATE OF A CONTROLLED TO THE STATE OF THE STATE OF

THE CONTRACTOR SHALL ONE FIRL COOPERATION TO OTHER TRACES AND ALLOW THE WORK OF ALL TRACES TO BE INSTALLED SATISFACTUREY AND WITH THE (LEAS) POSSESSE WITHERSERIES OF DELAY.

AL MATERIALS NOT TO BE USED DIALL BE REMOVED FROM SITE AND ALL DEPRICE SHALL BE CLEARED AND THE AREA OF WORK DIALL BE LEFT IN OLEAN CONDITION

2 PLUMBING SYSTEMS:

A. ALL SANITARY WASHE PROND SHALL BE GUN AT 1/4" PER FT 50 OPT UNLESS OTHER RESIDENCE.

B ALL PARKS SHALL BE INSTALLED ABOVE COURS OR IN A CONCEALED SPACE, URLESS OTHERWISE INCICATED.

C. PROVIDE TRAP PRINTER VALVE FOR M. DRAINS, PRINTER VALVE SHALL BE CONNECTED TO THE MEANEST CREO MATTR LINE SERVING A LAVATORY OR A SINK 1/7" COPPER PUPING SHALL SE RUN FROM THE PRINTER VALVE TO THE DRAINS TRAPS. D PROVIDE APPROVED BACK FLOW PREVENTER ON WATER SLIPPLY LIVES TO ICE MAKER, ICE/BEVERAGE OUSPONSER AND SOCA SYSTEM/CARBOLATOR.

E. ALL CONDENSATE DRAIN LINES SHALL BE INSIGLATED, AND PERSON FOR THE PROPERTY TO THEIR

WATER HEARD

HWM A.G. SMITH MCCEL ABTH-12C, 100 GALLON STORAGE, TOLDUS BTUP GAS APPLY, ELS ORN PECONERY AT 100 TEXTRE WARLE TERM PROS. FORT S.S. AMP. 120 NO.15 SHOLE PHASE CHMISCHON - ACT DEPT-475 (IN) SMP. MECHT - MD 1.05

PROVIDE TEMPERATURE AND PRESSURE RELEF VALVE WITH FULL SIZE DRAW, SHELL OVER SERVICE SIME

FLOGRISHS
U. R. SWITH & 3701 OR APPROVED. EQUAL, UNLESS OTHERWISE SHOWN

ALL PRINCE CHALL BE MEN ANY SHALL BE SUIT TO EXACT LENGTHS TO SUIT BHE ITED CONDITIONS. COMMISSION OF DESIGNANT PRINCE MATERIALS SHALL BE MADE BY HEAVIS OF DELECTION OF TROOPS. LECKOT METALL MAY PICK PRINCE.

I WATER PERMIT SHALL BE TIME IT COMMER WATER BUSE, MARD STUPPER (ASK-3-88)

2 加州美国产品公司工作服务公司中国分别的企业产品企业及企业发生产品产品的企业

A PROVIDE 1/2 NOH THOX PRETDLASE PRE MAULATION FOR HOT AND COLD MATER

4 PROVIDE PIPE SUPPORTS AND HANGERS FOR ALL PIPES AND INSTALL SLEEVES FOR PIPES PENETRATING "HEQUIDE WALLS."

VALVES IN WATER POPUS SHALL BE 125 LB CAST BRONZE SCREWED PATHERN VALVES INTH ADDRESS FOR LSE WITH COPPER TLBE. CASMETS SHALL BE 1716 NOT THESE REE RESIDENT FOR

ALL WATER PIPHIG AND "PLAPS AT CELLING OF CARACE LEVEL DIALL IE. WEAPPED WITH HEAT TAPS AND INSULATION, FOR HERST PROFESSION.

GAS PHENG GAS PHENG SHALL BE ASTN 53, SCHEDULE NO BLACK STEEL WITH MALEFARE FROM PIPE FITTINGS, AND BIS 2, 150 CLASS STANDARD PARTIERN, FOR THE PARTIES. VISITED AND THE PROPERTY OF THE PROPERTY AND THE PARTIERN.

8. PROVIDE PLLO VALVE FOR GAT SYSTEM.

TOLL OF PLOMBING SYSTEMS

A ML SYSTEMS SHALL BE HIDROSTATICALLY TESTIC UNDER A PRESSURE NOT USES THAN 176 LES PER LOUARE PLY. DEANNUE PRING THAN HE HIGHD WITH TO OF WARM FOR AT LEAST IS NOW LOOK.

A BITOPE ACCIPTANCE FOR COMESTIC OPERATION EACH UNIT OF COMPLETE WATER DISTRIBUTION SYSTEM SHALL HE DERIVECTED AND STREETS

70. SHOP DRAWNOS

COLD WATER SERVICE

HOT WATER J

ITEM

CAS FIRMS




4' PYC INTARE TERMINAL, UP THRU POOF WITH GOOSENEDY AND SCREEN AS PER NUM MEG RECOMMENDATION

ASME TEMP IN PRESIDENT RELIEF VALVE ("VP.)

I DRAL SPILL OVER

FULL SIZE RELIEF DISCHARGE



ARCON

RESTAURANT



GAS FIRED HOT WATER HEATER DETAIL NO SCALE

MODIFIELD

ORAN PAN SHALL BE OF CALVANZED STEEL WITH WALL THEARESS NOT LESS THAN GLOSS


OCH PAN SHALL BE NOT LESS BHAN 1-1/2 ROCH IN DEPTH AND SHALL BE LAFOE ENDUGH

TO RECEIVE ALL ORIFICATION THE RATTER MEATER.

HWH. 1

UNION (TYP.) DRAIN PAN SEE - DRAIN VALVE WITH NOTE-1 HOSE (ND

> TRAP PRIMER DETAIL NO SCALE



LAVATORY/HAND SINK TEMERING VALVE DETAIL NO SCALE

KITCHEN EQUIPMENT SCHEDULE

TIEM	1825CR9FTD3N	:W	W.	V.	C.W.	H.W.	MBH	REMARKS
(6)	MOP SIRK	25	:=1/7	-	1/2"	1/2"	-	
(26)	3) COMP SINK	3)1-1,/2"	-	-	1/2"	1/2*	-	
(08)	HANG SINK		-1/2°	1-1/2"	1/2"	1/2"		
1	10-BUPNER PANCE W/CVEH	-		-		_	575	
	CRIDICE		-	-	-	10	90	
(16)	FRIER	-	-	-	_	7-	100	
(20)	TABLE WITH SIDE	1-1/37	-	-	1/2"	1/2"	-	
(E)	оснувстви суди	-	-		-	-	144	
(28)	TABLE WITH SINK	1-1/2	-		1/2*	1/2"	-	
(32)	SODA AND ICE DISPENSER			-	1/2"		-	PROVIDE BEP'S,
(E)	CARBONATOR	1/2"	-	-	1/2*	-	_	ASSE 1022 AND ASSE 1032 SEE RISER DIAGRAM
(46)	UNDERCOUNTER DISHWASHER	5/8"	-	-	1/2"	-	-	


PLUMBING	FIXT	JRE	CONN	ECTIO	ON SCHEDULE
DESCRIPTION	SAN, W.	٧.	g.w.	≺.w.	REWARKS
WATER CLOSET	4"	Z.	1/2"	-	FT. FLR MTD., H.C., WYOFEN FRONT SEAT
LAVATORY	1-1/2"	1-1/2	1/2"	1/2"	WALL HUNG, H.C.



SYMBOLS NOTES SCHEDULES AND DETAILS

Project number	Project Number
Date	Issue Date
Drawn by	Author

P000



GAS RISER DIAGRAM

NO SCALE

AARCON

4711 ROSEOALE AVENUE BETHESDA MO 20814

MAMMA LUCIA RESTAURANT





REV NO	DESCRIPTION	DATE
	FERMI (LE	5-142015
	SERVED LET	3-14-2011

1ST FLOOR PLAN, AND RISERS


Project number	Project Number
Date	fasue Date:
Drawn by	Author
Checked by	

P100





DESTRUMENTAL MATTER ACTION 12 FOR CO.






MAMMA LUCIA RESTAURANT 5504 CONNECTIGUT AVENUE WASHINGTON IS S

MEP CONSULTANT

HOOD DETAILS AND SPECS






JOB Mamma Lucia - DC	[CONN AVE]_R2
LOCATION WASHINGTON,	DC, 20015
DATE 5/10/19	JOB # 3822119
DWG #	DRAWN BY BY-32
REV. R1	SCALE NTS


Project number Date Drawn by Checked by H001




ITEM 22A




ITEM 228





ITEM 22C.2









A711 ROSEDALE AVENUI BETHESDA, MD 20614 TEL (SQ11 654 - 9099

MAMMA LUCIA RESTAURANT

CONTRACTS

ISSUE

EV NO DESCRIPTION DATE

HOOD DETAILS AND SPECS

Project number Project Number
Date Perce Date
Drewn by Author
Chisched by Checker

H002

SCALE













ARCON

TEU (301) 934 - 9296 Www.ercondesin.build


MAMMA LUCIA RESTAURANT

REVINO DESCRIPTION DATE

HOOD DETAILS AND SPECS

Project rumber Project Number Date Issue Date
Drawn by AUDOR Checked by Checker Issue Date
Action
Chacker

H003







JOB Mamma Lucia - DC [CDNN AVE]_R2 LOCATION WASHINGTON, DC, 20015 DATE 5/10/19 JOB # 3822119 DWG # DRAWN BY BY-32 REV. R1 SCALE NTS

MAY 27 7007

