



1. CONTINENTAL BRICK COMPANY

C. RUNNING BOND STANDARD BRICK





5. METAL BALCONY / JULIETTE RAILING



6. METAL COPING SYSTEM

C. RUNNING BOND STANDARD BRICK




3. NICHIHA_DESIGN SERIES_FOG






























* MINMUM CLEAR SPACE FROM OUTER EDGE OF THE CURB TO THE OUTER FACE OF ALL PROJECTIONS AND STEPS SHALL BE **15** FOR <u>STREETS</u> MORE TAKIN OF FEET WIDE. THE TERM " <u>STREET</u> SHALL INCLUDE THE PUBLIC THOROUGHFARE AND ANY ADJOINING BUILDING RESTRICTION AREAS. (12A DCMR 3202.7.1)







301 Florida AVE


301 Florida Ave NE, Washington, DC 20002

COPYRIGHT © 2020 PGN ARCHITECTS, PLLC















































PGN ARCHITECTS



301 Florida AVE

301 Florida Ave NE, Washington, DC 20002



COPYRIGHT © 2020 PGN ARCHITECTS, PLLC





2 Persp From Florida Ave Looking East

301 Florida AVE

301 Florida Ave NE, Washington, DC 20002



COPYRIGHT © 2020 PGN ARCHITECTS, PLLC the NRP group









301 Florida Ave NE, Washington, DC 20002

COPYRIGHT © 2020 PGN ARCHITECTS, PLLC COZEN O'CONNOR. the NRP group MHCDO


















2 Persp From Florida Ave Looking North-East

301 Florida AVE

301 Florida Ave NE, Washington, DC 20002

COPYRIGHT © 2020 PGN ARCHITECTS, PLLC







VIGNETTES THIRD KEY PLAN 1" = 100'-0"

