899 Maine Avenue

SOUTHWEST, WASHINGTON, DC

899 Maine Avenue, SW

CONSOLIDATED PLANNED UNIT DEVELOPMENT SIGNAGE AND STOREFRONT EXHIBIT

ZC Case No. 22-06

September 16, 2022

APPLICANT

801 Maine Ave SW PJV, LLC

DEVELOPER

JAIR LYNCH REAL ESTATE PARTNERS

ARCHITECT

PERKINS EASTMAN DC, PLLC

LandScape Architect
LandDesign

TRAFFIC CONSULTANT

GOROVE SLADE & ASSOCIATES

CIVIL ENGINEER

WIles Mensch Corporation DC

LAND USE COUNSEL

HOLLAND & KNIGHT LLP



No. Title:

S2 **GROUND FLOOR** S3 LEVEL 1 S4 EAST ELEVATION S5 SOUTH ELEVATION ON MAINE AVE SW S6 WEST ELEVATION ON 9TH ST NW S7 WEST ENLARGED ELEVATION 3 S8 SOUTH ENLARGED ELEVATION 1 S9 SOUTH ENLARGED ELEVATION 2 S10 SIGNAGE TYPES & PRECEDENTS S11 SIGNAGE TYPES & PRECEDENTS S12 899 MAINE - SIGNAGE NOTES S13 899 MAINE - SIGNAGE NOTES


899 MAINE - SIGNAGE NOTES



















RETAIL SIGNAGE AND STOREFRONT ZONE

RESIDENTIAL SIGNAGE

PARKING ENTRY SIGNAGE

















RETAIL SIGNAGE AND STOREFRONT ZONE

RESIDENTIAL SIGNAGE

PARKING ENTRY SIGNAGE
















RETAIL SIGNAGE AND STOREFRONT ZONE

RESIDENTIAL SIGNAGE

PARKING ENTRY SIGNAGE



















































SIGN TYPE 1 TYPICAL RETAIL FLAT, BLADE, AND WINDOW





















SIGN TYPE 2 RETAIL AT NE CORNER **CANOPY**





















SIGN TYPE 3 MAIN BUILDING SIGNAGE FLAT













SIGN TYPE 4 PARKING AND LOADING FLAT AND BLADE



















GENERAL NOTES

THE SIGNAGE GUIDELINES PERMIT A VARIETY OF SIGNAGE AND STOREFRONT DESIGNS TO CONTRIBUTE TO THE LIVELINESS OF THE URBAN STREETS CAPE AND PROVIDE APPROPRIATE IDENTIFICATION FOR RETAIL TENANTS.

- BUILDING SIGNS SHALL BE DESIGNED HOLISTICALLY AND COMPLIMENTARY TO THE ARCHITECTURAL STYLE OF THE BASE BUILDING. SIGN LOCATIONS, SIZES, MESSAGES, FONTS, AND COLORS ARE EXPECTED TO BE CUSTOMIZED FOR EACH SPECIFIC TENANT, SUBJECT TO THESE GUIDELINES.
- ALL SIGNS SUBJECT TO LANDLORD REVIEW AND APPROVAL AS WELL AS ADHERENCE TO THESE GUIDELINES AND APPLICABLE CODE REQUIREMENTS. DRAWINGS AND SPECIFICATIONS MUST BE REVIEWED AND APPROVED BY THE LANDLORD PRIOR TO APPLICATION FOR BUILDING PERMITS AND OTHER RELATED APPROVALS.
- ALL SIGNS TO COMPLY WITH THE DC MUNICIPAL REGULATIONS SECTION N101.7, N101.9, N101.10, AND TITLE 12A SECTION 3107.
- IN ACCORDANCE WITH DCMR N101.10, ALL FIRST FLOOR SIGNS SHALL BE KEPT WITHIN A HEIGHT OF 20 FEET ABOVE THE SIDEWALK. FOR SIGNS ABOVE THE 20 FOOT HEIGHT. REFER TO TABLE N101.10.3.
- ILLUMINATED SIGNS ARE ONLY PERMITTED AT THE FIRST FLOOR. ALL ILLUMINATION MUST BE INTERNAL TO THE SIGN.

N101.7

Types of signs. The provisions of this section shall apply to types of signs and requirements for all signs subject to the provisions of Section N101.

N101.7.1 Projecting signs. Signs projecting from or beyond a building line or building restriction line shall be allowed in Commercial and Industrial Districts, as defined in the Zoning Regulations, when supported on iron or steel brackets and stayed securely, or affixed in an approved equivalent manner, subject to the limitations imposed by Sections N101.7.1.1 through N101.7.1.3.

N101.7.1.1 Sign projection restrictions. No sign shall project more than 42 inches (1067 mm) beyond the building line or building restriction line, on the street frontage of a building. Hooded lights are permitted to be placed on projecting signs solely to illuminate such signs, but the hoods of such lights shall not project more than an additional 6 inches (152 mm). No part of projecting signs shall have less than 8 feet (2438 mm) clearance above the surface of a sidewalk or any other space used by the public, nor less than 15 feet (4572 mm) clearance above the surface of any driveway in public space. No portion of a sign shall extend over public space closer than 18 inches (457 mm) from the curb lane. No sign, including illumination, shall project more than 6 inches (152 mm) beyond the building line, in alleys.

N101.9.6 Signs in Special Purpose Districts. For buildings or premises located in a Special Purpose District, as defined in the Zoning Regulations, the total area of signs subject to the provisions of Section N101 shall not exceed the limits set forth in Table N101.9.6, nor those imposed by any specific order of the Board of Zoning Adjustment or Zoning Commission.

TABLE N101.9.6 SIGNS IN SPECIAL PURPOSE DISTRICTS

STREET FRONTAGE (feet) ^a	MAXIMUM ALLOWABLE SIZE OF SIGN ON STREET FRONTAGE (square feet) ^b
Up to 40	40 ft²
40 to 100	1 ft ² per foot of frontage
Over 100	100 ft² plus
	0.5 ft ² per foot of frontage
	over 100

Maximum size of signs. In any district other than Residential or Special Purpose Districts, the total area of sign or signs subject to the provisions of Section N101 and attached to, displayed from, or erected upon any building, lot, or parcel of land, shall not exceed the limits prescribed in Sections N101.10.1 through N101.10.7.

N101.10.1 One story buildings. Two square feet (0.19 m²) for each foot of width of front of building occupied by the business or profession to be advertised, such signs or signs to be placed on the front under consideration within the limits of the portion of the front in which the business advertised is located. Roof signs shall not exceed 100 square feet (9.29 m²) facing any one street frontage.

N101.10.2 First floor stores or businesses in multi-story buildings. The provisions of Section N101.10.1 shall apply, except that such signs shall be kept within a height of 20 feet (6096 mm) above the sidewalk.

N101.10.3 Upper stories of multi-story buildings. The total area of all signs above the 20-foot height specified in Section N101.10.2 shall not exceed the limits set forth in Table N101.10.3, for each street frontage.

TABLE N101.10.3 SIGNS ABOVE THE FIRST STORY

AREA OF WALL ABOVE 20 FEET ABOVE THE SIDEWALK, ON STREET FRONTAGE (square feet) ^a	MAXIMUM ALLOWABLE AREA OF SIGNS ABOVE 20 FEET ABOVE SIDEWALK ON STREET FRONTAGE
Up to 1600	40 ft²
1600 to 4000	1/40 of area of wall above 20 ft. height
Over 4000	100 ft² roof signs, or 1/40 of area of wall above 20 ft. height for signs below roof









MAIN BUILDING SIGNAGE:

- MAIN BUILDING SIGNAGE CONVEYING INFORMATION SUCH AS BUILDING NAME, ADDRESS, AND LOCATION OF PARKING, LOADING, AND OTHER ENTRANCES SHALL BE LOCATED AS SHOWN IN THE GUIDELINES. SIGNS SHALL BE WALL-MOUNTED.
- MAIN BUILDING SIGNS MAY INCLUDE ILLUMINATION FOR BOTH DAY AND NIGHTTIME VISIBILITY. ALL EXTERNAL LIGHTING COMPONENTS, WIRES, JUNCTION BOXES, ETC MUST BE CONCEALED FROM VIEW.

RETAIL SIGNS:

- PRIMARY RETAIL TENANT IDENTIFICATION SIGNAGE SHALL BE LOCATED WITHIN THE UPPER PORTION OF THE STOREFRONT ABOVE THE ENTRANCE AS SHOWN ON THE GUIDELINES. SIGNS SHALL BE WALL-MOUNTED IF INCORPORATED INTO THE STOREFRONT DESIGN.
- MAXIMUM HEIGHT OF TYPICAL RETAIL SIGNS TO BE 37 INCHES. THE MAXIMUM HEIGHT OF RETAIL SIGNAGE AT THE SOUTHWEST CORNER OF THE BUILDING TO BE 55 INCHES.
- RETAIL TENANTS MAY ALSO INCORPORATE BLADE SIGNS AS SHOWN IN THE GUIDELINES. BLADE SIGNS ARE NOT TO PROJECT MORE THAN 42 INCHES. BEYOND THE BUILDING PROPERTY LINE. THE BOTTOM OF THE BLADE SIGN MUST BE AT A MINIMUM OF 11 FEET ABOVE FINISHED FLOOR. AS SHOWN IN THE GUIDELINES.
- RETAIL SIGNS MAY INCLUDE ILLUMINATION FOR BOTH DAY AND NIGHTTIME VISIBILITY. ALL EXTERNAL LIGHTING COMPONENTS, WIRES, JUNCTION BOXES, ETC MUST BE CONCEALED FROM VIEW.
- LETTERS AND GRAPHICS MAY INCLUDE DEPTH, TEXTURE, AND DIMENSIONAL QUALITIES TO CREATE A DIVERSE, AUTHENTIC AND CREATIVE ENVIRONMENT.

WINDOW SIGNS:

- SECONDARY RETAIL IDENTIFICATION AND INFORMATIONAL SIGNS SHALL BE PERMITTED WITHIN THE STOREFRONT AND LOBBY AREAS.
- MULTIPLE SIGNS PERMITTED WITHIN WINDOWS. SUBJECT TO LANDLORD REVIEW AND APPROVAL. RETAIL TENANT GRAPHICS AND IDENTIFICATION. FEATURES SHALL BE PERMITTED TO EXCEED MAXIMUM HEIGHT.









PROHIBITED SIGNS

ILLUMINATED SIGN BOXES

SIGNS WITH TAG LINES, SLOGANS, PHONE NUMBERS, SERVICE DESCRIPTIONS, OR ADVERTISING.

SIGNS MADE WITH PLASTIC, PLEXIGLAS, LEXAN, OR ACRYLIC, TRANSLUCENT OR OPAQUE.

MONUMENT STYLE SIGNAGE.

SIGNS WITH EXPOSED RACEWAY, CONDUIT, JUNCTION BOXES, TRANSFORMERS, VISIBLE LAMPS, TUBING, OR NEON CROSSOVERS OF ANY TYPE.

ROTATING, ANIMATED, OR FLASHING SIGNS.

POLE SIGNS AND OTHER SIGNS WITH EXPOSED STRUCTURAL SUPPORTS NOT INTENDED AS A DESIGN ELEMENT EXCEPT FOR CODE REQUIRED SIGNS.

PENNANTS, BANNERS, OR FLAGS IDENTIFYING INDIVIDUAL TENANTS.

SIGNS ATTACHED, PAINTED, OR OTHERWISE AFFIXED TO AWNINGS. TENTS, OR UMBRELLAS, HOWEVER SUCH SIGNS MAY BE PERMITTED IN CONJUNCTION WITH SPECIAL DESIGN REVIEW BY THE LANDLORD.

BALLOONS AND INFLATABLE SIGNS.

ANY SIGNS INCLUDING FREESTANDING SIGNS ADVERTISING THE AVAILABILITY OF EMPLOYMENT OPPORTUNITIES.

SIGNS WHICH EMIT SOUND, ODOR, OR VISIBLE MATTER OR WHICH BEAR OR CONTAIN STATEMENTS, WORDS OR PICTURES OF AN OBSCENE, PORNOGRAPHIC, OR IMMORAL CHARACTER.

FLUORESCENT OR REFLECTIVE SIGN COLORS.

SIMULATED MATERIALS, I.E. WOOD GRAINED PLASTIC LAMINATE, WALL COVERING, PAPER, CARDBOARD, OR FOAM.

ROOF TOP SIGNS.







