

	LOT	HEIGHTS		REAR YARD	SIDE YARD	FRONT YARD	FLOOR AREA RATIO	LOT OCCUPANCY
		FEET	STORIES					
Approved PUD	1	50	4	4	0	0	3.33	99%
Proposed Modification	1	51.79	4	4	0	0	3.42	91%
Approved PUD	2	50	4	4	N/A	0	3.23	99%
Proposed Modification	2	51.17	4	4	N/A	0	3.40	90%
Approved PUD	3	50	4	4	N/A	0	3.23	99%
Proposed Modification	3	51.31	4	4	N/A	0	3.40	90%
Approved PUD	4	54	4	4	N/A	0	3.23	99%
Proposed Modification	4	51.44	4	4	N/A	0	3.40	90%
Approved PUD	5	54	4	4	N/A	0	3.23	99%
Proposed Modification	5	51.57	4	4	N/A	0	3.40	90%
Approved PUD	6	54	4	4	0	0	3.23	99%
Proposed Modification	6	51.70	4	4	0	0	3.42	91%
Approved PUD	7	40	3	35	0	0	1.44	53%
Proposed Modification	7	43.18	3	33	0	0	1.46	54%
Approved PUD	8	40	3	35	N/A	0	1.45	53%
Proposed Modification	8	43.30	3	33	N/A	0	1.48	53%
Approved PUD	9	40	3	35	N/A	0	1.44	53%
Proposed Modification	9	43.44	3	33	N/A	0	1.45	53%
Approved PUD	10	40	3	35	N/A	0	1.45	53%
Proposed Modification	10	43.59	3	33	N/A	0	1.48	53%
Approved PUD	11	40	3	35	0	0	1.44	53%
Proposed Modification	11	43.73	3	33	0	0	1.46	54%
Approved PUD	12	40	3	35	0	0	1.26	51%
Proposed Modification	12	43.11	3	35	0	0	1.41	51%
Approved PUD	13	40	3	35	N/A	0	1.26	51%
Proposed Modification	13	43.25	3	35	N/A	0	1.40	51%
Approved PUD	14	40	3	35	N/A	0	1.26	51%
Proposed Modification	14	43.40	3	35	N/A	0	1.40	51%
Approved PUD	15	40	3	35	N/A	0	1.26	51%
Proposed Modification	15	43.58	3	35	N/A	0	1.40	51%
Approved PUD	16	40	3	28	N/A	0	1.32	53%
Proposed Modification	16	43.75	3	32	N/A	0	1.46	53%
Approved PUD	17	40	3	22	0	0	1.51	61%
Proposed Modification	17	43.92	3	25.7	4	0	1.47	52%
Approved PUD	18	48	4	6	0	4	1.70	53%
Proposed Modification	18	48.48	4	3.5	10	10.2	1.80	48%
Approved PUD	19	47	4	8	N/A	8	2.58	86%
Proposed Modification	19	48.34	4	7.25	N/A	10.2	2.73	69%
Approved PUD	20	47	4	13	N/A	8	2.09	64%
Proposed Modification	20	49.43	4	15.45	N/A	8	2.27	58%
Approved PUD	21	46	4	18	N/A	8	1.94	66%
Proposed Modification	21	49.06	4	24.4	N/A	8	2.02	52%
Approved PUD	22	46	4	25	N/A	8	1.71	52%
Proposed Modification	22	48.93	4	31.4	N/A	8	1.85	48%
Approved PUD	23	49	4	32	N/A	8	1.41	47%
Proposed Modification	23	48.69	4	34.9	N/A	10.2	1.80	46%
Approved PUD	24	49	4	39	N/A	8	1.24	39%
Proposed Modification	24	48.47	4	42.85	N/A	10.2	1.60	42%
Approved PUD	25	39	3	46	N/A	8	0.97	44%
Proposed Modification	25	39.42	3	50.8	N/A	10.2	1.11	38%
Approved PUD	26	39	3	54	N/A	8	0.91	41%
Proposed Modification	26	39.26	3	58.8	N/A	10.2	1.04	36%
Approved PUD	27	39	3	62	N/A	8	0.89	38%
Proposed Modification	27	39.12	3	66.8	N/A	10.2	0.96	33%
Approved PUD	28	39	3	70	N/A	8	0.83	35%
Proposed Modification	28	39.59	3	74.7	N/A	10.2	0.89	31%
Approved PUD	29	39	3	70	N/A	8	0.88	40%
Proposed Modification	29	39.43	3	62.45	N/A	10.2	1.01	34%
Approved PUD	30	39	3	38	N/A	8	1.30	55%
Proposed Modification	30	39.26	3	30.2	N/A	10.2	1.40	48%
Approved PUD	31	48	4	2	N/A	8	2.66	82%
Proposed Modification	31	48.68	4	9.05	N/A	8	2.84	75%

Approved PUD	32	48	4	2	N/A	8	2.77	93%
Proposed Modification	32	49.17	4	2	N/A	10.2	2.88	75%
Approved PUD	33	48	4	2	N/A	8	2.77	93%
Proposed Modification	33	49.00	4	2	N/A	10.2	2.88	75%
Approved PUD	34	48	4	2	N/A	8	2.84	88%
Proposed Modification	34	48.91	4	2	N/A	8	3.01	79%
Approved PUD	35	48	4	2	N/A	8	2.84	88%
Proposed Modification	35	48.73	4	2	N/A	8	3.01	79%
Approved PUD	36	48	4	2	N/A	8	2.77	93%
Proposed Modification	36	49.31	4	2	N/A	10.2	2.88	75%
Approved PUD	37	48	4	2	N/A	8	2.77	93%
Proposed Modification	37	49.43	4	2	N/A	10.2	2.88	75%
Approved PUD	38	48	4	2	0	8	1.84	56%
Proposed Modification	38	48.81	4	2	6.6	8	1.92	51%
Approved PUD	39	39	3	18	0	9	1.48	62%
Proposed Modification	39	38.99	3	19.55	0	8.4	1.63	57%
Approved PUD	40	39	3	30	N/A	9	1.13	48%
Proposed Modification	40	38.92	3	37.8	N/A	9	1.26	43%
Approved PUD	41	39	3	38	N/A	9	1.13	48%
Proposed Modification	41	39.52	3	38	N/A	9	1.26	43%
Approved PUD	42	39	3	38	N/A	9	1.13	48%
Proposed Modification	42	39.45	3	38	N/A	9	1.26	43%
Approved PUD	43	39	3	38	N/A	9	1.13	48%
Proposed Modification	43	40.06	3	38	N/A	9	1.26	43%
Approved PUD	44	40	3	38	N/A	9	1.61	52%
Proposed Modification	44	49.87	4	34.4	N/A	10.7	1.80	46%
Approved PUD	45	40	3	38	0	7	1.61	52%
Proposed Modification	45	50.22	4	34.4	0	9.7	1.82	46%