

STANDARD DRAWING LEGEND

FOR ENTIRE PLAN SET
(NOT TO SCALE)

EXISTING NOTE	TYPICAL NOTE TEXT	PROPOSED NOTE	EXISTING NOTE	TYPICAL NOTE TEXT	PROPOSED NOTE
	ONSITE PROPERTY LINE / R.O.W. LINE			OVERHEAD WIRE	
	NEIGHBORING PROPERTY LINE / INTERIOR PARCEL LINE			UNDERGROUND TELEPHONE LINE	
	EASEMENT LINE			UNDERGROUND CABLE LINE	
	SETBACK LINE			SANITARY SEWER MAIN	
	CONCRETE CURB & GUTTER			HYDRANT	
				SANITARY MANHOLE	
				STORM MANHOLE	
	UTILITY POLE WITH LIGHT			WATER METER	
	POLE LIGHT			WATER VALVE	
	TRAFFIC LIGHT			GAS VALVE	
	UTILITY POLE			GAS METER	
	TYPICAL LIGHT			TYPICAL END SECTION	
	ACORN LIGHT			HEADWALL OR ENDWALL	
	TYPICAL SIGN			YARD INLET	
	PARKING COUNTS			CURB INLET	
				CLEAN OUT	
	CONTOUR LINE			ELECTRIC MANHOLE	
	SPOT ELEVATIONS			TELEPHONE MANHOLE	
				ELECTRIC BOX	
	SANITARY LABEL			ELECTRIC PEDESTAL	
	STORM LABEL			MONITORING WELL	
	SANITARY SEWER LATERAL			TEST PIT	
	UNDERGROUND WATER LINE			BENCHMARK	
	UNDERGROUND ELECTRIC LINE			BORING	
	UNDERGROUND GAS LINE				

GENERAL NOTES:

1. THE PLAN IS BASED ON THE FOLLOWING DOCUMENTS AND INFORMATION
 - A. ENTITLED: "ALTA/ACSM LAND TITLE SURVEY, KETTLER INC., 300 MORSE STREET, NE, A&T LOTS 805, 817, & 819, SQUARE 3587, DISTRICT OF COLUMBIA", PREPARED BY: BOHLER ENGINEERING, PROJECT NUMBER: DC142264, DATED: 2/26/15
 - B. DIGITAL ARCHITECTURAL PLANS: ENTITLED: "SONYA - GROUND FLOOR PLAN.DWG" PREPARED BY: R2L ARCHITECTS, DATE RECEIVED: 10/01/15.
 - C. DIGITAL LANDSCAPE PLANS: ENTITLED: "L-SP-W1511.DWG" AND "L-SP-W1511_PHASE 1.DWG" PREPARED BY: OCULUS, DATE RECEIVED: 10/13/15
2. LOCATION OF ALL UNDERGROUND UTILITIES ARE APPROXIMATE. ALL LOCATIONS AND SIZES ARE BASED ON UTILITY MARK OUTS, ABOVE GROUND STRUCTURES THAT WERE VISIBLE & ACCESSIBLE IN THE FIELD, AND THE MAPS AS LISTED IN THE REFERENCES AVAILABLE AT THE TIME OF THE SURVEY. AVAILABLE AS-BUILT PLANS AND UTILITY MARK OUT DOES NOT ENSURE MAPPING OF ALL UNDERGROUND UTILITIES AND STRUCTURES. BEFORE ANY EXCAVATION IS TO BEGIN, ALL UNDERGROUND UTILITIES SHOULD BE VERIFIED AS TO THEIR LOCATION, SIZE, AND TYPE BY THE PROPER UTILITY COMPANIES.

SHEET INDEX


SHEET TITLE	SHEET NUMBER
GENERAL NOTES AND LEGEND	C-100
DEMOLITION PLAN	C-101
SITE PLAN CONSOLIDATED PUD	C-200
SITE PLAN CONSOLIDATED AND FIRST STAGE PUD	C-201
UTILITY PLAN	C-300
EROSION & SEDIMENT CONTROL PLAN CONSOLIDATED PUD	C-400
EROSION & SEDIMENT CONTROL PLAN CONS. & FIRST STAGE PUD	C-401
STORMWATER MANAGEMENT PLAN	C-500
STORMWATER MANAGEMENT PLAN CALCULATIONS	C-501

DEVELOPER

KETTLER INC.
1751 PINNACLE DR. #700
MCLEAN, VA 22102


GENERAL NOTES AND LEGEND

30 October, 2015




EXISTING CONDITIONS / DEMOLITION PLAN

SCALE: 1" = 100'




30 October, 2015



SITE PLAN CONSOLIDATED PUD

SCALE: 1" = 100'




30 October, 2015



MARKET TERMINAL - APPLICATION FOR CONSOLIDATED AND FIRST STAGE PUD




C200





SITE PLAN - CONSOLIDATED AND FIRST STAGE PUD

SCALE: 1" = 100'




30 October, 2015



UTILITY PLAN


SCALE: 1" = 100'



30 October, 2015




EROSION AND SEDIMENT CONTROL LEGEND		
TITLE	KEY	SYMBOL
SAFETY FENCE	SAF	
SILT FENCE	SF	
CURB INLET PROTECTION	CIP	
TEMPORARY STONE CONSTRUCTION ENTRANCE	SCE	




EROSION AND SEDIMENT CONTROL PLAN

SCALE: 1" = 100'




30 October, 2015

EROSION AND SEDIMENT CONTROL LEGEND		
TITLE	KEY	SYMBOL
SAFETY FENCE	SAF	
SILT FENCE	SF	
CURB INLET PROTECTION	CIP	
TEMPORARY STONE CONSTRUCTION ENTRANCE	SCE	
TREE PROTECTION	TP	



EROSION AND SEDIMENT - CONSOLIDATED PUD

SCALE: 1" = 100'



30 October, 2015




MARKET TERMINAL - APPLICATION FOR CONSOLIDATED AND FIRST STAGE PUD



C401


STORMWATER MANAGEMENT PLAN NARRATIVE

THE TOTAL SITE AREA IS 339,182 SF AND HAS A SWRV REQUIREMENT OF 27,648 CF. GREEN ROOFS, BIORETENTION FACILITIES AND STREET PLANTERS, SILVA CELLS, AND PERMEABLE PAVEMENT WILL BE IMPLEMENTED TO PROVIDE FOR THE REQUIRED SWRV. SEE SHEET C-501 FOR CALCULATIONS.



STORMWATER MANAGEMENT PLAN

SCALE: 1" = 100'



30 October, 2015

GREEN ROOF

GREEN ROOF#	SURFACE AREA (SF)	TOTAL CDA (SF)	EX. IMP (SF)	PROP. IMP (SF)	MEDIA DEPTH (in.)	DRAINAGE LAYER DEPTH (IN)	LOCATION	STORAGE PROVIDED	Max SWRv	SWRv PROVIDED
1	3,630	3,630	3,630	3,630	8	1.5	Building A-1: Penthouse (intensive)	1225	489	489
2	3,736	3,736	3,736	3,736	6	1.5	Building A-1: Penthouse (extensive)	981	503	503
3	6,333	6,333	6,333	6,333	6	1.5	Building A-1: Roof (extensive)	1662	852	852
4	4,001	4,001	4,001	4,001	8	1.5	Building A-2: Left Side (intensive)	1350	538	538
5	5,670	5,670	5,670	5,670	8	1.5	Building A-2: Center (intensive)	1913	763	763
6	2,171	2,171	2,171	2,171	6	1.5	Building A-2: Right Side (extensive)	570	292	292
7	4,243	4,243	4,243	4,243	6	1.5	Building A-2: Center (extensive)	1114	571	571
8	1,512	1,512	1,512	1,512	8	1.5	Building C-1: Left Side (intensive)	510	203	203
9	3,894	3,894	3,894	3,894	8	1.5	Building C-1: Outer (intensive)	1314	524	524
10	8,621	8,621	8,621	8,621	6	1.5	Building C-1: Inner (extensive)	2263	1160	1160
11	1,621	1,621	1,621	1,621	8	1.5	Building C-1: Right Side (intensive)	547	218	218
12	5,626	5,626	5,626	5,626	6	1.5	Building C-2: Inner (extensive)	1477	757	757
13	1,824	1,824	1,824	1,824	6	1.5	Building C-2: In Between Bios (extensive)	479	245	245
14	6,589	6,589	6,589	6,589	8	1.5	Building C-2: Remaining (intensive)	2224	887	887
15	4,807	4,807	4,807	4,807	6	1.5	Building D: Inner (extensive)	1262	647	647
16	2,799	2,799	2,799	2,799	8	1.5	Building D: Outer (intensive)	944	377	377
TOTAL								19,836	9,027	9,027

BIORETENTION

FACILITY	SURFACE AREA, BOT. (SF)	SURFACE AREA, TOP (SF)	TOTAL CDA (SF)	EX. IMP (SF)	PROP. IMP (SF)	FREEBOARD (FT)	PONDING DEPTH (FT)	MEDIA DEPTH (FT)	GRAVEL DEPTH (FT)	STORAGE PROVIDED	SWRv (CF)	Max SWRv	SWRv PROVIDED
A1	1690	1690	21,090		21090	0	2	2	1	4,901	2,941	2,838	2,838
A2	1533	1533	10464		5982	0	2	2	1	4,446	2,667	964	964
A3	2360	2360	48,599		48598.95	0	2	2	1	6,844	4,106	6,541	4,106
A4	2038	2038	5,668		5668	0	1.5	2	1	4,891	2,935	763	763
B1	2477	2477	18904		18904	0	1	2	1	4,706	2,824	2,544	2,544
A5	2000	2000	15,228		15227.85	0	1	2	1	3,800	2,280	2,049	2,049
C1	605	605	3,295		3294.5	0	1	2	1	1,150	690	443	443
C2	605	605	3,295		3294.5	0	1	2	1	1,150	690	443	443
TREE PIT	1767	1767	32,498		32,498	0	1	2	1	3,357	2,014	4,374	2,014
SILVA CELLS	1621	1621	29,813		29,813	0	0	2.6666667	0	1,081	648	4,012	648
TOTAL										36,325	21,795	24,972	16,815

PERMEABLE PAVING

Location	SA (SF)	SWRv (CF)
Plaza	7,344	330

Tree Planting

Location	#	SWRv (CF)
Ground Floor	150	1500

TOTAL SWRv REQUIRED =	27,648
TOTAL SWRv PROVIDED =	27,672

STORMWATER MANAGEMENT PLAN CALCULATIONS

30 October, 2015



MARKET TERMINAL - APPLICATION FOR CONSOLIDATED AND FIRST STAGE PUD



C501